$$f_0(980)$$

$$I^{G}(J^{PC}) = 0^{+}(0^{+})$$

See also the minireview on scalar mesons under $f_0(1370)$. (See the index for the page number.)

f₀(980) MASS

VALUE (N	/leV)	EVTS		DOCUMENT ID		TECN	COMMENT
980	±10 O	UR ESTIMATE					
• • • W	/e do not i	use the following	dat	a for averages, f	fits, l	imits, et	c. ● ● ●
955	± 10		1	ALDE	97	GAM2	450 $pp \rightarrow pp \pi^0 \pi^0$
994	± 9		2	BERTIN	97 C	OBLX	$0.0 \overline{p} p \rightarrow \pi^+ \pi^- \pi^0$
993.2	$2\pm 6.5\pm 6$	5.9	3	ISHIDA	96	RVUE	$\pi \pi \rightarrow \pi \pi, K \overline{K}$
1006				TORNQVIST	96	RVUE	$\pi \pi \rightarrow \pi \pi, \ K \overline{K}, \ K \pi,$
			Л				$\eta\pi$ 0.0
997	\pm 5	3k	4	ALDE	95 B	GAM2	$38 \pi^- p \rightarrow \pi^0 \pi^0 n$
960	± 10	10k	5	ALDE	95 B	GAM2	$38 \pi^- p \rightarrow \pi^0 \pi^0 n$
994	\pm 5		6	AMSLER	95 B	CBAR	$0.0 \ \overline{p} p \rightarrow 3\pi^0$
\sim 996			0	AMSLER	95 D	CBAR	$0.0 \ \overline{p} p \rightarrow \pi^0 \pi^0 \pi^0$,
			7		0-		$\pi^0 \eta \eta$, $\pi^0 \pi^0 \eta$
987	± 0		'	ANISOVICH	95	RVUE	K K
1015			8	JANSSEN	95	RVUE	$\pi \pi \rightarrow \pi \pi, KK$
983			Ŭ	BUGG	94	RVUE	$pp \rightarrow \eta 2\pi^{\circ}$
973	± 2		9		94 04 D		$\pi\pi ightarrow \pi\pi$, KK
900	± 10		10	MORGAN	94D	RVUE	$\pi\pi(\overline{K}\overline{K})$
900	± 10			MONGAN	95	RVOL	$\pi \pi (K \overline{K}) = 1/2 $
							$\phi \pi \pi (KK), D_{-} \rightarrow$
							$\pi(\pi\pi)$
971.	$1\pm$ 4.0		1	AGUILAR	91	EHS	400 pp
979	\pm 4		11	ARMSTRONG	91	OMEG	300 $pp \rightarrow pp\pi\pi$,
							ppK K
956	± 12		1	BREAKSTONE	90	SFM	$pp \rightarrow pp\pi^+\pi^-$
959.4	$4\pm$ 6.5		1	AUGUSTIN	89	DM2	$J/\psi \rightarrow \omega \pi^+ \pi^-$
978	± 9		T	ABACHI	86 B	HRS	$e^+e^- \rightarrow \pi^+\pi^- X$
985.0	$0^{+}_{-39.0}$			ETKIN	8 2B	MPS	$23 \pi^- p \rightarrow n2K_S^0$
974	+ 4		11	GIDAI	81	MRK2	$I/\psi \rightarrow \pi^+\pi^-X$
975	<u> </u>		12	ACHASOV	80	RVUE	σγφ
986	+10		11	AGUILAR	78	HBC	$0.7 \overline{p} p \rightarrow K_{c}^{0} K_{c}^{0}$
060	—• + Б		11		77	VZDK	$2-24\pi^{-}$ n
909	\pm J					AJIK	$\pi^+\pi^ \mu K^+K^ \mu$
987	+ 7		11	BINNIF	73	CNTR	$\pi^- p \rightarrow p MM$
1012	± 6		13	GRAYER	73	ASPK	$17 \pi^- p \rightarrow \pi^+ \pi^- n$
1007	±20		13	HYAMS	73	ASPK	$17 \pi^- p \rightarrow \pi^+ \pi^- n$
997	± 6		13	PROTOPOP	73	HBC	$7 \pi^+ \rho \rightarrow$
							$\pi^+ \rho \pi^+ \pi^-$
1							··· ·· ··

 1 From invariant mass fit. 2 On sheet II in a 2 pole solution. The other pole is found on sheet III at (963-29i) MeV.

HTTP://PDG.LBL.GOV

Created: 6/29/1998 11:42

³ Reanalysis of data from HYAMS 73, GRAYER 74, SRINIVASAN 75, and ROSSELET 77 using the interfering amplitude method.

⁴ At high |t|.

⁵ At low |t|.

⁶ On sheet II in a 4-pole solution, the other poles are found on sheet III at (953-55i) MeV and on sheet IV at (938-35i) MeV.

⁷ Combined fit of ALDE 95B, ANISOVICH 94, AMSLER 94D.

⁸ On sheet II in a 2 pole solution. The other pole is found on sheet III at (996-103i) MeV.

 9 On sheet II in a 2 pole solution. The other pole is found on sheet III at (797–185*i*) MeV and can be interpreted as a shadow pole.

 10 On sheet II in a 2 pole solution. The other pole is found on sheet III at (978–28*i*) MeV. 11 From coupled channel analysis.

 12 Coupled channel analysis with finite width corrections.

¹³Included in AGUILAR-BENITEZ 78 fit.

f₀(980) WIDTH

Width determination very model dependent. Peak width in $\pi\pi$ is about 50 MeV, but decay width can be much larger.

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
40 to 100 OUR EST	IMATE			
\bullet \bullet \bullet We do not use the	following	data for averages, f	its, limits, o	etc. • • •
$69~\pm~15$		¹⁴ ALDE	97 GAM2	$2 450 pp \rightarrow pp \pi^0 \pi^0$
38 ± 20		¹⁵ BERTIN	97C OBLX	$0.0 \ \overline{p} p \rightarrow \pi^+ \pi^- \pi^0$
~ 100		¹⁶ ISHIDA	96 RVUE	$\pi \pi \rightarrow \pi \pi$, $K \overline{K}$
34		TORNQVIST	96 RVUE	$\pi \pi ightarrow \pi \pi$, $K \overline{K}$, $K \pi$,
48 + 10	31		OFP CAM	$\eta \pi$
40 ± 10 95 ± 20	10k	18 ALDE	95B GAM2	$2 38 \pi^{-} p \rightarrow \pi^{0} \pi^{0} p$
35 ± 20 26 ± 10	IUK			$p \rightarrow \pi \pi n$
20 ± 10		19 AMSLED		$0.0 pp \rightarrow 3\pi$
~ 112		AWISLEN	950 CDAN	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
$80~\pm~12$		²⁰ ANISOVICH	95 RVUE	, ,,,,,,,,,,
30		JANSSEN	95 RVUE	$\pi\pi \rightarrow \pi\pi, K\overline{K}$
74		²¹ BUGG	94 RVUE	$\overline{p}p \rightarrow \eta 2\pi^0$
29 \pm 2		KAMINSKI	94 RVUE	$\pi \pi \rightarrow \pi \pi, K \overline{K}$
46		²² ZOU	94B RVUE	
$48 ~\pm~ 12$		²³ MORGAN	93 RVUE	$\pi \pi (K \overline{K}) \rightarrow$
				$\pi \pi (\overline{K} \overline{K}), J/\psi \rightarrow$
				$\phi \pi \pi (K \overline{K}), D_{S} \rightarrow$
		14		$\pi(\pi\pi)$
37.4 ± 10.6		¹⁴ AGUILAR	91 EHS	400 <i>pp</i>
72 ± 8		²⁴ ARMSTRONG	91 OME	$\mathbf{G} 300 \ \boldsymbol{p} \boldsymbol{p} \xrightarrow{\rightarrow} \ \boldsymbol{p} \boldsymbol{p} \pi \pi,$
				ррК К

110	± 30	BREAKSTONE	90	SFM	$pp \rightarrow pp \pi^+ \pi^-$
29	\pm 13	¹⁴ ABACHI	86 B	HRS	$e^+e^- \rightarrow \pi^+\pi^-X$
120	± 281 ± 20	ETKIN	8 2B	MPS	$23 \pi^- p \rightarrow n2K_S^0$
28	\pm 10	²⁴ GIDAL	81	MRK2	$J/\psi \rightarrow \pi^+ \pi^- X$
70	to 300	²⁵ ACHASOV	80	RVUE	
100	± 80	²⁶ AGUILAR	78	HBC	$0.7 \ \overline{p}p \rightarrow \ K^0_S K^0_S$
30	± 8	²⁴ LEEPER	77	ASPK	$2-2.4 \pi^{-} p \rightarrow$
					$\pi^{+}\pi^{-}n, K^{+}K^{-}n$
48	\pm 14	²⁴ BINNIE	73	CNTR	$\pi^- p \rightarrow n MM$
32	\pm 10	²⁷ GRAYER	73	ASPK	$17 \pi^- p \rightarrow \pi^+ \pi^- n$
30	\pm 10	²⁷ HYAMS	73	ASPK	$17 \pi^- p \rightarrow \pi^+ \pi^- n$
54	\pm 16	²⁷ PROTOPOP	73	HBC	7 $\pi^+ p \rightarrow$
					$\pi^+ p \pi^+ \pi^-$

¹⁴ From invariant mass fit.

¹⁵ On sheet II in a 2 pole solution. The other pole is found on sheet III at (963-29i) MeV.
 ¹⁶ Reanalysis of data from HYAMS 73, GRAYER 74, SRINIVASAN 75, and ROSSELET 77
 using the interfering amplitude method.

¹⁷ At high |t|.

¹⁸ At low |t|.

 19 On sheet II in a 4-pole solution, the other poles are found on sheet III at (953–55*i*) MeV and on sheet IV at (938-35i) MeV.

²⁰ Combined fit of ALDE 95B, ANISOVICH 94, ²¹ On sheet II in a 2 pole solution. The other pole is found on sheet III at (996-103i) MeV.

 22 On sheet II in a 2 pole solution. The other pole is found on sheet III at (797-185i) MeV and can be interpreted as a shadow pole.

 23 On sheet II in a 2 pole solution. The other pole is found on sheet III at (978–28*i*) MeV.

²⁴ From coupled channel analysis.

 25 Coupled channel analysis with finite width corrections.

²⁶ From coupled channel fit to the HYAMS 73 and PROTOPOPESCU 73 data. With a simultaneous fit to the $\pi\pi$ phase-shifts, inelasticity and to the $\mathcal{K}^0_{\mathcal{S}}\mathcal{K}^0_{\mathcal{S}}$ invariant mass.

²⁷ Included in AGUILAR-BENITEZ 78 fit.

fo(980) DECAY MODES

	Mode	Fraction (Γ_i/Γ) Con	nfidence level
Г1	$\pi\pi$	dominant	
Γ2	KK	seen	
Γ ₃	$\gamma \gamma$	$(1.19\pm0.33) imes10^{-5}$	
Γ ₄	$e^+ e^-$	$< 3 10^{-7}$	90%

fo(980) PARTIAL WIDTHS

$\Gamma(\gamma \gamma)$					Гз
VALUE (keV)	EVTS	DOCUMENT ID		TECN	COMMENT
0.56±0.11 OUR AVERA	GE				
0.63 ± 0.14		²⁸ MORGAN	90	RVUE	$\gamma \gamma ightarrow \pi^+ \pi^-$, $\pi^0 \pi^0$
$0.42\!\pm\!0.06\!\pm\!0.18$	60	²⁹ OEST	90	JADE	$e^+e^- \rightarrow e^+e^-\pi^0\pi^0$
\bullet \bullet \bullet We do not use the	e followii	ng data for averages	, fits	, limits,	etc. • • •

- 0.29±0.07±0.12 30,31 BOYER 90 MRK
 - 0.31±0.14±0.09 30,31 MARSISKE
- 90 MRK2 $e^+e^- \rightarrow e^+e^-\pi^+\pi^-$ 90 CBAL $e^+e^- \rightarrow e^+e^-\pi^0\pi^0$

²⁸ From amplitude analysis of BOYER 90 and MARSISKE 90, data corresponds to resonance parameters
$$m = 989$$
 MeV, $\Gamma = 61$ MeV.

 29 OEST 90 quote systematic errors $^{+0.08}_{-0.18}$. We use ± 0.18 .

³⁰ From analysis allowing arbitrary background unconstrained by unitarity.

 31 Data included in MORGAN 90 analysis.

Γ(e ⁺ e ⁻)						Г4
VALUE (eV)	CL%	DOCUMENT ID		TECN	COMMENT	
<8.4	90	VOROBYEV	88	ND	$e^+e^- \rightarrow \pi^0 \pi^0$	

f₀(980) BRANCHING RATIOS

$\Gamma(\pi\pi)/[\Gamma(\pi\pi)+\Gamma(\overline{K}K)]$				$\Gamma_1/(\Gamma_1+$	Γ ₂)
VALUE	DOCUMENT ID		TECN	COMMENT	
$\bullet \bullet \bullet$ We do not use the following	ng data for averages	s, fits	s, limits,	etc. ● ● ●	
$0.67 {\pm} 0.09$	³² LOVERRE	80	HBC	$4 \pi^- p \rightarrow n2K_S^0$	
$0.81 \substack{+0.09 \\ -0.04}$	³² CASON	78	STRC	$7 \pi^- p \rightarrow n2K_S^0$	
0.78 ± 0.03	³² WETZEL	76	OSPK	8.9 $\pi^- p \rightarrow n2K_S^0$	
32					

³² Measure $\pi\pi$ elasticity assuming two resonances coupled to the $\pi\pi$ and *KK* channels only.

f₀(980) REFERENCES

ALDE	97	PL B397 350	+Bellazzini, Binon+	(GAMS Collab.)
BERTIN	97C	PL B408 476	A. Bertin, Bruschi+	(OBELIX Collab.)
ISHIDA	96	PTP 95 745	S. Ishida+	(TOKY, MIYA, KEK)
TORNQVIST	96	PRL 76 1575	+Roos	(HELS)
ALDE	95B	ZPHY C66 375	+Binon, Boutemeur+	(GAMS Collab.)
AMSLER	95B	PL B342 433	+Armstrong, Brose+	(Crystal Barrel Collab.)
AMSLER	95D	PL B355 425	+Armstrong, Spanier+	(Crystal Barrel Collab.)
ANISOVICH	95	PL B355 363	+Kondashov $+$	(PNPI, SERP)
JANSSEN	95	PR D52 2690	+Pearce, Holinde, Speth	(STON, ADLD, JULI)
AMSLER	94D	PL B333 277	+Anisovich, Spanier+	(Crystal Barrel Collab.)
ANISOVICH	94	PL B323 233	+Armstrong $+$	(Crystal Barrel Collab.)
BUGG	94	PR D50 4412	+Anisovich+	(LOQM)
KAMINSKI	94	PR D50 3145	R. Kaminski+	(CRAC, IPN)
ZOU	94B	PR D50 591	+Bugg	(LOQM)
MORGAN	93	PR D48 1185	+Pennington	(RAL, DURH)
AGUILAR	91	ZPHY C50 405	Aguilar-Benitez, Allison, Batalor+	(LEBC-EHS Collab.)
ARMSTRONG	91	ZPHY C51 351	+Benayoun+ (ATHU, BAI	RI, BIRM, CERN, CDEF)
BOYER	90	PR D42 1350	+Butler+	(Mark II Collab.)
BREAKSTONE	90	ZPHY C48 569	+ (ISU, BGNA, CERN,	DORT, HEIDH, WARS)
MARSISKE	90	PR D41 3324	+Antreasyan+	(Crystal Ball Collab.)
MORGAN	90	ZPHY C48 623	+Pennington	(RAL, DURH)
OEST	90	ZPHY C47 343	+Olsson+	(JADE Collab.)
AUGUSTIN	89	NP B320 1	+Cosme	(DM2 Collab.)
VOROBYEV	88	SJNP 48 273	+Golubev, Dolinsky, Druzhinin+	(NOVO)
		Translated from	YAF 48 436.	
ABACHI	86B	PRL 57 1990	+Derrick, Blockus+ (PURD,	ANL, IND, MICH, LBL)
ETKIN	82B	PR D25 1786	+Foley, Lai+ (BNL,	CUNY, TUFTS, VAND)
GIDAL	81	PL 107B 153	+Goldhaber, Guy, Millikan, Abrams	+ (SLAC, LBL)
ACHASOV	80	SJNP 32 566	+Devyanin, Shestakov	(NOVM)
		I ranslated from	YAF 32 1098.	

----- OTHER RELATED PAPERS -------

ACHASOV	97C	PR D56 4084	N.N. Achasov+	
ACHASOV	97D	PR D56 203	N.N. Achasov+	
PROKOSHKIN	97	SPD 42 117	+Kondashov, Sadovsky $+$	(SERP)
		Translated from DANS	353 323.	
AU	87	PR D35 1633	+Morgan, Pennington	(DURH, RAL)
AKESSON	86	NP B264 154	+Albrow, Almehed+	(Axial Field Spec. Collab.)
MENNESSIER	83	ZPHY C16 241		(MONP)
BARBER	82	ZPHY C12 1	+Dainton, Brodbeck, Brookes+	(DARE, LANC, SHEF)
ETKIN	82C	PR D25 2446	+Foley, Lai+ (BN	L, CÙNY, TUFTS, VAND)
SRINIVASAN	75	PR D12 681	+Helland, Lennox, Klem+	(NDAM, ANL)
BIGI	62	CERN Conf. 247	+Brandt, Carrara+	ČERN)
BINGHAM	62	CERN Conf. 240	+Bloch+	(EPOL, CERN)
ERWIN	62	PRL 9 34	+Hoyer, March, Walker, Wangler	(WISC, BNL)
WANG	61	JETP 13 323	+Veksler, Vrana+) (JINR)
		Translated from ZETF	40 464.	()