

$J/\psi(1S)$ – THIS IS PART 1 OF 2

To reduce the size of this section's PostScript file, we have divided it into two PostScript files. We present the following index:

PART 1

Page #	Section name
1	Mass
1	Width
1	Decay modes
5	Partial widths
6	Branching ratios
7	Decays involving hadronic resonances

PART 2

Page #	Section name
	Branching ratios (continued)
15	Decays involving hadronic resonances (cont.)
15	Decays into stable hadrons
20	Radiative decays
27	References

$J/\psi(1S)$

$$I^G(J^{PC}) = 0^-(1^{--})$$

 $J/\psi(1S)$ MASS

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3096.88 ± 0.04 OUR AVERAGE				
3096.87 ± 0.03 ± 0.03		ARMSTRONG 93B	E760	$\bar{p}p \rightarrow e^+e^-$
3096.95 ± 0.1 ± 0.3	193	BAGLIN	87 SPEC	$\bar{p}p \rightarrow e^+e^-X$
3096.93 ± 0.09	502	ZHOLENTZ	80 REDE	e^+e^-
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
3097.5 ± 0.3		GRIBUSHIN 96	FMPS	515 $\pi^- \text{Be} \rightarrow 2\mu$
3098.4 ± 2.0	38k	LEMOIGNE 82	GOLI	190 $\pi^- \text{Be} \rightarrow 2\mu$
3097.0 ± 1		¹ BRANDELIK 79c	DASP	e^+e^-

¹From a simultaneous fit to e^+e^- , $\mu^+\mu^-$ and hadronic channels assuming $\Gamma(e^+e^-) = \Gamma(\mu^+\mu^-)$.

 $J/\psi(1S)$ WIDTH

<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
87 ± 5 OUR AVERAGE			
84.4 ± 8.9	BAI	95B BES	e^+e^-
99 ± 12 ± 6	ARMSTRONG 93B	E760	$\bar{p}p \rightarrow e^+e^-$
85.5 ⁺ ₋ 6.1 5.8	² HSUEH	92 RVUE	See Υ mini-review

²Using data from COFFMAN 92, BALDINI-CELIO 75, BOYARSKI 75, ESPOSITO 75B, BRANDELIK 79c.

 $J/\psi(1S)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
Γ_1 hadrons	(87.7 ± 0.5) %	
Γ_2 virtual $\gamma \rightarrow$ hadrons	(17.0 ± 2.0) %	
Γ_3 e^+e^-	(6.02 ± 0.19) %	
Γ_4 $\mu^+\mu^-$	(6.01 ± 0.19) %	

Decays involving hadronic resonances

Γ_5	$\rho\pi$		$(1.27 \pm 0.09) \%$	
Γ_6	$\rho^0\pi^0$		$(4.2 \pm 0.5) \times 10^{-3}$	
Γ_7	$a_2(1320)\rho$		$(1.09 \pm 0.22) \%$	
Γ_8	$\omega\pi^+\pi^+\pi^-\pi^-$		$(8.5 \pm 3.4) \times 10^{-3}$	
Γ_9	$\omega\pi^+\pi^-$		$(7.2 \pm 1.0) \times 10^{-3}$	
Γ_{10}	$\omega f_2(1270)$		$(4.3 \pm 0.6) \times 10^{-3}$	
Γ_{11}	$K^*(892)^0\bar{K}_2^*(1430)^0 + \text{c.c.}$		$(6.7 \pm 2.6) \times 10^{-3}$	
Γ_{12}	$\omega K^*(892)\bar{K} + \text{c.c.}$		$(5.3 \pm 2.0) \times 10^{-3}$	
Γ_{13}	$K^+\bar{K}^*(892)^- + \text{c.c.}$		$(5.0 \pm 0.4) \times 10^{-3}$	
Γ_{14}	$K^0\bar{K}^*(892)^0 + \text{c.c.}$		$(4.2 \pm 0.4) \times 10^{-3}$	
Γ_{15}	$\omega\pi^0\pi^0$		$(3.4 \pm 0.8) \times 10^{-3}$	
Γ_{16}	$b_1(1235)^\pm\pi^\mp$	[a]	$(3.0 \pm 0.5) \times 10^{-3}$	
Γ_{17}	$\omega K^\pm K_S^0\pi^\mp$	[a]	$(3.0 \pm 0.7) \times 10^{-3}$	
Γ_{18}	$b_1(1235)^0\pi^0$		$(2.3 \pm 0.6) \times 10^{-3}$	
Γ_{19}	$\phi K^*(892)\bar{K} + \text{c.c.}$		$(2.04 \pm 0.28) \times 10^{-3}$	
Γ_{20}	$\omega K\bar{K}$		$(1.9 \pm 0.4) \times 10^{-3}$	
Γ_{21}	$\omega f_J(1710) \rightarrow \omega K\bar{K}$		$(4.8 \pm 1.1) \times 10^{-4}$	
Γ_{22}	$\phi 2(\pi^+\pi^-)$		$(1.60 \pm 0.32) \times 10^{-3}$	
Γ_{23}	$\Delta(1232)^{++}\bar{p}\pi^-$		$(1.6 \pm 0.5) \times 10^{-3}$	
Γ_{24}	$\omega\eta$		$(1.58 \pm 0.16) \times 10^{-3}$	
Γ_{25}	$\phi K\bar{K}$		$(1.48 \pm 0.22) \times 10^{-3}$	
Γ_{26}	$\phi f_J(1710) \rightarrow \phi K\bar{K}$		$(3.6 \pm 0.6) \times 10^{-4}$	
Γ_{27}	$p\bar{p}\omega$		$(1.30 \pm 0.25) \times 10^{-3}$	S=1.3
Γ_{28}	$\Delta(1232)^{++}\bar{\Delta}(1232)^{--}$		$(1.10 \pm 0.29) \times 10^{-3}$	
Γ_{29}	$\Sigma(1385)^-\bar{\Sigma}(1385)^+ (\text{or c.c.})$	[a]	$(1.03 \pm 0.13) \times 10^{-3}$	
Γ_{30}	$p\bar{p}\eta'(958)$		$(9 \pm 4) \times 10^{-4}$	S=1.7
Γ_{31}	$\phi f_2'(1525)$		$(8 \pm 4) \times 10^{-4}$	S=2.7
Γ_{32}	$\phi\pi^+\pi^-$		$(8.0 \pm 1.2) \times 10^{-4}$	
Γ_{33}	$\phi K^\pm K_S^0\pi^\mp$	[a]	$(7.2 \pm 0.9) \times 10^{-4}$	
Γ_{34}	$\omega f_1(1420)$		$(6.8 \pm 2.4) \times 10^{-4}$	
Γ_{35}	$\phi\eta$		$(6.5 \pm 0.7) \times 10^{-4}$	
Γ_{36}	$\Xi(1530)^-\bar{\Xi}^+$		$(5.9 \pm 1.5) \times 10^{-4}$	
Γ_{37}	$\rho K^-\bar{\Sigma}(1385)^0$		$(5.1 \pm 3.2) \times 10^{-4}$	
Γ_{38}	$\omega\pi^0$		$(4.2 \pm 0.6) \times 10^{-4}$	S=1.4
Γ_{39}	$\phi\eta'(958)$		$(3.3 \pm 0.4) \times 10^{-4}$	
Γ_{40}	$\phi f_0(980)$		$(3.2 \pm 0.9) \times 10^{-4}$	S=1.9
Γ_{41}	$\Xi(1530)^0\bar{\Xi}^0$		$(3.2 \pm 1.4) \times 10^{-4}$	
Γ_{42}	$\Sigma(1385)^-\bar{\Sigma}^+ (\text{or c.c.})$	[a]	$(3.1 \pm 0.5) \times 10^{-4}$	
Γ_{43}	$\phi f_1(1285)$		$(2.6 \pm 0.5) \times 10^{-4}$	S=1.1
Γ_{44}	$\rho\eta$		$(1.93 \pm 0.23) \times 10^{-4}$	
Γ_{45}	$\omega\eta'(958)$		$(1.67 \pm 0.25) \times 10^{-4}$	

Γ_{46}	$\omega f_0(980)$		$(1.4 \pm 0.5) \times 10^{-4}$	
Γ_{47}	$\rho\eta'(958)$		$(1.05 \pm 0.18) \times 10^{-4}$	
Γ_{48}	$\rho\bar{p}\phi$		$(4.5 \pm 1.5) \times 10^{-5}$	
Γ_{49}	$a_2(1320)^\pm \pi^\mp$	[a]	$< 4.3 \times 10^{-3}$	CL=90%
Γ_{50}	$K\bar{K}_2^*(1430) + \text{c.c.}$		$< 4.0 \times 10^{-3}$	CL=90%
Γ_{51}	$K_2^*(1430)^0 \bar{K}_2^*(1430)^0$		$< 2.9 \times 10^{-3}$	CL=90%
Γ_{52}	$K^*(892)^0 \bar{K}^*(892)^0$		$< 5 \times 10^{-4}$	CL=90%
Γ_{53}	$\phi f_2(1270)$		$< 3.7 \times 10^{-4}$	CL=90%
Γ_{54}	$\rho\bar{p}\rho$		$< 3.1 \times 10^{-4}$	CL=90%
Γ_{55}	$\phi\eta(1440) \rightarrow \phi\eta\pi\pi$		$< 2.5 \times 10^{-4}$	CL=90%
Γ_{56}	$\omega f_2'(1525)$		$< 2.2 \times 10^{-4}$	CL=90%
Γ_{57}	$\Sigma(1385)^0 \bar{\Lambda}$		$< 2 \times 10^{-4}$	CL=90%
Γ_{58}	$\Delta(1232)^+ \bar{p}$		$< 1 \times 10^{-4}$	CL=90%
Γ_{59}	$\Sigma^0 \bar{\Lambda}$		$< 9 \times 10^{-5}$	CL=90%
Γ_{60}	$\phi\pi^0$		$< 6.8 \times 10^{-6}$	CL=90%

Decays into stable hadrons

Γ_{61}	$2(\pi^+ \pi^-) \pi^0$		$(3.37 \pm 0.26) \%$	
Γ_{62}	$3(\pi^+ \pi^-) \pi^0$		$(2.9 \pm 0.6) \%$	
Γ_{63}	$\pi^+ \pi^- \pi^0$		$(1.50 \pm 0.20) \%$	
Γ_{64}	$\pi^+ \pi^- \pi^0 K^+ K^-$		$(1.20 \pm 0.30) \%$	
Γ_{65}	$4(\pi^+ \pi^-) \pi^0$		$(9.0 \pm 3.0) \times 10^{-3}$	
Γ_{66}	$\pi^+ \pi^- K^+ K^-$		$(7.2 \pm 2.3) \times 10^{-3}$	
Γ_{67}	$K\bar{K}\pi$		$(6.1 \pm 1.0) \times 10^{-3}$	
Γ_{68}	$\rho\bar{p}\pi^+ \pi^-$		$(6.0 \pm 0.5) \times 10^{-3}$	S=1.3
Γ_{69}	$2(\pi^+ \pi^-)$		$(4.0 \pm 1.0) \times 10^{-3}$	
Γ_{70}	$3(\pi^+ \pi^-)$		$(4.0 \pm 2.0) \times 10^{-3}$	
Γ_{71}	$n\bar{n}\pi^+ \pi^-$		$(4 \pm 4) \times 10^{-3}$	
Γ_{72}	$\Sigma^0 \bar{\Sigma}^0$		$(1.27 \pm 0.17) \times 10^{-3}$	
Γ_{73}	$2(\pi^+ \pi^-) K^+ K^-$		$(3.1 \pm 1.3) \times 10^{-3}$	
Γ_{74}	$\rho\bar{p}\pi^+ \pi^- \pi^0$	[b]	$(2.3 \pm 0.9) \times 10^{-3}$	S=1.9
Γ_{75}	$\rho\bar{p}$		$(2.14 \pm 0.10) \times 10^{-3}$	
Γ_{76}	$\rho\bar{p}\eta$		$(2.09 \pm 0.18) \times 10^{-3}$	
Γ_{77}	$\rho\bar{n}\pi^-$		$(2.00 \pm 0.10) \times 10^{-3}$	
Γ_{78}	$n\bar{n}$		$(1.9 \pm 0.5) \times 10^{-3}$	
Γ_{79}	$\Xi\bar{\Xi}$		$(1.8 \pm 0.4) \times 10^{-3}$	S=1.8
Γ_{80}	$\Lambda\bar{\Lambda}$		$(1.35 \pm 0.14) \times 10^{-3}$	S=1.2
Γ_{81}	$\rho\bar{p}\pi^0$		$(1.09 \pm 0.09) \times 10^{-3}$	
Γ_{82}	$\Lambda\bar{\Sigma}^- \pi^+$ (or c.c.)	[a]	$(1.06 \pm 0.12) \times 10^{-3}$	
Γ_{83}	$\rho K^- \bar{\Lambda}$		$(8.9 \pm 1.6) \times 10^{-4}$	
Γ_{84}	$2(K^+ K^-)$		$(7.0 \pm 3.0) \times 10^{-4}$	

Γ_{85}	$\rho K^- \bar{\Sigma}^0$	$(2.9 \pm 0.8) \times 10^{-4}$	
Γ_{86}	$K^+ K^-$	$(2.37 \pm 0.31) \times 10^{-4}$	
Γ_{87}	$\Lambda \bar{\Lambda} \pi^0$	$(2.2 \pm 0.7) \times 10^{-4}$	
Γ_{88}	$\pi^+ \pi^-$	$(1.47 \pm 0.23) \times 10^{-4}$	
Γ_{89}	$K_S^0 K_L^0$	$(1.08 \pm 0.14) \times 10^{-4}$	
Γ_{90}	$\Lambda \bar{\Sigma} + \text{c.c.}$	$< 1.5 \times 10^{-4}$	CL=90%
Γ_{91}	$K_S^0 K_S^0$	$< 5.2 \times 10^{-6}$	CL=90%

Radiative decays

Γ_{92}	$\gamma \eta_c(1S)$	$(1.3 \pm 0.4) \%$	
Γ_{93}	$\gamma \pi^+ \pi^- 2\pi^0$	$(8.3 \pm 3.1) \times 10^{-3}$	
Γ_{94}	$\gamma \eta \pi \pi$	$(6.1 \pm 1.0) \times 10^{-3}$	
Γ_{95}	$\gamma \eta(1440) \rightarrow \gamma K \bar{K} \pi$	[c] $(9.1 \pm 1.8) \times 10^{-4}$	
Γ_{96}	$\gamma \eta(1440) \rightarrow \gamma \gamma \rho^0$	$(6.4 \pm 1.4) \times 10^{-5}$	
Γ_{97}	$\gamma \eta(1440) \rightarrow \gamma \eta \pi^+ \pi^-$	$(3.4 \pm 0.7) \times 10^{-4}$	
Γ_{98}	$\gamma \rho \rho$	$(4.5 \pm 0.8) \times 10^{-3}$	
Γ_{99}	$\gamma \eta'(958)$	$(4.31 \pm 0.30) \times 10^{-3}$	
Γ_{100}	$\gamma 2\pi^+ 2\pi^-$	$(2.8 \pm 0.5) \times 10^{-3}$	S=1.9
Γ_{101}	$\gamma f_4(2050)$	$(2.7 \pm 0.7) \times 10^{-3}$	
Γ_{102}	$\gamma \omega \omega$	$(1.59 \pm 0.33) \times 10^{-3}$	
Γ_{103}	$\gamma \eta(1440) \rightarrow \gamma \rho^0 \rho^0$	$(1.7 \pm 0.4) \times 10^{-3}$	S=1.3
Γ_{104}	$\gamma f_2(1270)$	$(1.38 \pm 0.14) \times 10^{-3}$	
Γ_{105}	$\gamma f_J(1710) \rightarrow \gamma K \bar{K}$	$(8.5 \pm_{-0.9}^{+1.2}) \times 10^{-4}$	S=1.2
Γ_{106}	$\gamma \eta$	$(8.6 \pm 0.8) \times 10^{-4}$	
Γ_{107}	$\gamma f_1(1420) \rightarrow \gamma K \bar{K} \pi$	$(8.3 \pm 1.5) \times 10^{-4}$	
Γ_{108}	$\gamma f_1(1285)$	$(6.5 \pm 1.0) \times 10^{-4}$	
Γ_{109}	$\gamma f_2'(1525)$	$(4.7 \pm_{-0.5}^{+0.7}) \times 10^{-4}$	
Γ_{110}	$\gamma \phi \phi$	$(4.0 \pm 1.2) \times 10^{-4}$	S=2.1
Γ_{111}	$\gamma \rho \bar{\rho}$	$(3.8 \pm 1.0) \times 10^{-4}$	
Γ_{112}	$\gamma \eta(2225)$	$(2.9 \pm 0.6) \times 10^{-4}$	
Γ_{113}	$\gamma \eta(1760) \rightarrow \gamma \rho^0 \rho^0$	$(1.3 \pm 0.9) \times 10^{-4}$	
Γ_{114}	$\gamma \pi^0$	$(3.9 \pm 1.3) \times 10^{-5}$	
Γ_{115}	$\gamma \rho \bar{\rho} \pi^+ \pi^-$	$< 7.9 \times 10^{-4}$	CL=90%
Γ_{116}	$\gamma \gamma$	$< 5 \times 10^{-4}$	CL=90%
Γ_{117}	$\gamma \Lambda \bar{\Lambda}$	$< 1.3 \times 10^{-4}$	CL=90%
Γ_{118}	3γ	$< 5.5 \times 10^{-5}$	CL=90%
Γ_{119}	$\gamma f_0(2200)$		
Γ_{120}	$\gamma f_J(2220)$	$> 2.50 \times 10^{-3}$	CL=99.9%
Γ_{121}	$\gamma f_0(1500)$	$(5.7 \pm 0.8) \times 10^{-4}$	
Γ_{122}	$\gamma e^+ e^-$	$(8.8 \pm 1.4) \times 10^{-3}$	

[a] The value is for the sum of the charge states of particle/antiparticle states indicated.

[b] Includes $p\bar{p}\pi^+\pi^-\gamma$ and excludes $p\bar{p}\eta$, $p\bar{p}\omega$, $p\bar{p}\eta'$.

[c] See the "Note on the $\eta(1440)$ " in the $\eta(1440)$ Particle Listings.

$J/\psi(1S)$ PARTIAL WIDTHS

$\Gamma(\text{hadrons})$

Γ_1

<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
74.1 ± 8.1	BAI	95B BES	e^+e^-
59 ± 24	BALDINI-...	75 FRAG	e^+e^-
59 ± 14	BOYARSKI	75 MRK1	e^+e^-
50 ± 25	ESPOSITO	75B FRAM	e^+e^-

$\Gamma(\text{virtual } \gamma \rightarrow \text{hadrons})$

Γ_2

<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
12 ± 2	³ BOYARSKI	75 MRK1	e^+e^-

³Included in $\Gamma(\text{hadrons})$.

$\Gamma(e^+e^-)$

Γ_3

<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
5.26 ± 0.37 OUR EVALUATION			

● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●

5.14 ± 0.39	BAI	95B BES	e^+e^-
$5.36^{+0.29}_{-0.28}$	⁴ HSUEH	92 RVUE	See Υ mini-review
4.72 ± 0.35	ALEXANDER	89 RVUE	See Υ mini-review
4.4 ± 0.6	⁴ BRANDELIK	79C DASP	e^+e^-
4.6 ± 0.8	⁵ BALDINI-...	75 FRAG	e^+e^-
4.8 ± 0.6	BOYARSKI	75 MRK1	e^+e^-
4.6 ± 1.0	ESPOSITO	75B FRAM	e^+e^-

⁴From a simultaneous fit to e^+e^- , $\mu^+\mu^-$, and hadronic channels assuming $\Gamma(e^+e^-) = \Gamma(\mu^+\mu^-)$.

⁵Assuming equal partial widths for e^+e^- and $\mu^+\mu^-$.

$\Gamma(\mu^+\mu^-)$

Γ_4

<u>VALUE (keV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
5.13 ± 0.52	BAI	95B BES	e^+e^-
4.8 ± 0.6	BOYARSKI	75 MRK1	e^+e^-
5 ± 1	ESPOSITO	75B FRAM	e^+e^-

$\Gamma(\gamma\gamma)$

Γ_{116}

<u>VALUE (eV)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 5.4	90	BRANDELIK	79C DASP	e^+e^-

$J/\psi(1S) \Gamma(i)\Gamma(e^+e^-)/\Gamma(\text{total})$

This combination of a partial width with the partial width into e^+e^- and with the total width is obtained from the integrated cross section into channel_i in the e^+e^- annihilation.

$\Gamma(\text{hadrons}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_1\Gamma_3/\Gamma$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
4 ± 0.8	⁶ BALDINI-...	75 FRAG	e^+e^-
3.9 ± 0.8	⁶ ESPOSITO	75B FRAM	e^+e^-

$\Gamma(e^+e^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_3\Gamma_3/\Gamma$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.35 ± 0.02	BRANDELIK	79C DASP	e^+e^-
0.32 ± 0.07	⁶ BALDINI-...	75 FRAG	e^+e^-
0.34 ± 0.09	⁶ ESPOSITO	75B FRAM	e^+e^-
0.36 ± 0.10	⁶ FORD	75 SPEC	e^+e^-

$\Gamma(\mu^+\mu^-) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_4\Gamma_3/\Gamma$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.51 ± 0.09	DASP	75 DASP	e^+e^-
0.38 ± 0.05	⁶ ESPOSITO	75B FRAM	e^+e^-

$\Gamma(p\bar{p}) \times \Gamma(e^+e^-)/\Gamma_{\text{total}} \quad \Gamma_{75}\Gamma_3/\Gamma$

VALUE (eV)	DOCUMENT ID	TECN	COMMENT
9.7 ± 1.7	⁷ ARMSTRONG	93B E760	$\bar{p}p \rightarrow e^+e^-$

⁶ Data redundant with branching ratios or partial widths above.

⁷ Using $\Gamma_{\text{total}} = 85.5^{+6.1}_{-5.8}$ MeV.

$J/\psi(1S)$ BRANCHING RATIOS

For the first four branching ratios, see also the partial widths, and (partial widths) $\times \Gamma(e^+e^-)/\Gamma_{\text{total}}$ above.

$\Gamma(\text{hadrons})/\Gamma_{\text{total}} \quad \Gamma_1/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
0.877 ± 0.005 OUR AVERAGE			
0.878 ± 0.005	BAI	95B BES	e^+e^-
0.86 ± 0.02	BOYARSKI	75 MRK1	e^+e^-

$\Gamma(\text{virtual } \gamma \rightarrow \text{hadrons})/\Gamma_{\text{total}} \quad \Gamma_2/\Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
0.17 ± 0.02	⁸ BOYARSKI	75 MRK1	e^+e^-

⁸ Included in $\Gamma(\text{hadrons})/\Gamma_{\text{total}}$.

$\Gamma(e^+e^-)/\Gamma_{\text{total}}$ Γ_3/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0602 ± 0.0019 OUR AVERAGE			
0.0609 ± 0.0033	BAI	95B BES	e^+e^-
0.0592 ± 0.0015 ± 0.0020	COFFMAN	92 MRK3	$\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
0.069 ± 0.009	BOYARSKI	75 MRK1	e^+e^-

 $\Gamma(\mu^+\mu^-)/\Gamma_{\text{total}}$ Γ_4/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0601 ± 0.0019 OUR AVERAGE			
0.0608 ± 0.0033	BAI	95B BES	e^+e^-
0.0590 ± 0.0015 ± 0.0019	COFFMAN	92 MRK3	$\psi(2S) \rightarrow J/\psi \pi^+ \pi^-$
0.069 ± 0.009	BOYARSKI	75 MRK1	e^+e^-

 $\Gamma(e^+e^-)/\Gamma(\mu^+\mu^-)$ Γ_3/Γ_4

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1.00 ± 0.07	BAI	95B BES	e^+e^-
1.00 ± 0.05	BOYARSKI	75 MRK1	e^+e^-
0.91 ± 0.15	ESPOSITO	75B FRAM	e^+e^-
0.93 ± 0.10	FORD	75 SPEC	e^+e^-

———— HADRONIC DECAYS ————

 $\Gamma(\rho\pi)/\Gamma_{\text{total}}$ Γ_5/Γ

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.0127 ± 0.0009 OUR AVERAGE				
0.0121 ± 0.0020		BAI	96D BES	$e^+e^- \rightarrow \rho\pi$
0.0142 ± 0.0001 ± 0.0019		COFFMAN	88 MRK3	e^+e^-
0.013 ± 0.003	150	FRANKLIN	83 MRK2	e^+e^-
0.016 ± 0.004	183	ALEXANDER	78 PLUT	e^+e^-
0.0133 ± 0.0021		BRANDELIK	78B DASP	e^+e^-
0.010 ± 0.002	543	BARTEL	76 CNTR	e^+e^-
0.013 ± 0.003	153	JEAN-MARIE	76 MRK1	e^+e^-

 $\Gamma(\rho^0\pi^0)/\Gamma(\rho\pi)$ Γ_6/Γ_5

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.328 ± 0.005 ± 0.027	COFFMAN	88 MRK3	e^+e^-
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.35 ± 0.08	ALEXANDER	78 PLUT	e^+e^-
0.32 ± 0.08	BRANDELIK	78B DASP	e^+e^-
0.39 ± 0.11	BARTEL	76 CNTR	e^+e^-
0.37 ± 0.09	JEAN-MARIE	76 MRK1	e^+e^-

 $\Gamma(a_2(1320)\rho)/\Gamma_{\text{total}}$ Γ_7/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
10.9 ± 2.2 OUR AVERAGE				
11.7 ± 0.7 ± 2.5	7584	AUGUSTIN	89 DM2	$J/\psi \rightarrow \rho^0 \rho^\pm \pi^\mp$
8.4 ± 4.5	36	VANNUCCI	77 MRK1	$e^+e^- \rightarrow 2(\pi^+ \pi^-) \pi^0$

$$\Gamma(\omega\pi^+\pi^+\pi^-\pi^-)/\Gamma_{\text{total}} \qquad \Gamma_8/\Gamma$$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
85 ± 34	140	VANNUCCI	77 MRK1	$e^+e^- \rightarrow 3(\pi^+\pi^-)\pi^0$

$$\Gamma(\omega\pi^+\pi^-)/\Gamma_{\text{total}} \qquad \Gamma_9/\Gamma$$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
7.2 ± 1.0 OUR AVERAGE				
7.0 ± 1.6	18058	AUGUSTIN	89 DM2	$J/\psi \rightarrow 2(\pi^+\pi^-)\pi^0$
7.8 ± 1.6	215	BURMESTER	77D PLUT	e^+e^-
6.8 ± 1.9	348	VANNUCCI	77 MRK1	$e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0$

$$\Gamma(\omega\pi^+\pi^-)/\Gamma(2(\pi^+\pi^-)\pi^0) \qquad \Gamma_9/\Gamma_{61}$$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.3	⁹ JEAN-MARIE	76 MRK1	e^+e^-

• • • We do not use the following data for averages, fits, limits, etc. • • •

⁹ Final state $(\pi^+\pi^-)\pi^0$ under the assumption that $\pi\pi$ is isospin 0.

$$\Gamma(K^*(892)^0\bar{K}_2^*(1430)^0 + \text{c.c.})/\Gamma_{\text{total}} \qquad \Gamma_{11}/\Gamma$$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
67 ± 26	40	VANNUCCI	77 MRK1	$e^+e^- \rightarrow \pi^+\pi^-\bar{K}^+K^-$

$$\Gamma(\omega K^*(892)\bar{K} + \text{c.c.})/\Gamma_{\text{total}} \qquad \Gamma_{12}/\Gamma$$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
53 ± 14 ± 14	530 ± 140	BECKER	87 MRK3	$e^+e^- \rightarrow \text{hadrons}$

$$\Gamma(\omega f_2(1270))/\Gamma_{\text{total}} \qquad \Gamma_{10}/\Gamma$$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.3 ± 0.6 OUR AVERAGE				
4.3 ± 0.2 ± 0.6	5860	AUGUSTIN	89 DM2	e^+e^-
4.0 ± 1.6	70	BURMESTER	77D PLUT	e^+e^-
1.9 ± 0.8	81	VANNUCCI	77 MRK1	$e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$$\Gamma(K^+\bar{K}^*(892)^- + \text{c.c.})/\Gamma_{\text{total}} \qquad \Gamma_{13}/\Gamma$$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
5.0 ± 0.4 OUR AVERAGE				
4.57 ± 0.17 ± 0.70	2285	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
5.26 ± 0.13 ± 0.53		COFFMAN	88 MRK3	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp, K^+ K^- \pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.6 ± 0.6	24	FRANKLIN	83 MRK2	$J/\psi \rightarrow K^+ K^- \pi^0$
3.2 ± 0.6	48	VANNUCCI	77 MRK1	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$
4.1 ± 1.2	39	BRAUNSCH...	76 DASP	$J/\psi \rightarrow K^\pm X$

$$\Gamma(K^0 \bar{K}^*(892)^0 + \text{c.c.}) / \Gamma_{\text{total}} \qquad \Gamma_{14} / \Gamma$$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.2 ± 0.4 OUR AVERAGE				
3.96 ± 0.15 ± 0.60	1192	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
4.33 ± 0.12 ± 0.45		COFFMAN	88 MRK3	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
2.7 ± 0.6	45	VANNUCCI	77 MRK1	$J/\psi \rightarrow K^\pm K_S^0 \pi^\mp$

$$\Gamma(K^0 \bar{K}^*(892)^0 + \text{c.c.}) / \Gamma(K^+ \bar{K}^*(892)^- + \text{c.c.}) \qquad \Gamma_{14} / \Gamma_{13}$$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.82 ± 0.05 ± 0.09			
	COFFMAN	88 MRK3	$J/\psi \rightarrow K \bar{K}^*(892) + \text{c.c.}$

$$\Gamma(\omega \pi^0 \pi^0) / \Gamma_{\text{total}} \qquad \Gamma_{15} / \Gamma$$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3.4 ± 0.3 ± 0.7	509	AUGUSTIN	89 DM2	$J/\psi \rightarrow \pi^+ \pi^- 3\pi^0$

$$\Gamma(b_1(1235)^\pm \pi^\mp) / \Gamma_{\text{total}} \qquad \Gamma_{16} / \Gamma$$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
30 ± 5 OUR AVERAGE				
31 ± 6	4600	AUGUSTIN	89 DM2	$J/\psi \rightarrow 2(\pi^+ \pi^-) \pi^0$
29 ± 7	87	BURMESTER	77D PLUT	$e^+ e^-$

$$\Gamma(\omega K^\pm K_S^0 \pi^\mp) / \Gamma_{\text{total}} \qquad \Gamma_{17} / \Gamma$$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
29.5 ± 1.4 ± 7.0	879 ± 41	BECKER	87 MRK3	$e^+ e^- \rightarrow \text{hadrons}$

$$\Gamma(b_1(1235)^0 \pi^0) / \Gamma_{\text{total}} \qquad \Gamma_{18} / \Gamma$$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
23 ± 3 ± 5	229	AUGUSTIN	89 DM2	$e^+ e^-$

$$\Gamma(\phi K^*(892) \bar{K} + \text{c.c.}) / \Gamma_{\text{total}} \qquad \Gamma_{19} / \Gamma$$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
20.4 ± 2.8 OUR AVERAGE				
20.7 ± 2.4 ± 3.0		FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$
20 ± 3 ± 3	155 ± 20	BECKER	87 MRK3	$e^+ e^- \rightarrow \text{hadrons}$

$$\Gamma(\omega K \bar{K}) / \Gamma_{\text{total}} \qquad \Gamma_{20} / \Gamma$$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
19 ± 4 OUR AVERAGE				
19.8 ± 2.1 ± 3.9		¹⁰ FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$
16 ± 10	22	FELDMAN	77 MRK1	$e^+ e^-$

¹⁰ Addition of $\omega K^+ K^-$ and $\omega K^0 \bar{K}^0$ branching ratios.

$\Gamma(\omega f_J(1710) \rightarrow \omega K \bar{K})/\Gamma_{\text{total}}$ Γ_{21}/Γ

<u>VALUE (units 10^{-4})</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4.8±1.1±0.3	11,12	FALVARD	88 DM2	$J/\psi \rightarrow$ hadrons

¹¹ Includes unknown branching fraction $f_J(1710) \rightarrow K \bar{K}$.

¹² Addition of $f_J(1710) \rightarrow K^+ K^-$ and $f_J(1710) \rightarrow K^0 \bar{K}^0$ branching ratios.

 $\Gamma(\phi 2(\pi^+ \pi^-))/\Gamma_{\text{total}}$ Γ_{22}/Γ

<u>VALUE (units 10^{-4})</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
16.0±1.0±3.0		FALVARD	88 DM2	$J/\psi \rightarrow$ hadrons

 $\Gamma(\Delta(1232)^{++} \bar{p} \pi^-)/\Gamma_{\text{total}}$ Γ_{23}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.58±0.23±0.40	332	EATON	84 MRK2	$e^+ e^-$

 $\Gamma(\omega \eta)/\Gamma_{\text{total}}$ Γ_{24}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.58±0.16 OUR AVERAGE				
1.43±0.10±0.21	378	JOUSSET	90 DM2	$J/\psi \rightarrow$ hadrons
1.71±0.08±0.20		COFFMAN	88 MRK3	$e^+ e^- \rightarrow 3\pi \eta$

 $\Gamma(\phi K \bar{K})/\Gamma_{\text{total}}$ Γ_{25}/Γ

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
14.8±2.2 OUR AVERAGE				
14.6±0.8±2.1		¹³ FALVARD	88 DM2	$J/\psi \rightarrow$ hadrons
18 ±8	14	FELDMAN	77 MRK1	$e^+ e^-$

¹³ Addition of $\phi K^+ K^-$ and $\phi K^0 \bar{K}^0$ branching ratios.

 $\Gamma(\phi f_J(1710) \rightarrow \phi K \bar{K})/\Gamma_{\text{total}}$ Γ_{26}/Γ

<u>VALUE (units 10^{-4})</u>		<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3.6±0.2±0.6	14,15	FALVARD	88 DM2	$J/\psi \rightarrow$ hadrons

¹⁴ Including interference with $f'_2(1525)$.

¹⁵ Includes unknown branching fraction $f_J(1710) \rightarrow K \bar{K}$.

 $\Gamma(\rho \bar{\rho} \omega)/\Gamma_{\text{total}}$ Γ_{27}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.30±0.25 OUR AVERAGE				Error includes scale factor of 1.3.
1.10±0.17±0.18	486	EATON	84 MRK2	$e^+ e^-$
1.6 ±0.3	77	PERUZZI	78 MRK1	$e^+ e^-$

 $\Gamma(\Delta(1232)^{++} \bar{\Delta}(1232)^{--})/\Gamma_{\text{total}}$ Γ_{28}/Γ

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.10±0.09±0.28	233	EATON	84 MRK2	$e^+ e^-$

$$\Gamma(\Sigma(1385)^- \bar{\Sigma}(1385)^+ \text{ (or c.c.)}) / \Gamma_{\text{total}} \quad \Gamma_{29} / \Gamma$$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1.03 ± 0.13 OUR AVERAGE				
1.00 ± 0.04 ± 0.21	631 ± 25	HENRARD	87 DM2	$e^+ e^- \rightarrow \Sigma^{*-}$
1.19 ± 0.04 ± 0.25	754 ± 27	HENRARD	87 DM2	$e^+ e^- \rightarrow \Sigma^{*+}$
0.86 ± 0.18 ± 0.22	56	EATON	84 MRK2	$e^+ e^- \rightarrow \Sigma^{*-}$
1.03 ± 0.24 ± 0.25	68	EATON	84 MRK2	$e^+ e^- \rightarrow \Sigma^{*+}$

$$\Gamma(\rho \bar{\rho} \eta'(958)) / \Gamma_{\text{total}} \quad \Gamma_{30} / \Gamma$$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.9 ± 0.4 OUR AVERAGE Error includes scale factor of 1.7.				
0.68 ± 0.23 ± 0.17	19	EATON	84 MRK2	$e^+ e^-$
1.8 ± 0.6	19	PERUZZI	78 MRK1	$e^+ e^-$

$$\Gamma(\phi f'_2(1525)) / \Gamma_{\text{total}} \quad \Gamma_{31} / \Gamma$$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8 ± 4 OUR AVERAGE Error includes scale factor of 2.7.				
12.3 ± 0.6 ± 2.0	^{16,17}	FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$
4.8 ± 1.8	46 ¹⁶	GIDAL	81 MRK2	$J/\psi \rightarrow K^+ K^- K^+ K^-$

¹⁶ Re-evaluated using $B(f'_2(1525) \rightarrow K \bar{K}) = 0.713$.

¹⁷ Including interference with $f_J(1710)$.

$$\Gamma(\phi \pi^+ \pi^-) / \Gamma_{\text{total}} \quad \Gamma_{32} / \Gamma$$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.80 ± 0.12 OUR AVERAGE				
0.78 ± 0.03 ± 0.12		FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$
2.1 ± 0.9	23	FELDMAN	77 MRK1	$e^+ e^-$

$$\Gamma(\phi K^\pm K_S^0 \pi^\mp) / \Gamma_{\text{total}} \quad \Gamma_{33} / \Gamma$$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
7.2 ± 0.9 OUR AVERAGE				
7.4 ± 0.9 ± 1.1		FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$
7 ± 0.6 ± 1.0	163 ± 15	BECKER	87 MRK3	$e^+ e^- \rightarrow \text{hadrons}$

$$\Gamma(\omega f_1(1420)) / \Gamma_{\text{total}} \quad \Gamma_{34} / \Gamma$$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$6.8^{+1.9}_{-1.6} \pm 1.7$	111 ⁺³¹ ₋₂₆	BECKER	87 MRK3	$e^+ e^- \rightarrow \text{hadrons}$

$$\Gamma(\phi \eta) / \Gamma_{\text{total}} \quad \Gamma_{35} / \Gamma$$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.65 ± 0.07 OUR AVERAGE				
0.64 ± 0.04 ± 0.11	346	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
0.661 ± 0.045 ± 0.078		COFFMAN	88 MRK3	$e^+ e^- \rightarrow K^+ K^- \eta$

$\Gamma(\Xi(1530)^-\Xi^+)/\Gamma_{\text{total}} \qquad \Gamma_{36}/\Gamma$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.59 ± 0.09 ± 0.12	75 ± 11	HENRARD	87 DM2	e^+e^-

 $\Gamma(pK^-\bar{\Sigma}(1385)^0)/\Gamma_{\text{total}} \qquad \Gamma_{37}/\Gamma$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.51 ± 0.26 ± 0.18	89	EATON	84 MRK2	e^+e^-

 $\Gamma(\omega\pi^0)/\Gamma_{\text{total}} \qquad \Gamma_{38}/\Gamma$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.42 ± 0.06 OUR AVERAGE		Error includes scale factor of 1.4.		
0.360 ± 0.028 ± 0.054	222	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
0.482 ± 0.019 ± 0.064		COFFMAN	88 MRK3	$e^+e^- \rightarrow \pi^0\pi^+\pi^-\pi^0$

 $\Gamma(\phi\eta'(958))/\Gamma_{\text{total}} \qquad \Gamma_{39}/\Gamma$

<u>VALUE (units 10^{-3})</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.33 ± 0.04 OUR AVERAGE					
0.41 ± 0.03 ± 0.08		167	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
0.308 ± 0.034 ± 0.036			COFFMAN	88 MRK3	$e^+e^- \rightarrow K^+K^-\eta'$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<1.3	90	VANNUCCI	77 MRK1	e^+e^-
------	----	----------	---------	----------

 $\Gamma(\phi f_0(980))/\Gamma_{\text{total}} \qquad \Gamma_{40}/\Gamma$

<u>VALUE (units 10^{-4})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3.2 ± 0.9 OUR AVERAGE		Error includes scale factor of 1.9.		
4.6 ± 0.4 ± 0.8	18	FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$
2.6 ± 0.6	50	GIDAL	81 MRK2	$J/\psi \rightarrow K^+K^-K^+K^-$

¹⁸ Assuming $B(f_0(980) \rightarrow \pi\pi) = 0.78$.

 $\Gamma(\Xi(1530)^0\Xi^0)/\Gamma_{\text{total}} \qquad \Gamma_{41}/\Gamma$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.32 ± 0.12 ± 0.07	24 ± 9	HENRARD	87 DM2	e^+e^-

 $\Gamma(\Sigma(1385)^-\bar{\Sigma}^+(\text{or c.c.}))/\Gamma_{\text{total}} \qquad \Gamma_{42}/\Gamma$

<u>VALUE (units 10^{-3})</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.31 ± 0.05 OUR AVERAGE				
0.30 ± 0.03 ± 0.07	74 ± 8	HENRARD	87 DM2	$e^+e^- \rightarrow \Sigma^{*-}$
0.34 ± 0.04 ± 0.07	77 ± 9	HENRARD	87 DM2	$e^+e^- \rightarrow \Sigma^{*+}$
0.29 ± 0.11 ± 0.10	26	EATON	84 MRK2	$e^+e^- \rightarrow \Sigma^{*-}$
0.31 ± 0.11 ± 0.11	28	EATON	84 MRK2	$e^+e^- \rightarrow \Sigma^{*+}$

$\Gamma(\phi f_1(1285))/\Gamma_{\text{total}}$ Γ_{43}/Γ

VALUE (units 10^{-4})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

2.6±0.5 OUR AVERAGE Error includes scale factor of 1.1.

3.2±0.6±0.4		JOUSSET	90 DM2	$J/\psi \rightarrow \phi 2(\pi^+ \pi^-)$
-------------	--	---------	--------	--

2.1±0.5±0.4	25	¹⁹ JOUSSET	90 DM2	$J/\psi \rightarrow \phi \eta \pi^+ \pi^-$
-------------	----	-----------------------	--------	--

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.6±0.2±0.1	16 ± 6	BECKER	87 MRK3	$J/\psi \rightarrow \phi K \bar{K} \pi$
-------------	-----------	--------	---------	---

¹⁹We attribute to the $f_1(1285)$ the signal observed in the $\pi^+ \pi^- \eta$ invariant mass distribution at 1297 Mev.

 $\Gamma(\rho\eta)/\Gamma_{\text{total}}$ Γ_{44}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

0.193±0.023 OUR AVERAGE

0.194±0.017±0.029	299	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
-------------------	-----	---------	--------	-------------------------------------

0.193±0.013±0.029		COFFMAN	88 MRK3	$e^+ e^- \rightarrow \pi^+ \pi^- \eta$
-------------------	--	---------	---------	--

 $\Gamma(\omega\eta'(958))/\Gamma_{\text{total}}$ Γ_{45}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

0.167±0.025 OUR AVERAGE

0.18 $^{+0.10}_{-0.08}$ ±0.03	6	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
-------------------------------	---	---------	--------	-------------------------------------

0.166±0.017±0.019		COFFMAN	88 MRK3	$e^+ e^- \rightarrow 3\pi\eta'$
-------------------	--	---------	---------	---------------------------------

 $\Gamma(\omega f_0(980))/\Gamma_{\text{total}}$ Γ_{46}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

1.41±0.27±0.47	²⁰ AUGUSTIN	89 DM2	$J/\psi \rightarrow 2(\pi^+ \pi^-)\pi^0$
-----------------------	------------------------	--------	--

²⁰Assuming $B(f_0(980) \rightarrow \pi\pi) = 0.78$.

 $\Gamma(\rho\eta'(958))/\Gamma_{\text{total}}$ Γ_{47}/Γ

VALUE (units 10^{-3})	EVTS	DOCUMENT ID	TECN	COMMENT
--------------------------	------	-------------	------	---------

0.105±0.018 OUR AVERAGE

0.083±0.030±0.012	19	JOUSSET	90 DM2	$J/\psi \rightarrow \text{hadrons}$
-------------------	----	---------	--------	-------------------------------------

0.114±0.014±0.016		COFFMAN	88 MRK3	$J/\psi \rightarrow \pi^+ \pi^- \eta'$
-------------------	--	---------	---------	--

 $\Gamma(\rho\bar{\rho}\phi)/\Gamma_{\text{total}}$ Γ_{48}/Γ

VALUE (units 10^{-4})	DOCUMENT ID	TECN	COMMENT
--------------------------	-------------	------	---------

0.45±0.13±0.07	FALVARD	88 DM2	$J/\psi \rightarrow \text{hadrons}$
-----------------------	---------	--------	-------------------------------------

 $\Gamma(a_2(1320)^\pm \pi^\mp)/\Gamma_{\text{total}}$ Γ_{49}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

<43	90	BRAUNSCH...	76 DASP	$e^+ e^-$
---------------	----	-------------	---------	-----------

 $\Gamma(K\bar{K}_2^*(1430) + \text{c.c.})/\Gamma_{\text{total}}$ Γ_{50}/Γ

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

<40	90	VANNUCCI	77 MRK1	$e^+ e^- \rightarrow K^0 \bar{K}_2^{*0}$
---------------	----	----------	---------	--

• • • We do not use the following data for averages, fits, limits, etc. • • •

<66	90	BRAUNSCH...	76 DASP	$e^+ e^- \rightarrow K^\pm \bar{K}_2^{*\mp}$
-----	----	-------------	---------	--

$$\Gamma(K_2^*(1430)^0 \bar{K}_2^*(1430)^0) / \Gamma_{\text{total}} \quad \Gamma_{51} / \Gamma$$

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
<29	90	VANNUCCI	77	MRK1 $e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^-$

$$\Gamma(K^*(892)^0 \bar{K}^*(892)^0) / \Gamma_{\text{total}} \quad \Gamma_{52} / \Gamma$$

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
<5	90	VANNUCCI	77	MRK1 $e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^-$

$$\Gamma(\phi f_2(1270)) / \Gamma_{\text{total}} \quad \Gamma_{53} / \Gamma$$

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
<3.7	90	VANNUCCI	77	MRK1 $e^+ e^- \rightarrow \pi^+ \pi^- K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<4.5	90	FALVARD	88	DM2 $J/\psi \rightarrow \text{hadrons}$
------	----	---------	----	---

$$\Gamma(\rho \bar{\rho} \rho) / \Gamma_{\text{total}} \quad \Gamma_{54} / \Gamma$$

VALUE (units 10^{-3})	CL%	DOCUMENT ID	TECN	COMMENT
<0.31	90	EATON	84	MRK2 $e^+ e^- \rightarrow \text{hadrons} \gamma$

$$\Gamma(\phi \eta(1440) \rightarrow \phi \eta \pi \pi) / \Gamma_{\text{total}} \quad \Gamma_{55} / \Gamma$$

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
<2.5	90	²¹ FALVARD	88	DM2 $J/\psi \rightarrow \text{hadrons}$

²¹ Includes unknown branching fraction $\eta(1440) \rightarrow \eta \pi \pi$.

$$\Gamma(\omega f_2'(1525)) / \Gamma_{\text{total}} \quad \Gamma_{56} / \Gamma$$

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
<2.2	90	²² VANNUCCI	77	MRK1 $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0 K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<2.8	90	²² FALVARD	88	DM2 $J/\psi \rightarrow \text{hadrons}$
------	----	-----------------------	----	---

²² Re-evaluated assuming $B(f_2'(1525) \rightarrow K \bar{K}) = 0.713$.

$$\Gamma(\Sigma(1385)^0 \bar{\Lambda}) / \Gamma_{\text{total}} \quad \Gamma_{57} / \Gamma$$

VALUE (units 10^{-3})	CL%	DOCUMENT ID	TECN	COMMENT
<0.2	90	HENRARD	87	DM2 $e^+ e^-$

$$\Gamma(\Delta(1232)^+ \bar{p}) / \Gamma_{\text{total}} \quad \Gamma_{58} / \Gamma$$

VALUE (units 10^{-3})	CL%	DOCUMENT ID	TECN	COMMENT
<0.1	90	HENRARD	87	DM2 $e^+ e^-$

$$\Gamma(\Sigma^0 \bar{\Lambda}) / \Gamma_{\text{total}} \quad \Gamma_{59} / \Gamma$$

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
<0.9	90	HENRARD	87	DM2 $e^+ e^-$

$$\Gamma(\phi \pi^0) / \Gamma_{\text{total}} \quad \Gamma_{60} / \Gamma$$

VALUE (units 10^{-4})	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------