$Z \operatorname{Boson} - \operatorname{THIS} \operatorname{IS} \operatorname{PART} 2 \operatorname{OF} 2$

To reduce the size of this section's PostScript file, we have divided it into two PostScript files. We present the following index:

Page #	Section name
1	Mass
17	Width
18	Decay modes
19	Partial widths
21	Branching ratios

PART 1

PART 2

Page $\#$	Section name
35	Average particle multiplicities in hadronic z decay
42	Hadronic pole cross section
42	Vector couplings to charged leptons
44	Axial-vector couplings to charged leptons
45	Couplings to neutral leptons
46	Asymmetry parameters
48	Transverse spin correlations
49	Charge asymmetry
55	References

AVERAGE PARTICLE MULTIPLICITIES IN HADRONIC Z DECAY

Summed over particle and antiparticle, when appropriate.

$\langle N_{\pi^{\pm}} \rangle$				
VALUE	DOCUMENT ID		TECN	COMMENT
17.05±0.43	AKERS	94 P	OPAL	<i>E</i> ^{ee} _{cm} = 91.2 GeV
$\langle N_{\pi^0} \rangle$				
VALUE	DOCUMENT ID		TECN	COMMENT
9.79±0.28 OUR AVERAGE				
$9.63 \pm 0.13 \pm 0.63$	BARATE	97J	ALEP	$E_{\rm cm}^{ee} = 91.2 {\rm GeV}$
$9.90 \pm 0.02 \pm 0.33$	ACCIARRI	96	L3	$E_{\rm Cm}^{ee} = 91.2 { m GeV}$
$9.2 \pm 0.2 \pm 1.0$	ADAM	96	DLPH	$E_{\rm cm}^{ee} = 91.2 { m GeV}$
• • We do not use the following	data for averages	, fits	, limits,	etc. • • •
$9.18 \!\pm\! 0.03 \!\pm\! 0.73$	ACCIARRI	94 B	L3	Repl. by ACCIARRI 96
$\langle N_{\eta} \rangle$	DOCUMENT ID		TECN	COMMENT
		06	12	
$0.95 \pm 0.01 \pm 0.09$	ACCIARRI	90 fite	L3 limite	$E_{\rm CM}^{\rm e} = 91.2 {\rm GeV}$
		, 1115	, mints,	
$0.91 \pm 0.02 \pm 0.11$		94B		
0.296±0.025±0.021	BUSKULIC	9 2D	ALEP	$E_{cm} = 91.2 \text{ GeV}$
¹⁰³ BUSKULIC 92D obtain this valu	te for $x > 0.1$.			
$\langle N_{ ho^0} angle$				
VALUE	DOCUMENT ID		TECN	COMMENT
1.30 ± 0.12 OUR AVERAGE	DUCKUUC	0.000		
$1.45 \pm 0.06 \pm 0.20$	BUSKULIC	96H	ALEP	$E_{\rm Cm}^{\rm ee} = 91.2 {\rm GeV}$
$1.21 \pm 0.04 \pm 0.15$	ABREU	95L	DLPH	$E_{\rm Cm}^{\rm em} = 91.2 {\rm GeV}$
• • • We do not use the following	data for averages	, TITS	, limits,	etc. • • •
$1.43 \pm 0.12 \pm 0.22$	ABREU	93	DLPH	Repl. by ABREU 95L
$\langle N_{\omega} \rangle$				
VALUE	DOCUMENT ID		TECN	COMMENT
1.11±0.11 OUR AVERAGE				
$1.17 \pm 0.09 \pm 0.15$	ACCIARRI	97 D	L3	$E_{\rm cm}^{\rm cm} = 91.2 {\rm GeV}$
$1.07 \pm 0.06 \pm 0.13$	BUSKULIC	96H	ALEP	$E_{\rm cm}^{\rm ce}=91.2~{\rm GeV}$
$\langle N_{\eta'} \rangle$				
VALUE	DOCUMENT ID		TECN	COMMENT
0.25 ±0.04	⁴ ACCIARRI	97 D	L3	$E_{\rm cm}^{ee} = 91.2 {\rm GeV}$
• • We do not use the following	data for averages -	, fits	, limits,	etc. • • •
$0.068 \pm 0.018 \pm 0.016$ 10	⁵ BUSKULIC	92 D	ALEP	<i>E</i> ^{<i>ee</i>} _{Cm} = 91.2 GeV
104 ACCIARRI 97D obtain this value	e averaging over t	the tv	wo decay	y channels $\eta' o \pi^+ \pi^- \eta$
and $\eta' ightarrow ho^0 \gamma$ 105 BUSKULIC 92D obtain this value	ue for <i>x</i> > 0.1.		-	
HTTP://PDG.LBL.GOV	Page 35		Crea	ted: 6/29/1998 12:32

 $\langle N_{f_0(980)} \rangle$ VALUE ____<u>TECN___COMMENT</u> DOCUMENT ID \bullet \bullet \bullet We do not use the following data for averages, fits, limits, etc. \bullet \bullet 106 ABREU 95L DLPH $E_{cm}^{ee} = 91.2 \text{ GeV}$ 0.098 ± 0.016 ¹⁰⁷ ABREU $0.10\ \pm 0.03\ \pm 0.019$ 93 DLPH Repl. by ABREU 95L 106_{---} ABREU 95L obtain this value for 0.05 < x < 0.6. ¹⁰⁷ ABREU 93 obtain this value for x > 0.05. $\langle N_{\phi} \rangle$ VALUE DOCUMENT ID TECN COMMENT 0.108 ± 0.006 OUR AVERAGE Error includes scale factor of 1.4. See the ideogram below. 960 DLPH $E_{cm}^{ee} = 91.2 \text{ GeV}$ $0.104 \pm 0.003 \pm 0.007$ ABREU 96н ALEP *E*^{ee}_{cm} = 91.2 GeV $0.122 \pm 0.004 \pm 0.008$ BUSKULIC 95x OPAL Ecm = 91.2 GeV $0.100 \pm 0.004 \pm 0.007$ AKERS • • We do not use the following data for averages, fits, limits, etc. • • • $0.086 \pm 0.015 \pm 0.010$ ACTON 920 OPAL Repl. by AKERS 95X WEIGHTED AVERAGE 0.108±0.006 (Error scaled by 1.4) ABREU 96U DLPH 0.2 BUSKULIC 96H ALEP 2.6 AKERS 95X OPAL 0.9 3.7 (Confidence Level = 0.157) 0.06 0.08 0.16 0.18 0.1 0.12 0.14 $\langle N_{\phi} \rangle$ $\langle N_{f_2(1270)} \rangle$ DOCUMENT ID TECN COMMENT VALUE • • • We do not use the following data for averages, fits, limits, etc. • • • ¹⁰⁸ ABREU 95L DLPH $E_{cm}^{ee} = 91.2 \text{ GeV}$ 0.170 ± 0.043 ¹⁰⁹ ABREU 93 DLPH Repl. by ABREU 95L $0.11 \ \pm 0.04 \ \pm 0.03$ ¹⁰⁸ ABREU 95L obtain this value for x > 0.05. ¹⁰⁹ABREU 93 obtain this value for x > 0.1.

$\langle N_{f_2'(1525)} \rangle$				
VALUE	DOCUMENT ID		TECN	COMMENT
$0.020 \pm 0.005 \pm 0.006$	ABREU	96 C	DLPH	<i>E^{ee}</i> _{cm} = 91.2 GeV
$\langle N_{K^{\pm}} \rangle$				
	DOCUMENT ID		TECN	COMMENT
2.37 ± 0.11 OUR AVERAGE		050		$E^{ee} = 01.2 \text{ CeV}$
$2.20 \pm 0.01 \pm 0.10$		99F		$E_{\rm cm} = 91.2 \text{ GeV}$
2.42 ± 0.13	AKERS	94P	OPAL	$E_{\rm Cm}^{\rm 2}$ = 91.2 GeV
$\langle N_{\mu\alpha} \rangle$				
VALUE	DOCUMENT ID		TECN	COMMENT
2.013±0.023 OUR AVERAGE				
$2.024\!\pm\!0.006\!\pm\!0.042$	ACCIARRI	97∟	L3	<i>E^{ee}</i> _{cm} = 91.2 GeV
$1.962\!\pm\!0.022\!\pm\!0.056$	ABREU	95L	DLPH	<i>E^{ee}</i> _{cm} = 91.2 GeV
$1.99\ \pm 0.01\ \pm 0.04$	AKERS	95 U	OPAL	$E_{\rm cm}^{ee} = 91.2 {\rm GeV}$
2.061 ± 0.047	BUSKULIC	94ĸ	ALEP	$E_{\rm cm}^{ee} = 91.2 {\rm GeV}$
• • • We do not use the following of	lata for averages	, fits	, limits,	etc. • • •
2.04 +0.02 +0.14	ACCIARRI	94 B	13	Repl. by ACCIARRI 971
$2.12 \pm 0.05 \pm 0.04$	ABREU	92G	DLPH	Repl. by ABREU 95L
<i>,</i> ,				
⟨ <i>N_{K*(892)}</i> ±⟩				
VALUE	DOCUMENT ID		TECN	COMMENT
0.72 \pm 0.05 OUR AVERAGE				
$0.712\!\pm\!0.031\!\pm\!0.059$	ABREU	95L	DLPH	<i>E</i> ^{<i>ee</i>} _{cm} = 91.2 GeV
$0.72 \pm 0.02 \pm 0.08$	ACTON	93	OPAL	<i>E</i> ^{<i>ee</i>} _{cm} = 91.2 GeV
• • • We do not use the following of	lata for averages	, fits	, limits,	etc. • • •
$1.33\ \pm 0.11\ \pm 0.24$	ABREU	92 G	DLPH	Repl. by ABREU 95L
⟨ <i>N_{K*(892)}₀</i> ⟩				
VALUE	DOCUMENT ID		TECN	COMMENT
0.752 ± 0.025 OUR AVERAGE				
$0.74 \pm 0.02 \pm 0.02$	ACKERSTAFF	97 S	OPAL	<i>E</i> ^{<i>ee</i>} _{cm} = 91.2 GeV
$0.77 \pm 0.02 \pm 0.07$	ABREU	96 U	DLPH	$E_{\rm cm}^{ee} = 91.2 { m GeV}$
$0.83 \pm 0.01 \pm 0.09$	BUSKULIC	96H	ALEP	<i>E</i> ^{ee} _{cm} = 91.2 GeV
$0.97\ \pm 0.18\ \pm 0.31$	ABREU	93	DLPH	$E_{\rm cm}^{ee}$ = 91.2 GeV
$\bullet \bullet \bullet$ We do not use the following of	lata for averages	, fits	, limits,	etc. • • •
$0.74 \ \pm 0.03 \ \pm 0.03$	AKERS	95X	OPAL	Repl. by ACKER- STAFF 97s
\' [*] K ₂ (1430)/				
VALUE	DOCUMENT ID		TECN	COMMENT
$0.079 \pm 0.026 \pm 0.031$	ABREU	96 ∪	DLPH	$E_{\rm cm}^{ee} = 91.2 \; {\rm GeV}$
• • • We do not use the following of	lata for averages	, fits	, limits,	etc. • • •
$0.19 \pm 0.04 \pm 0.06$ 110	⁾ AKERS	95x	OPAL	<i>E^{ee}</i> _{cm} = 91.2 GeV
110 AKERS 95X obtain this value fo	r <i>x<</i> 0.3.			



$\langle N_{D^*(2010)^{\pm}} \rangle$						
VALUE	DOCUMENT ID	TECN	COMMENT			
0.183 ± 0.008 OUR AVERAGE	113					
$0.1854 \pm 0.0041 \pm 0.0091$	ACKERSTAFF	98E OPAL	$E_{\rm cm}^{\rm ce} = 91.2 {\rm GeV}$			
$0.187 \pm 0.015 \pm 0.013$		94J ALEP	$E_{\rm cm}^{\rm ce} = 91.2 {\rm GeV}$			
$0.171 \pm 0.012 \pm 0.016$	ABREU	931 DLPH	$E_{\rm Cm}^{\rm ee} = 91.2 {\rm GeV}$			
• • • We do not use the follow	ng data for averages	, fits, limits,	etc. • • •			
$0.183 \pm 0.009 \pm 0.011$	¹¹⁵ AKERS	950 OPAL	Repl. by ACKER- STAFF 98E			
¹¹³ ACKERSTAFF 98E systema branching ratios $B(D^{*+} \rightarrow 0.0012)$. ¹¹⁴ See ABREU 95 (erratum). ¹¹⁵ AKERS 950 systematic erro D^0 branching ratios [they us 0.0401 \pm 0.0014 to obtain t	tic error includes an $D^0 \pi^+$) = 0.683 ± 0. r includes an uncert se B($D^* \rightarrow D^0 \pi$) = his measurement].	n uncertaint 014 and B(E ainty of ± 0 = 0.681 \pm 0.	y of ± 0.0069 due to the $p^{0} \rightarrow K^{-} \pi^{+}) = 0.0383 \pm$.008 due to the $D^{*\pm}$ and 016 and $B(D^{0} \rightarrow K\pi) =$			
$\langle N_{D_{-1}(2536)^+} \rangle$						
$VALUE$ (units 10^{-3})	DOCUMENT ID	TECN	COMMENT			
• • • We do not use the followi	ng data for averages	, fits, limits,	etc. • • •			
$2.9^{+0.7}_{-0.6}{\pm}0.2$	¹¹⁶ ACKERSTAFF	97W OPAL	<i>E</i> ^{ee} _{cm} = 91.2 GeV			
¹¹⁰ ACKERSTAFF 97W obtain this value for $x > 0.6$ and with the assumption that its decay width is saturated by the $D^* K$ final states. $\langle N_{B^*} \rangle$						
$0.28 \pm 0.01 \pm 0.03$	117 ABRELL		$E^{ee} = 01.2 \text{ GeV}$			
¹¹⁷ ABREU 95R quote this value	e for a flavor-average	ed excited sta	te.			
$\langle N_{J/\psi(1S)} \rangle$						
VALUE	DOCUMENT ID	TECN	COMMENT			
$0.0056 \pm 0.0003 \pm 0.0004$	¹¹⁰ ALEXANDER	96b OPAL	$E_{\rm cm}^{ee} = 91.2 {\rm GeV}$			
¹¹⁸ ALEXANDER 96B identify J	$\psi/\psi(1S)$ from the dec	cays into lep	ton pairs.			
$\langle N_{\psi(2S)} \rangle$						
VALUE	DOCUMENT ID	TECN	COMMENT			
$0.0023 \pm 0.0004 \pm 0.0003$	ALEXANDER	96b OPAL	$E_{\rm cm}^{ee} = 91.2 \; {\rm GeV}$			
⟨N_P⟩ VALUE	DOCUMENT ID	TECN	COMMENT			
0.98±0.09 OUR AVERAGE						
$1.07\!\pm\!0.01\!\pm\!0.14$	ABREU	95F DLPH	$E_{\rm cm}^{ee}$ = 91.2 GeV			
0.92 ± 0.11	AKERS	94p OPAL	$E_{\rm cm}^{ee} = 91.2 {\rm GeV}$			

$\langle N_{\Delta(1232)^{++}} \rangle$			
VALUE	DOCUMENT ID	TECN	COMMENT
0.087 ± 0.033 OUR AVERAGE	Error includes scale	factor of 2.4	
$0.079\!\pm\!0.009\!\pm\!0.011$	ABREU	95W DLPH	$E_{\rm cm}^{ee}$ = 91.2 GeV
$0.22 \pm 0.04 \pm 0.04$	ALEXANDER	95d OPAL	$E_{\rm cm}^{ee} = 91.2 { m GeV}$
/ • / ``			
$\langle N_A \rangle$			
	DOCUMENT ID	TECN	COMMENT
$0.364 \pm 0.004 \pm 0.017$	ΔΟΟΙΔΡΡΙ	071 13	$F^{ee} = 01.2 \text{ GeV}$
$0.374 \pm 0.002 \pm 0.010$			$F_{cm}^{ee} = 91.2 \text{ GeV}$
0.386 ± 0.016	BUSKUUC		$F^{ee} = 01.2 \text{ GeV}$
$0.357 \pm 0.013 \pm 0.017$			$F^{ee} = 01.2 \text{ GeV}$
• • We do not use the follow	ing data for averages	fits limits	etc
$0.37 \pm 0.01 \pm 0.04$ 0.351 ± 0.010			Repl. by ACCIARRI 97L
0.331±0.019	ACTON	92J UTAL	DER 97D
VALUE	DOCUMENT ID	TECN	COMMENT
$0.0213 \pm 0.0021 \pm 0.0019$	ALEXANDER	97d OPAL	$E_{\rm cm}^{\rm ee} = 91.2 {\rm GeV}$
ναμη	DOCUMENT ID	TECN	COMMENT
VALUE			
0.099±0.008±0.013	ALEAANDER	97E OPAL	$E_{cm} = 91.2 \text{ GeV}$
< <u>N</u> >			
VALUE	DOCUMENT ID	TECN	COMMENT
$0.083 \pm 0.006 \pm 0.009$	ALEXANDER	97E OPAL	$E_{cm}^{ee} = 91.2 \text{ GeV}$
			CIII
$\langle N_{\Sigma^++\Sigma^-} \rangle$			
VALUE	DOCUMENT ID	TECN	COMMENT
0.181 ± 0.018 OUR AVERAGE	110		
$0.182\!\pm\!0.010\!\pm\!0.016$	¹¹⁹ ALEXANDER	97e OPAL	<i>E</i> ^{ee} _{cm} = 91.2 GeV
$0.170\!\pm\!0.014\!\pm\!0.061$	ABREU	950 DLPH	$E_{\rm cm}^{ee}$ = 91.2 GeV
119 We have combined the value	ues of $\langle N_{r+} \rangle$ and $\langle N_{r+} \rangle$	$N_{\mathbf{\nabla}^{-}}$ from	ALEXANDER 97E adding
the statistical and systemat	ic errors of the two f	inal states se	eparately in quadrature. If
isospin symmetry is assume	d this value becomes	0.174 ± 0.02	$10 \pm 0.015.$
$\langle N_{-n} \rangle$			
<u> </u>	DOCUMENT ID	TECN	COMMENT
0.070±0.011 OUR AVERAGE	BOCOMENT	<u>1201</u>	COMMENT
$0.071\!\pm\!0.012\!\pm\!0.013$	ALEXANDER	97e OPAL	$E_{\rm cm}^{ee} = 91.2 {\rm GeV}$
$0.070\!\pm\!0.010\!\pm\!0.010$	ADAM	96B DLPH	$E_{\rm cm}^{ee} = 91.2 {\rm GeV}$
			CITI
$\langle N_{(\Sigma^++\Sigma^-+\Sigma^0)/3} \rangle$			
VALUE	DOCUMENT ID	TECN	COMMENT
$0.084 \pm 0.005 \pm 0.008$	ALEXANDER	97e OPAL	$E_{\rm Cm}^{ee} = 91.2 { m GeV}$
HTTP://PDG.LBL.GOV	Page 40	Crea	ted: 6/29/1998 12:32
, , · = = = = = • • • • •		0.54	-, -,

$\langle N_{\Sigma(1385)^+} \rangle$				
VALUE	DOCUMENT ID		TECN	COMMENT
$0.0239 \pm 0.0009 \pm 0.0012$	ALEXANDER	97 D	OPAL	$E_{\rm cm}^{ee}$ = 91.2 GeV
$\langle N - \langle n \rangle \rangle$				
\ ``£(1385) ⁻ /	DOCUMENT ID		TECN	COMMENT
$\frac{VALUE}{0.0240 \pm 0.0010 \pm 0.0014}$		070		$\frac{COMMENT}{COMMENT}$
0.0240±0.0010±0.0014	ALEXANDER	910	UFAL	$E_{\rm cm} = 91.2 {\rm GeV}$
$\langle N_{\Sigma(1385)^++\Sigma(1385)^-} \rangle$				
VALUE	DOCUMENT ID		TECN	COMMENT
0.046 ±0.004 OUR AVERAGE	rror includes sca	le fac	ctor of 1	1.6.
$0.0479 \pm 0.0013 \pm 0.0026$	ALEXANDER	97 D	OPAL	$E_{\rm cm}^{ee} = 91.2 {\rm GeV}$
$0.0382 \pm 0.0028 \pm 0.0045$	ABREU	950	DLPH	$E_{\rm cm}^{\rm ee} = 91.2 {\rm GeV}$
• • • We do not use the following of	lata for averages	s, fits,	, limits,	etc. • • •
0.0380 ± 0.0062	ACTON	92J	OPAL	Repl. by ALEXAN- DER 97D
				DER STD
$\langle N_{\Xi^-} \rangle$				
	DOCUMENT ID		TECN	COMMENT
0.0258±0.0009 OUR AVERAGE		070		
$0.0259 \pm 0.0004 \pm 0.0009$		970		$E_{\rm cm}^{\rm ee} = 91.2 \text{ GeV}$
$0.0250 \pm 0.0009 \pm 0.0021$	ADREU	950 fite	ULPH	$E_{\rm cm} = 91.2 {\rm GeV}$
• • • We do not use the following of		s, mts,	, innits,	
$0.020 \pm 0.004 \pm 0.003$ 0.0206 ± 0.0021	ABREU	92G		Repl. by ABREU 950
0.0200 ± 0.0021	ACTON	925	OTAL	DER 97D
< <i>₩</i> Ξ(1530) ⁰				
	DOCUMENT ID		TECN	<u>COMMENT</u>
	rror includes sca	ile fac	ctor of 3	5.2.
$0.0008 \pm 0.0003 \pm 0.0004$		970		$E_{\rm cm}^{\rm ee} = 91.2 \text{ GeV}$
$0.0041 \pm 0.0004 \pm 0.0004$		950	DLPH	$E_{\rm cm}^{\circ} = 91.2 {\rm GeV}$
• • • we do not use the following of	ata for averages	s, nts,	, iimits,	
0.0063±0.0014	ACTON	92J	OPAL	Repl. by ALEXAN-
				DER STD
$\langle N_{\Omega^{-}} \rangle$				
VALUE	DOCUMENT ID		TECN	COMMENT
0.00164±0.00028 OUR AVERAGE		070		
$0.0018 \pm 0.0003 \pm 0.0002$	ALEXANDER	97D	OPAL	$E_{\rm Cm}^{\rm ee} = 91.2 {\rm GeV}$
$0.0014 \pm 0.0002 \pm 0.0004$		96B	DLPH	$E_{\rm Cm}^{\rm cm} = 91.2 {\rm GeV}$
• • • We do not use the following of	ata for averages	s, fits,	, limits,	etc. • • •
0.0050 ± 0.0015	ACTON	92J	OPAL	Repl. by ALEXAN- DER 97D
$\langle N_{\star+} \rangle$				
	DOCUMENT IS		TECN	COMMENT
$\frac{VALUE}{0.078\pm0.012\pm0.012}$		005		
U.U/8±U.U12±U.U12	ALEXANDER	90R	OPAL	$E_{\rm cm} = 91.2 \text{ GeV}$
HTTP://PDGIBLGOV	Page 41		Crea	ted: 6/29/1998 12:32
	1 460 11		0,00	1001. 0/20/1000 12.02

(N _{charged})				
VALUE	DOCUMENT ID		TECN	COMMENT
21.00 ± 0.13 OUR AVERAGE				
21.05 ± 0.20	AKERS	95z	OPAL	$E_{\rm cm}^{ee} = 91.2 {\rm GeV}$
$20.91\!\pm\!0.03\!\pm\!0.22$	BUSKULIC	95 R	ALEP	$E_{\rm cm}^{ee} = 91.2 \; {\rm GeV}$
21.40 ± 0.43	ACTON	9 2B	OPAL	$E_{\rm cm}^{ee}$ = 91.2 GeV
$20.71 \!\pm\! 0.04 \!\pm\! 0.77$	ABREU	91H	DLPH	$E_{\rm cm}^{ee}$ = 91.2 GeV
20.7 ±0.7	ADEVA	91ı	L3	$E_{\rm cm}^{ee}$ = 91.2 GeV
$20.1 \ \pm 1.0 \ \pm 0.9$	ABRAMS	90	MRK2	$E_{\rm cm}^{ee} = 91.1 \; {\rm GeV}$
\bullet \bullet \bullet We do not use the following of	data for averages	, fits	, limits,	etc. ● ● ●
$20.85\!\pm\!0.02\!\pm\!0.24$	DECAMP	91ĸ	ALEP	Repl. by BUSKULIC 95R

Z HADRONIC POLE CROSS SECTION

This quantity is defined as

$$\sigma_h^0 = \frac{12\pi}{M_7^2} \frac{\Gamma(e^+ e^-) \Gamma(\text{hadrons})}{\Gamma_7^2}$$

It is one of the parameters used in the Z lineshape fit. (See the 'Note on the Z Boson.')

VALUE (nb)	EVTS	DOCUMENT ID		TECN	COMMENT
41.54 \pm 0.14 OUR FIT					
41.49 ± 0.10 OUR AVER	RAGE				
41.23 ± 0.20	1.05M	ABREU	94	DLPH	<i>E</i> ^{ee} _{cm} = 88–94 GeV
$41.39 \!\pm\! 0.26$	1.09M	ACCIARRI	94	L3	<i>E</i> ^{ee} _{cm} = 88–94 GeV
41.70 ± 0.23	1.19M	AKERS	94	OPAL	<i>E</i> ^{ee} _{cm} = 88–94 GeV
$41.60 \!\pm\! 0.16$	1.27M	BUSKULIC	94	ALEP	<i>E</i> ^{ee} _{cm} = 88–94 GeV
\bullet \bullet \bullet We do not use th	e following d	ata for averages	, fits	, limits,	etc. ● ● ●
41.45 ± 0.31	512k	ACTON	93 D	OPAL	Repl. by AKERS 94
$41.34 \!\pm\! 0.28$	460k	ADRIANI	9 3M	L3	Repl. by ACCIARRI 94
$41.60\!\pm\!0.27$	520k	BUSKULIC	93J	ALEP	Repl. by BUSKULIC 94
42 ±4	450	ABRAMS	89 B	MRK2	$E_{\rm cm}^{ee}$ = 89.2–93.0 GeV

Z VECTOR COUPLINGS TO CHARGED LEPTONS

These quantities are the effective vector couplings of the Z to charged leptons. Their magnitude is derived from a measurement of the Z lineshape and the forward-backward lepton asymmetries as a function of energy around the Z mass. The relative sign among the vector to axial-vector couplings is obtained from a measurement of the Z asymmetry parameters, A_e and A_{τ} , or ν_e scattering. The fit values quoted below correspond to global nine- or five-parameter fits to lineshape, lepton forward-backward asymmetry, and A_e and A_{τ} measurements. See "Note on the Z boson" for details.

Within the current data set, the reason for the smallness of g_V^{μ} compared to g_V^e and g_V^{τ} is due to the large value of A_e which is heavily weighted by the SLD result. This large value of A_e leads to a large value of g_V^e . Since

HTTP://PDG.LBL.GOV

 g^{μ}_V is obtained using the relation ${\cal A}^{\mu}_{FB}=0.75{ imes}{\cal A}_e{ imes}{\cal A}_{\mu}$, a large value of

 g_V^e leads to a SMALL value of g_V^μ . Concerning the au, its g_V gets mainly determined directly from $A_{ au}$ which is obtained from a measurement of the τ polarization (see "Note on the Z boson").

gv				
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-0.0383 ± 0.0008 O	UR FIT			
• • • We do not use	e the follow	ing data for average	s, fits, limits,	etc. • • •
$-0.0414\!\pm\!0.0020$		¹²⁰ ABE	95j SLD	<i>E</i> ^{ee} _{cm} = 91.31 GeV
$-0.0364 \substack{+ 0.0096 \\ - 0.0082}$	38k	¹²¹ ACCIARRI	94 L3	<i>E</i> ^{ee} _{cm} = 88–94 GeV
-0.036 ± 0.005	45.8k	¹²² BUSKULIC	94 ALEP	<i>E</i> ^{ee} _{cm} = 88–94 GeV
$\begin{array}{c} -0.040 \hspace{0.2cm} +0.013 \\ -0.011 \end{array}$		¹²³ ADRIANI	93M L3	Repl. by ACCIARRI 94
$-0.034 \begin{array}{c} +0.006 \\ -0.005 \end{array}$		¹²¹ BUSKULIC	93J ALEP	Repl. by BUSKULIC 94

 120 ABE 95J obtain this result combining polarized Bhabha results with the A_{LR} measurement of ABE 94C. The Bhabha results alone give $-0.0507 \pm 0.0096 \pm 0.0020$. $^{121}_{122}$ The τ polarization result has been included.

 $^{122}\,\text{BUSKULIC}$ 94 use the added constraint of τ polarization.

 123 ADRIANI 93M use their measurement of the au polarization in addition to forwardbackward lepton asymmetries.

gγ

VALUE	EVTS	DOCUMENT ID	TECN	<u>COMMENT</u>
-0.0274 ± 0.0047 OU	RFIT			
• • • We do not use	the follow	ing data for average	es, fits, limits,	etc. • • •
$-0.0402 \substack{+0.0153 \\ -0.0211}$	34k	¹²⁴ ACCIARRI	94 L3	<i>E^{ee}</i> = 88–94 GeV
-0.034 ± 0.013	46.4k	¹²⁵ BUSKULIC	94 ALEP	<i>E^{ee}</i> _{cm} = 88–94 GeV
$-0.048 \ {+0.021 \atop -0.033}$		¹²⁶ ADRIANI	93M L3	Repl. by ACCIARRI 94
$-0.019 \ {+0.018 \atop -0.019}$		¹²⁴ BUSKULIC	93J ALEP	Repl. by BUSKULIC 94

 124 The τ polarization result has been included. 125 BUSKULIC 94 use the added constraint of τ polarization.

 126 ADRIANI 93M use their measurement of the au polarization in addition to forwardbackward lepton asymmetries.

gv

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT		
-0.0378 ± 0.0020 OUR	FIT					
• • • We do not use t	he followi	ing data for averages	, fits, limits,	etc. • • •		
-0.0384 ± 0.0078	25k	¹²⁷ ACCIARRI	94 L3	<i>E^{ee}</i> = 88–94 GeV		
-0.038 ± 0.005	45.1k	¹²⁸ BUSKULIC	94 ALEP	<i>E^{ee}</i> _{cm} = 88–94 GeV		
-0.037 ± 0.008	7441	¹²⁹ ADRIANI	93M L3	Repl. by ACCIARRI 94		
-0.039 ± 0.006		¹²⁷ BUSKULIC	93J ALEP	Repl. by BUSKULIC 94		
127 The $ au$ polarization result has been included.						
¹²⁸ BUSKULIC 94 use	the adde	d constraint of $ au$ pol	arization.			
¹²⁹ ADRIANI 93M use	their m	easurement of the	au polarizatio	n in addition to forward-		

backward lepton asymmetries.

HTTP://PDG.LBL.GOV Page 43

8 ^c V					
VALUE	<u>EVTS</u>	DOCUMENT ID		TECN	COMMENT
-0.0377 ± 0.0007 OUF	R FIT				
• • We do not use t	he followi	ng data for averages	, fits,	limits,	etc. • • •
-0.039 ± 0.004	50.3k	¹³⁰ ABREU	94	DLPH	$E_{\rm cm}^{ee}$ = 88–94 GeV
$-0.0378 \substack{+0.0045 \\ -0.0042}$	97k	¹³¹ ACCIARRI	94	L3	<i>E</i> ^{ee} _{cm} = 88–94 GeV
-0.034 ± 0.004	146k	¹³⁰ AKERS	94	OPAL	<i>E^{ee}</i> _{cm} = 88–94 GeV
-0.038 ± 0.004	137.3k	¹³⁰ BUSKULIC	94	ALEP	<i>E^{ee}</i> _{cm} = 88–94 GeV
-0.027 ± 0.008	58k	¹³⁰ ACTON	93 D	OPAL	Repl. by AKERS 94
$-0.040 \begin{array}{c} +0.006 \\ -0.005 \end{array}$		¹³¹ ADRIANI	9 3M	L3	Repl. by ACCIARRI 94
$-0.034 \begin{array}{c} +0.004 \\ -0.003 \end{array}$		¹³¹ BUSKULIC	9 3J	ALEP	Repl. by BUSKULIC 94
130 Using forward-back	ward lent	on asymmetries			

sing forward-backward lepton asymmetries.

 $^{131}\,{\rm The}\,\,\tau\,$ polarization result has been included.

Z AXIAL-VECTOR COUPLINGS TO CHARGED LEPTONS

These quantities are the effective axial-vector couplings of the Z to charged leptons. Their magnitude is derived from a measurement of the Z lineshape and the forward-backward lepton asymmetries as a function of energy around the Z mass. The relative sign among the vector to axial-vector couplings is obtained from a measurement of the Z asymmetry parameters, \textit{A}_{e} and $\textit{A}_{\tau},$ or ν_{e} scattering. The fit values quoted below correspond to global nine- or five-parameter fits to lineshape, lepton forward-backward asymmetry, and A_e and A_{τ} measurements. See "Note on the Z boson" for details.

gA

ø

VALUE	<u>EVTS</u>	DOCUM	ENT ID	TECN	COMMENT
-0.5007 ± 0.0009 OUR	FIT				
• • We do not use th	e followi	ng data for a	averages, fits	, limits, e	etc. • • •
$-0.4977 \!\pm\! 0.0045$		¹³² ABE	95J	SLD	$E_{\rm Cm}^{ee} = 91.31 { m GeV}$
$-0.4998 \!\pm\! 0.0016$	38k	¹³³ ACCIA	RRI 94	L3	$E_{\rm cm}^{ee}$ = 88–94 GeV
$-0.503\ \pm 0.002$	45.8k	BUSKU	JLIC 94	ALEP	$E_{\rm cm}^{ee}$ = 88–94 GeV
-0.4980 ± 0.0021		¹³³ ADRIA	NI 93∧	I L3	Repl. by ACCIARRI 94
$-0.5029 \!\pm\! 0.0018$		¹³³ BUSKL	JLIC 93J	ALEP	Repl. by BUSKULIC 94
 ¹³² ABE 95J obtain this result combining polarized Bhabha results with the A_{LR} measurement of ABE 94C. The Bhabha results alone give -0.4968 ± 0.0039 ± 0.0027. ¹³³ The τ-polarization constraint has been included. 					
B A		DOCUM		TECN	COMMENT
-0.5015 + 0.0012 OUR	FIT	DOCUM		TECN	
• • We do not use th	e followi	ng data for a	averages, fits	, limits, e	etc. ● ● ●
$-0.4987\substack{+0.0030\\-0.0026}$	34k	¹³⁴ ACCIA	RRI 94	L3	<i>E</i> ^{<i>ee</i>} _{cm} = 88–94 GeV
$-0.501\ \pm 0.002$	46.4k	BUSKI	JLIC 94	ALEP	$E_{\rm cm}^{ee}$ = 88–94 GeV
$-0.4968 \substack{+ 0.0050 \\ - 0.0037}$		¹³⁴ ADRIA	NI 93M	I L3	Repl. by ACCIARRI 94
-0.5014 ± 0.0029		¹³⁴ BUSKU	JLIC 93J	ALEP	Repl. by BUSKULIC 94
134 The $ au$ -polarization of	constraint	: has been ir	cluded.		

Page 44

HTTP://PDG.LBL.GOV

g_A^{τ}				
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-0.5009 ± 0.0013 OU	R FIT			
$\bullet \bullet \bullet$ We do not use	the followi	ing data for averages,	fits, limits	a, etc. ● ● ●
$-0.5014\!\pm\!0.0029$	25k	¹³⁵ ACCIARRI	94 L3	<i>E</i> ^{ee} _{cm} = 88–94 GeV
-0.502 ± 0.003	45.1k	BUSKULIC	94 ALEP	<i>E^{ee}</i> = 88–94 GeV
-0.5032 ± 0.0038	7441	¹³⁵ ADRIANI	93M L3	Repl. by ACCIARRI 94
-0.5016 ± 0.0033		¹³⁵ BUSKULIC	93J ALEP	Repl. by BUSKULIC 94
135 The $ au$ -polarization	constrain	t has been included.		
g^{ℓ}_{A}				
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
-0.5008 ± 0.0008 OU	R FIT			
$\bullet \bullet \bullet$ We do not use	the followi	ing data for averages,	fits, limits	, etc. ● ● ●
-0.4999 ± 0.0014	71k	ABREU	94 DLPH	I <i>E^{ee}</i> = 88–94 GeV
$-0.4998 \!\pm\! 0.0014$	97k	¹³⁶ ACCIARRI	94 L3	<i>E</i> ^{ee} _{cm} = 88–94 GeV
-0.500 ± 0.001	146k	AKERS	94 OPAL	$E_{\rm cm}^{ee}$ = 88–94 GeV
-0.502 ± 0.001	137k	BUSKULIC	94 ALEP	<i>E^{ee}</i> _{cm} = 88–94 GeV
$-0.4998 \!\pm\! 0.0016$	58k	ACTON	93D OPAL	Repl. by AKERS 94
-0.4986 ± 0.0015		¹³⁶ ADRIANI	93M L3	Repl. by ACCIARRI 94
$-0.5022\!\pm\!0.0015$		¹³⁶ BUSKULIC	93J ALEP	Repl. by BUSKULIC 94
136-				

¹³⁰ The τ -polarization constraint has been included.

Z COUPLINGS TO NEUTRAL LEPTONS

These quantities are the effective couplings of the Z to neutral leptons. $\nu_e e$ and $\nu_\mu e$ scattering results are combined with g^e_A and g^e_V measurements at the Z mass to obtain g^{ν_e} and g^{ν_μ} following NOVIKOV 93C.

$\begin{array}{c} {\pmb{g}}^{\pmb{\nu}_{\pmb{e}}} \\ \hline v_{ALUE} \\ \hline \textbf{0.528 \pm 0.085} \\ \hline 137 \underbrace{\text{DOCUMENT ID}}_{137 \text{ VILAIN}} \\ g^{\nu} \mu \end{array} \begin{array}{c} \underline{TECN} & \underline{COMMENT} \\ From \nu_{\mu} e \text{ and } \nu_{e} e \text{ scattering} \\ \hline 137 \text{ VILAIN 94 derive this value from their value of } \\ g^{\nu} \mu \end{array} \\ \hline \textbf{g}^{\nu} \mu \end{array}$

VALUE	<u>DOCUMENT ID</u>		TECN	COMMENT
0.502±0.017	¹³⁸ VILAIN	94	CHM2	From $ u_{\mu} e$ scattering
138 VILAIN 94 derive this value	from their measurem	ent o	of the co	uplings ${g}_{oldsymbol{A}}^{oldsymbol{e} u _{\mu }}=-$ 0.503 \pm
0.017 and $g_V^{e u_\mu}=-$ 0.035 :	\pm 0.017 obtained from	n $ u_{\mu}$	e scatter	ing. We have re-evaluated
this value using the current	PDG values for g_A^e a	and g	çe V	

Z ASYMMETRY PARAMETERS

For each fermion-antifermion pair coupling to the ${\boldsymbol Z}$ these quantities are defined as

$$A_{f} = \frac{2g_{V}^{f}g_{A}^{f}}{(g_{V}^{f})^{2} + (g_{A}^{f})^{2}}$$

where g_V^f and g_A^f are the effective vector and axial-vector couplings. For their relation to the various lepton asymmetries see the 'Note on the Z Boson.'

A_e

Using polarized beams, this quantity can also be measured as $(\sigma_L - \sigma_R)/(\sigma_L + \sigma_R)$, where σ_L and σ_R are the e^+e^- production cross sections for Z bosons produced with left-handed and right-handed electrons respectively.

VALUE	<u>EVTS</u>	DOCUMENT ID		TECN	COMMENT
0.1519 ± 0.0034 OUR AVER	RAGE				
$0.162\ \pm 0.041\ \pm 0.014$	89838	¹³⁹ ABE	97	SLD	$E_{\rm cm}^{ee} = 91.27 { m GeV}$
$0.1543 \!\pm\! 0.0039$	93644	¹⁴⁰ ABE	97E	SLD	$E_{\rm cm}^{ee} = 91.27 { m GeV}$
0.152 ± 0.012		¹⁴¹ ABE	97N	SLD	$E_{\rm cm}^{ee} = 91.27 { m GeV}$
$0.129\ \pm 0.014\ \pm 0.005$	89075	¹⁴² ALEXANDER	96 ∪	OPAL	<i>E</i> ^{ee} _{cm} = 88–94 GeV
$0.202 \ \pm 0.038 \ \pm 0.008$		¹⁴³ ABE	95J	SLD	<i>E</i> ^{ee} _{cm} = 91.31 GeV
$0.136\ \pm 0.027\ \pm 0.003$		¹⁴⁴ ABREU	95ı	DLPH	$E_{\rm cm}^{ee}$ = 88–94 GeV
$0.129\ \pm 0.016\ \pm 0.005$	33000	¹⁴⁵ BUSKULIC	95Q	ALEP	$E_{\rm cm}^{ee}$ = 88–94 GeV
$0.157\ \pm 0.020\ \pm 0.005$	86000	¹⁴⁴ ACCIARRI	94E	L3	<i>E</i> ^{ee} _{cm} = 88–94 GeV
$\bullet \bullet \bullet$ We do not use the fo	llowing a	data for averages, fit	s, lim	its, etc.	• • •
$0.122 \ \pm 0.030 \ \pm 0.012$	30663	¹⁴⁴ AKERS	95	OPAL	Repl. by ALEXAN- DER 960
$0.1656 \!\pm\! 0.0071 \!\pm\! 0.0028$	49392	¹⁴⁶ ABE	9 4C	SLD	Repl. by ABE 97E
$0.097\ \pm 0.044\ \pm 0.004$	10224	¹⁴⁷ ABE	93	SLD	Repl. by ABE 97E
0.120 ± 0.026		¹⁴⁴ BUSKULIC	93 P	ALEP	Repl. by
					BUSKULIC 95Q

¹³⁹ABE 97 obtain this result from a measurement of the observed left-right charge asymmetry, $A_Q^{\text{obs}} = 0.225 \pm 0.056 \pm 0.019$, in hadronic Z decays. If they combine this value of A_Q^{obs} with their earlier measurement of A_{LR}^{obs} they determine A_e to be 0.1574 \pm 0.0197 \pm 0.0067 independent of the beam polarization.

¹⁴⁰ABE 97E measure the left-right asymmetry in hadronic Z production. This value (statistical and systematic errors added in quadrature) leads to $\sin^2\theta_W^{\text{eff}} = 0.23060 \pm 0.00050$.

¹⁴¹ ABE 97N obtain this direct measurement using the lef-right cross section asymmetry and the left-right forward-backward asymmetry in leptonic decays of the Z boson obtained with a polarized electron beam.

 $^{142}\,{\rm ALEXANDER}$ 96U measure the τ -lepton polarization and the forward-backward polarization asymmetry.

 143 ABE 95J obtain this result from polarized Bhabha scattering.

 144 Derived from the measurement of forward-backward τ polarization asymmetry.

 $^{145}\,\rm BUSKULIC$ 95Q obtain this result fitting the $\tau\,$ polarization as a function of the polar $\tau\,$ production angle.

¹⁴⁶ ABE 94C measured the left-right asymmetry in Z production. This value leads to $\sin^2 \theta_W$ = 0.2292 ± 0.0009 ± 0.0004.

¹⁴⁷ABE 93 measured the left-right asymmetry in Z production.

HTTP://PDG.LBL.GOV

Page 46

A_{μ}

This quantity is directly extracted from a measurement of the left-right forwardbackward asymmetry in $\mu^+\mu^-$ production at SLC using a polarized electron beam. This double asymmetry eliminates the dependence on the *Z*-*e*-*e* coupling parameter *A*.

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.102±0.034	3788	¹⁴⁸ ABE	97N SLD	$E_{\rm cm}^{ee} = 91.27 \text{ GeV}$

¹⁴⁸ ABE 97N obtain this direct measurement using the lef-right cross section asymmetry and the left-right forward-backward asymmetry in $\mu^+\mu^-$ decays of the Z boson obtained with a polarized electron beam.

A_{τ}

The LEP Collaborations derive this quantity from the measurement of the average τ polarization in $Z \rightarrow \tau^+ \tau^-$. The SLD Collaboration directly extracts this quantity from its measured left-right forward-backward asymmetry in $Z \rightarrow \tau^+ \tau^-$ produced using a polarized e^- beam. This double asymmetry eliminates the dependence on the *Z*-*e*-*e* coupling parameter A_e .

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.143±0.008 OUR AV	ERAGE			
0.195 ± 0.034		¹⁴⁹ ABE	97N SLD	E ^{ee} _{cm} = 91.27 GeV
$0.134\!\pm\!0.009\!\pm\!0.010$	89075	¹⁵⁰ ALEXANDER	96∪ OPAL	<i>E</i> ^{ee} _{cm} = 88–94 GeV
$0.148\!\pm\!0.017\!\pm\!0.014$		ABREU	951 DLPH	<i>E</i> ^{ee} _{cm} = 88–94 GeV
$0.136\!\pm\!0.012\!\pm\!0.009$	33000	¹⁵¹ BUSKULIC	95Q ALEP	<i>E</i> ^{ee} _{cm} = 88–94 GeV
$0.150\!\pm\!0.013\!\pm\!0.009$	86000	ACCIARRI	94E L3	<i>E</i> ^{ee} _{cm} = 88–94 GeV
\bullet \bullet \bullet We do not use the	he followi	ng data for averages	, fits, limits,	etc. • • •
$0.153\!\pm\!0.019\!\pm\!0.013$	30663	AKERS	95 OPAL	Repl. by ALEXAN- DER 960
$0.132\!\pm\!0.033$	10732	ADRIANI	93M L3	Repl. by ACCIARRI 94E
0.143 ± 0.023		BUSKULIC	93P ALEP	Repl. by BUSKULIC 950
$0.24\ \pm 0.07$	2021	ABREU	92N DLPH	Repl. by ABREU 951

¹⁴⁹ABE 97N obtain this direct measurement using the left-right cross section asymmetry and the left-right forward-backward asymmetry in $\tau^+ \tau^-$ decays of the Z boson obtained with a polarized electron beam.

¹⁵⁰ ALEXANDER 96U measure the τ -lepton polarization and the forward-backward polarization asymmetry.

 $^{151}\,\rm BUSKULIC$ 95Q obtain this result fitting the $\tau\,$ polarization as a function of the polar $\tau\,$ production angle.

A_c

This quantity is directly extracted from a measurement of the left-right forwardbackward asymmetry in $c\overline{c}$ production at SLC using polarized electron beam. This double asymmetry eliminates the dependence on the Z-e-e coupling parameter A_e .

VALUE	DOCUMENT ID		TECN	COMMENT
0.59±0.19 OUR AVERAGE				
$0.37\!\pm\!0.23\!\pm\!0.21$	¹⁵² ABE	95L	SLD	$E_{\rm cm}^{ee}$ = 91.26 GeV
$0.73 \pm 0.22 \pm 0.10$	¹⁵³ ABE,K	95	SLD	$E_{\rm cm}^{ee} = 91.26 {\rm GeV}$

 $^{152}\,{\sf ABE}$ 95L tag b and c quarks through their semileptonic decays into electrons and muons. A maximum likelihood fit is performed to extract A_b and $A_c.$

¹⁵³ABE,K 95 tag $Z \rightarrow c\overline{c}$ events using D^{*+} and D^+ meson production. To take care of the $b\overline{b}$ contamination in their analysis they use $A_b^D = 0.64 \pm 0.11$ (which is A_b from

 D^*/D tagging). This is obtained by starting with a Standard Model value of 0.935, assigning it an estimated error of ± 0.105 to cover LEP and SLD measurements, and finally taking into account *B*- \overline{B} mixing (1– $2\chi_{\rm mix}$ = 0.72 \pm 0.09). Combining with ABE 95L they quote 0.59 \pm 0.19.

Aь

This quantity is directly extracted from a measurement of the left-right forwardbackward asymmetry in $b\overline{b}$ production at SLC using polarized electron beam. This double asymmetry eliminates the dependence on the Z-e-e coupling parameter A_e .

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.89 ± 0.11 OUR AVERA	GE			
$0.87\!\pm\!0.11\!\pm\!0.09$	4032	¹⁵⁴ ABE	95k SLD	E ^{ee} _{cm} = 91.26 GeV
$0.91\!\pm\!0.14\!\pm\!0.07$		¹⁵⁵ ABE	95l SLD	<i>E</i> ^{ee} _{cm} = 91.26 GeV

¹⁵⁴ ABE 95K obtain an enriched sample of $b\overline{b}$ events tagging with the impact parameter. A momentum-weighted charge sum is used to identify the charge of the underlying *b* quark.

¹⁵⁵ ABE 95L tag *b* and *c* quarks through their semileptonic decays into electrons and muons. A maximum likelihood fit is performed to extract A_b and A_c . Combining with ABE 95K, they quote $0.89 \pm 0.09 \pm 0.06$.

TRANSVERSE SPIN CORRELATIONS IN $Z \rightarrow \tau^+ \tau^-$

The correlations between the transverse spin components of $\tau^+ \tau^-$ produced in Z decays may be expressed in terms of the vector and axial-vector couplings:

$$C_{TT} = \frac{|g_A^{\tau}|^2 - |g_V^{\tau}|^2}{|g_A^{\tau}|^2 + |g_V^{\tau}|^2}$$
$$C_{TN} = -2\frac{|g_A^{\tau}||g_V^{\tau}|}{|g_A^{\tau}|^2 + |g_V^{\tau}|^2}\sin(\Phi_{g_V^{\tau}} - \Phi_{g_A^{\tau}})$$

 C_{TT} refers to the transverse-transverse (within the collision plane) spin correlation and C_{TN} refers to the transverse-normal (to the collision plane) spin correlation.

The longitudinal τ polarization P_{τ} (= $-A_{\tau}$) is given by:

$$P_{\tau} = -2 \frac{|g_{A}^{\tau}| |g_{V}^{\tau}|}{|g_{A}^{\tau}|^{2} + |g_{V}^{\tau}|^{2}} \cos(\Phi_{g_{V}^{\tau}} - \Phi_{g_{A}^{\tau}})$$

Here Φ is the phase and the phase difference $\Phi_{g_V^{\tau}} - \Phi_{g_A^{\tau}}$ can be obtained using both the measurements of C_{TN} and P_{τ} .

	<u>EVTS</u>	DOCUMENT ID	TECN	COMMENT
1.01±0.12 OUR AVERA	GE			
$0.87 \!\pm\! 0.20 \!+\! 0.10 \!-\! 0.12$	9.1K	ABREU	97G DLPH	$E_{\rm cm}^{ee}=$ 91.2 GeV
$1.06\!\pm\!0.13\!\pm\!0.05$	120K	BARATE	97d ALEP	$E_{\rm cm}^{ee}$ = 91.2 GeV

C _{TN}									
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT					
0.08±0.13±0.04	120K	¹⁵⁶ BARATE	97d ALEP	$E_{\rm cm}^{ee} = 91.2 { m GeV}$					
¹⁵⁶ BARATE 97D combined to obtain $tan(\Phi_{g_V^T})$	ne their – $\Phi_{g_A^{ au}}$)	value of C_{TN} with t $=-0.57\pm0.97.$	¹⁵⁶ BARATE 97D combine their value of C_{TN} with the world average $P_{\tau} = -0.140 \pm 0.007$ to obtain $\tan(\Phi_{g_{V}^{\tau}} - \Phi_{g_{A}^{\tau}}) = -0.57 \pm 0.97$.						

$A_{FB}^{(0,e)}$ CHARGE ASYMMETRY IN $e^+e^- \rightarrow e^+e^-$

For the Z peak, we report the pole asymmetry defined by $(3/4)A_e^2$ as determined by the nine-parameter fit to cross-section and lepton forward-backward asymmetry data. For details see the "Note on the Z boson."

ASYMMETRY (%) 1.51±0.40 OUR FIT 1.5 ±0.4 OUR AVERAGE	STD. MODEL	√ <u>s</u> (GeV)	DOCUMENT ID		<u>TECN</u>
2.5 ± 0.9		91.2 01.2	ABREU	94 04	DLPH
1.04 ± 0.92 0.62 ± 0.80		91.2 91.2	AKERS	94 94	OPAL
$1.85 \!\pm\! 0.66$		91.2	BUSKULIC	94	ALEP

$A_{FB}^{(0,\mu)}$ CHARGE ASYMMETRY IN $e^+e^- \rightarrow \mu^+\mu^-$

For the Z peak, we report the pole asymmetry defined by $(3/4)A_eA_\mu$ as determined by the nine-parameter fit to cross-section and lepton forward-backward asymmetry data. For details see the "Note on the Z boson."

ASYMMETRY (%)	STD. MODEI	\sqrt{s}		DOCUMENT ID		TECN
1.33 ± 0.26 OUR FIT	MODEL	(000)		DOCOMENTID	<u> </u>	TLCN
1.34 ± 0.24 OUR AVERAG	E					
$1.4~\pm~0.5$		91.2		ABREU	94	DLPH
$1.79\pm~0.61$		91.2		ACCIARRI	94	L3
$0.99\pm$ 0.42		91.2		AKERS	94	OPAL
$1.46\pm~0.48$		91.2		BUSKULIC	94	ALEP
\bullet \bullet \bullet We do not use the follow	ving data for	averages,	fits	, limits, etc. • •	•	
9 ±30	-2	20	157	ABREU	95M	DLPH
7 ±26	-10	40	157	ABREU	95M	DLPH
-11 ± 33	-25	57	157	ABREU	95M	DLPH
-62 ± 17	-45	69	157	ABREU	95M	DLPH
-56 ± 10	- 58	79	157	ABREU	95M	DLPH
-13 \pm 5	-23	87.5	157	ABREU	95M	DLPH
$-29.0 \ \begin{array}{c} + & 5.0 \\ - & 4.8 \end{array} \pm 0.5$	-32.1	56.9	158	ABE	901	VNS
$-$ 9.9 \pm 1.5 \pm 0.5	-9.2	35		HEGNER	90	JADE
$0.05\pm$ 0.22	0.026	91.14	159	ABRAMS	89 D	MRK2
-43.4 ± 17.0	-24.9	52.0	160	BACALA	89	AMY
-11.0 ± 16.5	-29.4	55.0	160	BACALA	89	AMY
-30.0 ± 12.4	-31.2	56.0	160	BACALA	89	AMY
-46.2 ± 14.9	-33.0	57.0	160	BACALA	89	AMY
-29 ± 13	-25.9	53.3		ADACHI	88 C	TOPZ

HTTP://PDG.LBL.GOV

$+$ 5.3 \pm 5.0 ± 0.5	-1.2	14.0	ADEVA	88 MRKJ
$-10.4~\pm~1.3~\pm0.5$	-8.6	34.8	ADEVA	88 MRKJ
$-12.3~\pm~5.3~\pm0.5$	-10.7	38.3	ADEVA	88 MRKJ
$-15.6~\pm~3.0~\pm0.5$	-14.9	43.8	ADEVA	88 MRKJ
$-$ 1.0 \pm 6.0	-1.2	13.9	BRAUNSCH	88D TASS
$-$ 9.1 \pm 2.3 ±0.5	-8.6	34.5	BRAUNSCH	88D TASS
$-10.6 \ + \ 2.2 \ \pm 0.5$	-8.9	35.0	BRAUNSCH	88D TASS
$-17.6 \ \begin{array}{c} + & 4.4 \\ - & 4.3 \end{array} \pm 0.5$	-15.2	43.6	BRAUNSCH	88D TASS
$-$ 4.8 \pm 6.5 ± 1.0	-11.5	39	BEHREND	87C CELL
$-18.8~\pm~4.5~\pm1.0$	-15.5	44	BEHREND	87C CELL
$+$ 2.7 \pm 4.9	-1.2	13.9	BARTEL	86c JADE
$-11.1 ~\pm~ 1.8 ~\pm 1.0$	-8.6	34.4	BARTEL	86c JADE
-17.3 \pm 4.8 ±1.0	-13.7	41.5	BARTEL	86c JADE
$-22.8~\pm~5.1~\pm1.0$	-16.6	44.8	BARTEL	86c JADE
$-$ 6.3 \pm 0.8 ± 0.2	-6.3	29	ASH	85 MAC
$-$ 4.9 \pm 1.5 ±0.5	-5.9	29	DERRICK	85 HRS
$-$ 7.1 \pm 1.7	-5.7	29	LEVI	83 MRK2
$-16.1~\pm~3.2$	-9.2	34.2	BRANDELIK	82C TASS

¹⁵⁷ ABREU 95M perform this measurement using radiative muon-pair events associated with high-energy isolated photons.

158 ABE 901 measurements in the range 50 $\leq \sqrt{s} \leq$ 60.8 GeV.

 159 ABRAMS 89D asymmetry includes both 9 $\mu^+\mu^-$ and 15 $\tau^+\tau^-$ events. 160 BACALA 89 systematic error is about 5%.

$A_{FB}^{(0,\tau)}$ CHARGE ASYMMETRY IN $e^+e^- \rightarrow \tau^+\tau^-$

For the Z peak, we report the pole asymmetry defined by $(3/4)A_eA_{\tau}$ as determined by the nine-parameter fit to cross-section and lepton forward-backward asymmetry data. For details see the "Note on the Z boson."

ASYMMETRY (%)	STD. MODEL	$\frac{\sqrt{s}}{(\text{GeV})}$		DOCUMENT ID		TECN
2.12± 0.32 OUR FIT						
2.13 ± 0.31 OUR AVERAGE	Ξ					
2.2 ± 0.7		91.2		ABREU	94	DLPH
$2.65\pm$ 0.88		91.2		ACCIARRI	94	L3
$2.05\pm$ 0.52		91.2		AKERS	94	OPAL
$1.97\pm~0.56$		91.2		BUSKULIC	94	ALEP
$\bullet \bullet \bullet$ We do not use the follow	ving data for	averages,	fits	limits, etc. • •	•	
$-32.8 \ + \ 6.4 \ \pm 1.5$	-32.1	56.9	161	ABE	901	VNS
$-8.1\pm2.0\pm0.6$	-9.2	35		HEGNER	90	JADE
-18.4 ± 19.2	-24.9	52.0	162	BACALA	89	AMY
-17.7 ± 26.1	-29.4	55.0	162	BACALA	89	AMY
-45.9 ± 16.6	-31.2	56.0	162	BACALA	89	AMY
-49.5 ± 18.0	-33.0	57.0	162	BACALA	89	AMY
-20 ± 14	-25.9	53.3		ADACHI	88 C	TOPZ
$-10.6~\pm~3.1~\pm1.5$	-8.5	34.7		ADEVA	88	MRKJ

$85 \pm 66 \pm 15$	15/	13.8		88 MRKI
$-0.5 \pm 0.0 \pm 1.5$	- 13.4	45.0	ADEVA	00 1011/1/
$-$ 6.0 \pm 2.5 ±1.0	8.8	34.6	BARTEL	85f JADE
$-11.8~\pm~4.6~\pm1.0$	14.8	43.0	BARTEL	85f JADE
$-$ 5.5 \pm 1.2 \pm 0.5	-0.063	29.0	FERNANDEZ	85 MAC
$-$ 4.2 \pm 2.0	0.057	29	LEVI	83 MRK2
$-10.3~\pm~5.2$	-9.2	34.2	BEHREND	82 CELL
$-$ 0.4 \pm 6.6	-9.1	34.2	BRANDELIK	82C TASS

 161 ABE 901 measurements in the range 50 $\,\leq\,\sqrt{s}\,\leq\,$ 60.8 GeV. 162 BACALA 89 systematic error is about 5%.

Briefield by Systematic error is about 570.

$A_{FB}^{(0,\ell)}$ CHARGE ASYMMETRY IN $e^+e^- \rightarrow \ell^+\ell^-$

For the Z peak, we report the pole asymmetry defined by $(3/4)A_{\ell}^2$ as determined by the five-parameter fit to cross-section and lepton forward-backward asymmetry data assuming lepton universality. For details see the "Note on the Z boson."

ASYMMETRY (%)	STD. MODEL	$\frac{\sqrt{s}}{(\text{GeV})}$	DOCUMENT ID		TECN
1.59 ± 0.18 OUR FIT					
1.60 ± 0.18 OUR AVERAGE					
1.77 ± 0.37		91.2	ABREU	94	DLPH
1.84 ± 0.45		91.2	ACCIARRI	94	L3
1.28 ± 0.30		91.2	AKERS	94	OPAL
1.71 ± 0.33		91.2	BUSKULIC	94	ALEP

$A_{FB}^{(0,u)}$ CHARGE ASYMMETRY IN $e^+e^- \rightarrow u \overline{u}$

ASYMMETRY (%)	STD. MODEL	\sqrt{s} (GeV)	DOCUMENT ID TECN
4.0±7.3 OUR EVALUATION			
$4.0 \pm 6.7 \pm 2.8$	6	91.2	163 ACKERSTAFF 97 $ au$ OPAL
160			

¹⁶³ ACKERSTAFF 97⊤ measure the forward-backward asymmetry of various fast hadrons made of light quarks. Then using SU(2) isospin symmetry and flavor independence for down and strange quarks authors solve for the different quark types.

$A_{FB}^{(0,s)}$ CHARGE ASYMMETRY IN $e^+e^- \rightarrow s\overline{s}$

The *s*-quark asymmetry is derived from measurements of the forwardbackward asymmetry of fast hadrons containing an *s* quark.

ASYMMETRY (%)	STD. MODEL	\sqrt{s} (GeV)	DOCUMENT ID	TECN
9.9 ± 3.1 OUR AVERAGE	Error include	es scale fact	tor of 1.2.	
$6.8 \pm 3.5 \pm 1.1$	10	91.2	¹⁶⁴ ACKERSTAFF	97⊤ OPAL
$13.1 \pm 3.5 \pm 1.3$		91.2	¹⁶⁵ ABREU	95G DLPH

¹⁶⁴ ACKERSTAFF 97T measure the forward-backward asymmetry of various fast hadrons made of light quarks. Then using SU(2) isospin symmetry and flavor independence for down and strange quarks authors solve for the different quark types. The value reported here corresponds then to the forward-backward asymmetry for "down-type" quarks.

HTTP://PDG.LBL.GOV

¹⁶⁵ ABREU 95G require the presence of a high-momentum charged kaon or Λ^0 to tag the *s* quark. An unresolved *s*- and *d*-quark asymmetry of $(11.2 \pm 3.1 \pm 5.4)\%$ is obtained by tagging the presence of a high-energy neutron or neutral kaon in the hadron calorimeter.

$A_{FB}^{(0,c)}$ CHARGE ASYMMETRY IN $e^+e^- \rightarrow c \overline{c}$

OUR FIT, which is obtained by a simultaneous fit to several *c*- and *b*quark measurements as explained in the "Note on the *Z* boson," refers to the *Z* pole asymmetry. As a cross check we have also performed a weighted average of the "near peak" measurements taking into account the various common systematic errors. We have assumed that the smallest common systematic error is fully correlated. Applying to this combined "peak" measurement QCD, QED, and energy-dependence corrections, our weighted average gives a pole asymmetry of $(7.20 \pm 0.64)\%$.

ASYMMETRY (%)	STD. MODEL	√ <u>s</u> (GeV)		DOCUMENT ID		TECN
7.32± 0.58	OUR	FIT	. <u></u>				
$6.3~\pm~1.2$	± 0.6		91.22	166	ALEXANDER	97 C	OPAL
$6.00\pm$ 0.67	$'\pm 0.52$		91.24	167	ALEXANDER	96	OPAL
$7.7~\pm~2.9$	± 1.2		91.27	168	ABREU	95e	DLPH
$8.3~\pm~2.2$	± 1.6		91.27	169	ABREU	95ĸ	DLPH
$6.99\pm$ 2.05	5 ± 1.02		91.24	170	BUSKULIC	95i	ALEP
$9.9~\pm~2.0$	± 1.7		91.24	171	BUSKULIC	94 G	ALEP
$8.3~\pm~3.8$	± 2.7	5.6	91.24	172	ADRIANI	92 D	L3
• • • We do n	ot use	the followin	g data fo	r ave	rages, fits, limit	s, etc	. • • •
$3.9~\pm~5.1$	± 0.9		89.45	166	ALEXANDER	97 C	OPAL
$15.8~\pm~4.1$	± 1.1		93.00	166	ALEXANDER	97 C	OPAL
$-$ 7.5 \pm 3.4	± 0.6	-3.5	89.52	167	ALEXANDER	96	OPAL
$14.1~\pm~2.8$	± 0.9	12.0	92.94	167	ALEXANDER	96	OPAL
$6.8~\pm~4.2$	± 0.9		91.25	173	BUSKULIC	94J	ALEP
$1.4~\pm~3.0$	± 2.0	5.6	91.24	174	ACTON	93K	OPAL
$3.8~\pm~4.4$	± 1.0	5.4	91.28	175	AKERS	93 D	OPAL
$-12.9~\pm~7.8$	± 5.5	-13.6	35		BEHREND	90 D	CELL
$7.7 \hspace{0.1in} \pm 13.4 \hspace{0.1in}$	± 5.0	-22.1	43		BEHREND	90 D	CELL
$-12.8~\pm~4.4$	± 4.1	-13.6	35		ELSEN	90	JADE
-10.9 ± 12.9	± 4.6	-23.2	44		ELSEN	90	JADE
$-14.9\ \pm\ 6.7$		-13.3	35		OULD-SAADA	89	JADE

¹⁶⁶ ALEXANDER 97C identify the *b* and *c* events using a D/D^* tag.

¹⁶⁷ ALEXANDER 96 tag heavy flavors using one or two identified leptons. This allows the simultaneous fitting of the *b* and *c* quark forward-backward asymmetries as well as the average $B^0-\overline{B}^0$ mixing.

¹⁶⁸ ABREU 95E require the presence of a $D^{*\pm}$ to identify c and b quarks.

¹⁶⁹ABREU 95K identify c and b quarks using both electron and muon semileptonic decays.

¹⁷⁰ BUSKULIC 951 require the presence of a high momentum $D^{*\pm}$ to have an enriched sample of $Z \rightarrow c\overline{c}$ events.

¹⁷¹ BUSKULIC 94G perform a simultaneous fit to the p and p_T spectra of both single and dilepton events.

¹⁷² ADRIANI 92D use both electron and muon semileptonic decays.

¹⁷³ BUSKULIC 94J Identify the *b* and *c* decays using D^* . Replaced by BUSKULIC 951.

¹⁷⁴ ACTON 93K use the lepton tagging technique. Replaced by ALEXANDER 96.

¹⁷⁵ AKERS 93D identify the b and c decays using D^* . Replaced by ALEXANDER 97C.

HTTP://PDG.LBL.GOV

$A_{FB}^{(0,b)}$ CHARGE ASYMMETRY IN $e^+e^- \rightarrow b\overline{b}$

OUR FIT, which is obtained by a simultaneous fit to several *c*- and *b*quark measurements as explained in the "Note on the *Z* boson," refers to the *Z* pole asymmetry. As a cross check we have also performed a weighted average of the "near peak" measurements taking into account the various common systematic errors. We have assumed that the smallest common systematic error is fully correlated. Applying to this combined "peak" measurement QCD, QED, and energy-dependence corrections, our weighted average gives a pole asymmetry of (10.07 ± 0.32) %. For the jetcharge measurements (where the QCD corrections are already included since they represent an inherent part of the analysis), we subtract the QCD correction before combining.

ASYMMETRY (%)	STD. MODEL	√ <u>s</u> (GeV)	DOCUMENT ID	TECN
10.02 ± 0.28 OUR FIT	r	<u>. </u>		
$9.94 \pm \ 0.52 \pm \ 0.44$		91.21	¹⁷⁶ ACKERSTAFF	97P OPAL
9.4 \pm 2.7 \pm 2.2		91.22	¹⁷⁷ ALEXANDER	97C OPAL
$9.06 \pm \ 0.51 \pm \ 0.23$		91.24	¹⁷⁸ ALEXANDER	96 OPAL
$9.65 \pm \ 0.44 \pm \ 0.26$		91.21	¹⁷⁹ BUSKULIC	96Q ALEP
5.9 \pm 6.2 \pm 2.4		91.27	¹⁸⁰ ABREU	95E DLPH
10.4 \pm 1.3 \pm 0.5		91.27	¹⁸¹ ABREU	95K DLPH
11.5 \pm 1.7 \pm 1.0		91.27	¹⁸² ABREU	95K DLPH
8.7 \pm 1.1 \pm 0.4		91.3	¹⁸³ ACCIARRI	94d L3
$9.92\pm~0.84\pm~0.46$		91.19	¹⁸⁴ BUSKULIC	941 ALEP
$\bullet \bullet \bullet$ We do not use the	e following da	ta for ave	erages, fits, limits, etc	. • • •
$4.1~\pm~2.1~\pm~0.2$		89.44	¹⁷⁶ ACKERSTAFF	97P OPAL
14.5 \pm 1.7 \pm 0.7		92.91	¹⁷⁶ ACKERSTAFF	97P OPAL
$-$ 8.6 ±10.8 \pm 2.9		89.45	¹⁷⁷ ALEXANDER	97C OPAL
$-$ 2.1 \pm 9.0 \pm 2.6		93.00	¹⁷⁷ ALEXANDER	97C OPAL
5.5 \pm 2.4 \pm 0.3	5.5	89.52	¹⁷⁸ ALEXANDER	96 OPAL
11.7 \pm 2.0 \pm 0.3	11.4	92.94	¹⁷⁸ ALEXANDER	96 OPAL
$-$ 3.4 ± 11.2 \pm 0.7		88.38	¹⁷⁹ BUSKULIC	96Q ALEP
5.3 \pm 2.0 \pm 0.2		89.38	¹⁷⁹ BUSKULIC	96Q ALEP
$8.9~\pm~5.9~\pm~0.4$		90.21	¹⁷⁹ BUSKULIC	96Q ALEP
$3.8~\pm~5.1~\pm~0.2$		92.05	¹⁷⁹ BUSKULIC	96Q ALEP
10.3 \pm 1.6 \pm 0.4		92.94	¹⁷⁹ BUSKULIC	96Q ALEP
$8.8~\pm~7.5~\pm~0.5$		93.90	¹⁷⁹ BUSKULIC	96Q ALEP
$6.2~\pm~3.4~\pm~0.2$		89.52	¹⁸⁵ AKERS	95s OPAL
$9.63 \pm \ 0.67 \pm \ 0.38$		91.25	¹⁸⁵ AKERS	95s OPAL
17.2 \pm 2.8 \pm 0.7		92.94	¹⁸⁵ AKERS	95s OPAL
$8.7~\pm~1.4~\pm~0.2$		91.24	186 BUSKULIC	94G ALEP
7.1 \pm 5.4 \pm 0.7	5.2	89.66	¹⁸⁷ ACTON	93K OPAL
9.2 \pm 1.8 \pm 0.8	8.5	91.24	¹⁸⁷ ACTON	93K OPAL

13.1 13.9 16.1 8.6 2.5 9.7 6.2	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} \pm & 1.3 \\ \pm & 4.9 \\ \pm & 2.1 \\ \pm & 0.7 \\ \pm & 0.7 \\ \pm & 0.7 \\ \pm & 0.7 \end{array}$	10.8 9.4 8.2 5.3 8.2 10.8	92.75 91.28 91.2 91.24 89.67 91.24 92.81	 187 ACTON 188 AKERS 189 ABREU 190 ADRIANI 191 ADRIANI 191 ADRIANI 191 ADRIANI 	93k 93D 92H 92D 92D 92D 92D	OPAL OPAL DLPH L3 L3 L3 L3
-71	±34	+ 7	- 58	58.3	SHIMONAKA	91	TOPZ
-22.2 -49.1 -28 -16.6	$\pm 7.7 \\ \pm 16.0 \\ \pm 11 \\ \pm 7.7$	$\begin{array}{r} - & 0 \\ \pm & 3.5 \\ \pm & 5.0 \\ \pm & 4.8 \end{array}$	- 26.0 - 39.7 - 23 - 24.3	35 43 35 35	BEHREND BEHREND BRAUNSCH ELSEN	90D 90D 90 90	CELL CELL TASS JADE
-33.6	± 22.2	\pm 5.2	- 39.9	44	ELSEN	90	JADE
3.4	\pm 7.0	\pm 3.5	-16.0	29.0	BAND	89	MAC
-72	± 28	± 13	- 56	55.2	SAGAWA	89	AMY

 176 ACKERSTAFF 97P tag b quarks using lifetime. The quark charge is measured using both jet charge and vertex charge, a weighted sum of the charges of tracks in a jet which contains a tagged secondary vertex.

¹⁷⁷ ALEXANDER 97C identify the *b* and *c* events using a D/D^* tag.

¹⁷⁸ ALEXANDER 96 tag heavy flavors using one or two identified leptons. This allows the simultaneous fitting of the *b* and *c* quark forward-backward asymmetries as well as the average $B^0 - \overline{B}^0$ mixing.

 179 BUSKULIC 96Q tag *b*-quark flavor and charge using high transverse momentum leptons. The asymmetry value at the *Z* peak is obtained using a charm charge asymmetry of 6.17%.

¹⁸⁰ ABREU 95E require the presence of a $D^{*\pm}$ to identify c and b quarks.

- ¹⁸¹ ABREU 95K identify c and b quarks using both electron and muon semileptonic decays. The systematic error includes an uncertainty of ± 0.3 due to the mixing correction ($\chi = 0.115 \pm 0.011$).
- ¹⁸² ABREU 95K tag *b* quarks using lifetime; the quark charge is identified using jet charge. The systematic error includes an uncertainty of ± 0.3 due to the mixing correction ($\chi = 0.115 \pm 0.011$).

 183 ACCIARRI 94D use both electron and muon semileptonic decays.

¹⁸⁴ BUSKULIC 94I use the lifetime tag method to obtain a high purity sample of $Z \rightarrow b\overline{b}$ events and the hemisphere charge technique to obtain the jet charge.

¹⁸⁵ AKERS 95S tag *b* quarks using lifetime; the quark charge is measured using jet charge. These asymmetry values are obtained using $R_b = \Gamma(b\bar{b})/\Gamma(hadrons) = 0.216$. For a value of R_b different from this by an amount ΔR_b , the change in the asymmetry values is given by $-K\Delta R_b$, where K = 0.082, 0.471, and 0.855 for \sqrt{s} values of 89.52, 91.25, and 92.94 GeV respectively. Replaced by ACKERSTAFF 97P.

¹⁸⁶ BUSKULIC 94G perform a simultaneous fit to the p and p_T spectra of both single and dilepton events. Replaced by BUSKULIC 96Q.

¹⁸⁷ ACTON 93K use the lepton tagging technique. The systematic error includes the uncertainty on the mixing parameter. Replaced by ALEXANDER 96.

¹⁸⁸ AKERS 93D identify the b and c decays using D^* . Replaced by ALEXANDER 97C.

- ¹⁸⁹ B tagging via its semimuonic decay. Experimental value corrected using average LEP $B^{0}-\overline{B}^{0}$ mixing parameter $\chi = 0.143 \pm 0.023$.
- 190 ADRIANI 92D use both electron and muon semileptonic decays. For this measurement ADRIANI 92D average over all \sqrt{s} values to obtain a single result.
- ¹⁹¹ ADRIANI 92D use both electron and muon semileptonic decays. The quoted systematic error is common to all measurements. The peak value is superseded by ACCIARRI 94D.

```
HTTP://PDG.LBL.GOV
```

CHARGE ASYMMETRY IN $e^+e^- \rightarrow q\overline{q}$

Summed over five lighter flavors.

Experimental and Standard Model values are somewhat event-selection dependent. Standard Model expectations contain some assumptions on $B^0 - \overline{B}^0$ mixing and on other electroweak parameters.

STD. MODEL	\sqrt{s} (GeV)		DOCUMENT ID		TECN
ing data for	averages,	fits,	limits, etc. • •	•	
	91.2	192	ABREU	92I	DLPH
4.0	91.3	193	ACTON	92L	OPAL
9.0	57.9		ADACHI	91	TOPZ
	91		DECAMP	91 B	ALEP
8.7	56.6		STUART	90	AMY
8.7	57.6		ABE	89L	VNS
5.0	34.8		GREENSHAW	89	JADE
8.5	43.6		GREENSHAW	89	JADE
	<i>STD.</i> <u>MODEL</u> ving data for 4.0 9.0 8.7 8.7 5.0 8.5	$\begin{array}{c c} STD. & \sqrt{s} \\ \hline MODEL & (GeV) \\ \hline \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	$\begin{array}{c c} STD. & \sqrt{s} \\ \hline MODEL & (GeV) \\ \hline \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	$\begin{array}{c c} STD. & \sqrt{s} & DOCUMENT ID \\ \hline MODEL & (GeV) & DOCUMENT ID \\ \hline \mbox{ving data for averages, fits, limits, etc. } \bullet \\ & 91.2 & 192 \\ 4.0 & 91.3 & 193 \\ ACTON \\ 9.0 & 57.9 & ADACHI \\ 91 & DECAMP \\ 8.7 & 56.6 & STUART \\ 8.7 & 57.6 & ABE \\ 5.0 & 34.8 & GREENSHAW \\ 8.5 & 43.6 & GREENSHAW \\ \end{array}$	$\begin{array}{c c} STD. & \sqrt{s} \\ \hline MODEL & (GeV) & DOCUMENT ID \\ \hline \mbox{ving data for averages, fits, limits, etc.} \bullet \bullet \bullet \\ & 91.2 & 192 \\ 4.0 & 91.3 & 193 \\ ACTON & 92L \\ 9.0 & 57.9 & ADACHI & 91 \\ & 91 & DECAMP & 91B \\ 8.7 & 56.6 & STUART & 90 \\ 8.7 & 57.6 & ABE & 89L \\ 5.0 & 34.8 & GREENSHAW & 89 \\ 8.5 & 43.6 & GREENSHAW & 89 \\ \end{array}$

¹⁹² ABREU 92I has 0.14 systematic error due to uncertainty of quark fragmentation. ¹⁹³ ACTON 92L use the weight function method on 259k selected $Z \rightarrow$ hadrons events. The systematic error includes a contribution of 0.2 due to $B^0-\overline{B}^0$ mixing effect, 0.4 due to Monte Carlo (MC) fragmentation uncertainties and 0.3 due to MC statistics. ACTON 92L derive a value of $\sin^2 \theta_W^{\text{eff}}$ to be 0.2321 ± 0.0017 ± 0.0028.

CHARGE ASYMMETRY IN $p\overline{p} \rightarrow Z \rightarrow e^+e^-$

ASYMMETRY (%)	STD. MODEL	\sqrt{s} (GeV)	DOCUMENT I	D TECN
$\bullet \bullet \bullet$ We do not use the follow	ving data for	· averages, 1	fits, limits, etc.	• • •
$5.2\!\pm\!5.9\!\pm\!0.4$		91	ABE	91e CDF

ABE	98D	PRL 80 660
ACKERSTAFF	98E	EPJ C1 439
ABE	97	PRL 78 17
ABE	97E	PRL 78 2075
ABE	97N	PRL 79 804
ABREU	97C	ZPHY C73 243
ABREU	97G	PL B404 194
ACCIARRI	97D	PL B393 465
ACCIARRI	97 J	PL B407 351
ACCIARRI	97K	PL B407 361
ACCIARRI	97L	PL B407 389
ACCIARRI	97R	PL B413 167
ACKERSTAFF	97C	PL B391 221
ACKERSTAFF	97K	ZPHY C74 1
ACKERSTAFF	97M	ZPHY C74 413
ACKERSTAFF	97P	ZPHY C75 385
ACKERSTAFF	97S	PL B412 210
ACKERSTAFF	97T	ZPHY C76 387
ACKERSTAFF	97W	ZPHY C76 425
ALEXANDER	97C	ZPHY C73 379
ALEXANDER	97D	ZPHY C73 569
ALEXANDER	97E	ZPHY C73 587
BARATE	97D	PL B405 191
BARATE	97E	PL B401 150

Z REFERENCES

K. Abe+

K. Ackerstaff+	(OPAL Collab.)
+Abe, Abt, Akagi, Allen+	(SLD Collab.)
+Abe, Abt, Akagi, Allen+	(SLD Collab.)
K. Abe+	(SLD Collab.)
+Adam, Adye, Ajinenko+	(DELPHI Collab.)
P. Abreu+	(DELPHI Collab.)
+Adriani, Aguilar-Benitez, Ahlen+	(L3 Collab.)
M. Acciarri+	(L3 Collab.)
+Alexander, Allison, Altekamp, Ametewee-	+ (OPAL Collab.)
K. Ackerstaff+	(OPAL Collab.)
K. Ackerstaff+	(OPAL Collab.)
K. Ackerstaff+	(OPAL Collab.)
K. Ackerstaff+	(OPAL Collab.)
K. Ackerstaff+	(OPAL Collab.)
K. Ackerstaff+	(OPAL Collab.)
+Allison, Altekamp, Ametewee+	(OPAL Collab.)
+Allison, Altekamp, Ametewee+	(OPAL Collab.)
+Allison, Altekamp, Ametewee+	(OPAL Collab.)
R. Barate+	(ALEPH Collab.)
R. Barate+	(ALEPH Collab.)

HTTP://PDG.LBL.GOV

Created: 6/29/1998 12:32

(SLD Collab.)

Page 55

	075	DI D401 102			
BARATE	97F	PL B401 103	R. Barate+	(ALEPH	Collab.)
BARATE	975	ZPHY C/4 451	R. Barate+	(ALEPH	Collab.)
ABE	90E	PR D53 1023	+Abt, Ann, Akagi, Allen+	(SLD	Collab.)
ABREU	96	ZPHY C/0 531	+Adam, Adye+	(DELPHI	Collab.)
ABREU	96C	PL B3/9 309	+Adam, Adye+	(DELPHI	Collab.)
ABREU	96R	ZPHY C72 31	+Adam, Adye+	(DELPHI	Collab.)
ABREU	965	PL B389 405	+Adam, Adye, Ajinenko+	(DELPHI	Collab.)
ABREU	96U	ZPHY C73 61	+Adam, Adye, Agasi, Ajinenko+	(DELPHI	Collab.)
ACCIARRI	96	PL B371 126	+Adam, Adriani+	(L3	Collab.)
ACCIARRI	96B	PL B370 195	+Adam, Adriani+	(L3	Collab.)
ADAM	96	ZPHY C69 561	+Adye, Agasi, Ajinenko+	(DELPHI	Collab.)
ADAM	96B	ZPHY C70 371	+Adye, Agasi+	(DELPHI	Collab.)
ALEXANDER	96	ZPHY C70 357	+Allison, Altekamp+	(OPAL	Collab.)
ALEXANDER	96B	ZPHY C70 197	+Allison, Altekamp+	(OPAL	Collab.)
ALEXANDER	96F	PL B370 185	+Allison, Altekamp+	(OPAL	Collab.)
ALEXANDER	96N	PL B384 343	+Allison, Altekamp, Ametewee+	(OPAL	Collab.)
ALEXANDER	96R	ZPHY C72 1	+Allison, Altekamp $+$	ÌOPAL	Collab.)
ALEXANDER	96U	ZPHY C72 365	+Allison, Altekamp, Ametewee+	ÌOPAL	Collab.)
ALEXANDER	96X	PI B376 232	G Alexander+	(OPAL	Collab)
BUSKULIC	96D	7PHY C69 393	+Casper De Bonis Decamp+	(ALEPH	Collab)
BUSKULIC	96H	ZPHY C60 370	+Casper, De Bonis+	(ALEPH	Collab.)
BUSKIILIC	060	PI R38/ /1/	+ De Bonis Decamp Chez⊥		Collab.)
ADE	051	DDI 7/ 2000	+ De Donis, Decamp, Ghez+		Collab.)
	95J	PRL 74 2000	+Abt, Alm, Akagi+		Collab.)
	95N	PRL 74 2890	+Abt, Ann, Akagi+		Collab.)
ABE	95L	PRL 74 2895	+Abt, Ann, Akagi+	(SLD	Collab.)
ABE,K	95	PRL /5 3609	K. Abe, Abt, Ahn, Akagı+	(SLD	Collab.)
ABREU	95	ZPHY C65 709	erratum+Adam, Adye, Agasi+	(DELPHI	Collab.)
ABREU	95D	ZPHY C66 323	+Adam, Adye, Agasi+	(DELPHI	Collab.)
ABREU	95E	ZPHY C66 341	+Adam, Adye, Agasi $+$	(DELPHI	Collab.)
ABREU	95F	NP B444 3	+Adam, Adye, Agasi $+$	(DELPHI	Collab.)
ABREU	95G	ZPHY C67 1	+Adam, Adye, Agasi $+$	(DELPHI	Collab.)
ABREU	95I	ZPHY C67 183	+Adam, Adye, Agasi $+$	(DELPHI	Collab.)
ABREU	95 J	ZPHY C65 555	+Adam, Adye, Agasi $+$	(DELPHI	Collab.)
ABREU	95K	ZPHY C65 569	+Adam, Adye, Agasi $+$	(DELPHI	Collab.)
ABREU	95L	ZPHY C65 587	+Adam, Adye, Agasi $+$	(DELPHI	Collab.)
ABREU	95M	ZPHY C65 603	+Adam, Adye, Agasi, Ajinenko+	(DELPHI	Collab.)
ABREU	95O	ZPHY C67 543	+Adam. Adve. Agasi+	(DELPHI	Collab.)
ABREU	95R	ZPHY C68 353	+Adam. Adve. Agasi+	ÒDELPHI	Collab.)
ABREU	95W	PL B361 207	+Adam, Adve, Agasi+	(DELPHI	Collab.)
ABREU	95X	7PHY C69 1	+Adam Adve Agasi+	DELEN	Collab)
ACCIARRI	95B	PI B345 589	+Adam Adriani Aguilar-Benitez+	(1.3	Collab)
ACCIARRI	95C	PL B345 609	+Adam Adriani Aguilar-Benitez+	(13	Collab.)
ACCIARRI	95G	PL B353 136	+Adam Adriani Aguilar-Benitez Ahlen+	(13	Collab.)
AKERS	950	7PHY C65 1	$+\Delta$ levander Allison+	(OPAL	Collab.)
AKERS	05R	ZPHV C65 17	\pm Alexander, Allison \pm		Collab.)
	050	7DHV C65 47	Alexander, Allison		Collab.)
	95C	7DHV (67)7	Alexander, Allison		Collab.)
	950	ZTHT C07 27 ZDHV C67 365	+ Alexander, Allison +		Collab.)
	955	ZITTI COT 303	+ Alexander, Allison +		Collab.)
	950		+Alexander, Allison +		Collab.)
	9577		+Alexander, Allison+	(OPAL	Collab.)
AKERS	957		+Alexander, Allison+	(OPAL	
	95Z	ZPHY C08 203	+Alexander, Allison+	(OPAL	Collab.)
	95D	PL D358 102	+Allison, Altekamp+	(UPAL	Collab.)
BUSKULIC	951	PL B352 479	+Casper, De Bonis+	(ALEPH	Collab.)
BUSKULIC	95Q	ZPHY C69 183	+Casper, De Bonis+	(ALEPH	Collab.)
BUSKULIC	95R	ZPHY C69 15	+Casper, De Bonis, Decamp+	(ALEPH	Collab.)
MIYABAYASHI	95	PL B347 171	+Adachi, Fujii+	(TOPAZ	Collab.)
ABE	94C	PRL 73 25	+Abt, Ash, Aston, Bacchetta, Baird+	(SLD	Collab.)
ABREU	94	NP B418 403	+Adam, Adye, Agasi+	(DELPHI	Collab.)
ABREU	94B	PL B327 386	+Adam, Adye, Agasi $+$	(DELPHI	Collab.)
ABREU	94P	PL B341 109	+Adam, Adye, Agasi, Ajinenko $+$	(DELPHI	Collab.)
ACCIARRI	94	ZPHY C62 551	+Adam, Adriani, Aguilar-Benitez+	(L3	Collab.)
ACCIARRI	94B	PL B328 223	+Adam, Adriani, Aguilar-Benitez+	(L3	Collab.)
ACCIARRI	94D	PL B335 542	+Adam, Adriani, Aguilar-Benitez, Ahlen+	(L3	Collab.)
ACCIARRI	94E	PL B341 245	+Adam, Adriani+	(L3	Collab.)
AKERS	94	ZPHY C61 19	+Alexander, Allison $+$	(OPÀL	Collab.)
AKERS	94P	ZPHY C63 181	+Alexander, Allison $+$	(OPAL	Collab.)
BUSKULIC	94	ZPHY C62 539	+Casper, De Bonis, Decamp. Ghez. Gov+	(ÀLEPH	Collab.)
BUSKULIC	94G	ZPHY C62 179	+Casper, De Bonis, Decamp, Ghez+	(ALEPH	Collab.)
BUSKULIC	94I	PL B335 99	+Casper, De Bonis $+$	(ALEPH	Collab.)
-			•	`	,

 $\mathsf{HTTP:}//\mathsf{PDG.LBL.GOV}$

Page 56

BUSKULIC	94J	ZPHY C62 1	+De Bonis, Decamp+	(ALEPH	Collab.)
BUSKULIC	94K	ZPHY C64 361	+De Bonis, Decamp $+$	(ALEPH	Collab.)
VII AIN	94	PL B320 203	+Wilguet Bever+ (C	HARM II	Collab)
	02	DDI 70 2515	Abt Actor		Collab.)
	93	FRE 70 2010	+ADL, ACLOII+		
ABREU	93	PL B298 236	+Adam, Adye, Agası+	(DELPHI	Collab.)
ABREU	931	ZPHY C59 533	+Adam, Adye, Agasi $+$	(DELPHI	Collab.)
Also	95	ZPHY C65 709	erratum Abreu, Adam, Adye, Agasi+	(DELPHI	Collab.)
ABRELL	931	PL B318 249	+Adam Adami Adve+	ÚDELPHI	Collab)
	02	DI D205 407	Alexander Allicen		Collab.)
ACTON	95	PL D305 407	+Alexander, Allison+	(OPAL	Collab.)
ACTON	93D	ZPHY C58 219	+Alexander, Allison+	(OPAL	Collab.)
ACTON	93E	PL B311 391	+Akers, Alexander+	(OPAL	Collab.)
ACTON	93F	ZPHY C58 405	+Alexander, Allison+	ÓPAL	Collab.)
ACTON	03K	7PHY C60 19	$+\Delta kers \Delta lexander+$	(OPAI	Collab
	02	DI D201 126		(01/12	Collab.)
ADRIANI	95	PL D301 130	+Aguilar-Denitez, Amen+	(L3	Collab.)
ADRIANI	93E	PL B307 237	+Aguilar-Benitez, Ahlen+	(L3	Collab.)
ADRIANI	93F	PL B309 451	+Aguilar-Benitez, Ahlen $+$	(L3	Collab.)
ADRIANI	931	PL B316 427	+Aguilar-Benitez. Ahlen+	(L3	Collab.)
	03 I	PL B317 467	+Aguilar-Benitez Ahlen Alcaraz+	<u>ì</u> l 3	Collah Ì
	0214		Aguilar Denitez, Ahlan Alaaraz Alaisia I	(1.2	Collab.)
	92101	PRPL 230 1	+Aguilar-Denitez, Anien, Alcaraz, Aloisio+		Collab.)
AKERS	93B	ZPHY C60 199	+Alexander, Allison, Anderson, Arcelli+	(OPAL	Collab.)
AKERS	93D	ZPHY C60 601	+Alexander, Allison+	(OPAL	Collab.)
BUSKULIC	93J	ZPHY C60 71	+Decamp, Gov, Lees, Minard+	(ALEPH	Collab.)
BUSKIILIC	031	PL B313 520	+De Bonis Decamp+	λ FPH	Collab
DUCKULIC	021	DL D212 F40	De Bania, Decemp		
BUSKULIC	931	PL B313 549	+De Bonis, Decamp+	(ALEPH	Collab.)
BUSKULIC	93P	ZPHY C59 369	+Decamp, Goy+	(ALEPH	Collab.)
NOVIKOV	93C	PL B298 453	+Okun, Vysotsky		(ITEP)
ABREU	92	ZPHY C53 567	+Adam, Adami, Adve+	(DELPHI	Collab.)
ABRELL	026	PI R275 231	$\pm Adam, Adami, Adve\pm$		Collab.)
	920	DL D275 251			
ABREU	92H	PL B2/0 530	+Adam, Adami, Adye+	(DELPHI	Collab.)
ABREU	921	PL B277 371	+Adam, Adami, Adye+	(DELPHI	Collab.)
ABREU	92K	PL B281 383	+Adam, Adami, Adye+	(DELPHI	Collab.)
ABRELL	92M	PL B289 199	+Adam Adve Agasi Alekseev+	ÚDELPHI	Collah Ì
ABRELL	02N	7DHV (55 555	Adam Advo Agasi		Collab.)
ADREU	9211		+Auain, Auye, Agasi+		
ABREU	920	PL B295 383	+Adam, Adami, Adye+	(DELPHI	Collab.)
ACTON	92B	ZPHY C53 539	+Alexander, Allisson, Allport+	(OPAL	Collab.)
ACTON	92J	PL B291 503	+Alexander, Allison, Allport+	(OPAL	Collab.)
ACTON	921	PL B294 436	+Alexander Allison Allport+	ÌΟΡΑΙ	Collab)
ACTON	92N	PL R205 357	+Alexander Allison Allport Anderson+	(OPAL	Collab
ACTON	000				
ACTON	920	ZPHY C50 521	+Alexander, Allison+	(UPAL	Collab.)
ADEVA	92	PL B275 209	+Adriani, Aguilar-Benitez+	(L3	Collab.)
ADRIANI	92B	PL B288 404	+Aguilar-Benitez, Ahlen, Akbari, Alcaraz+	(L3	Collab.)
ADRIANI	92D	PI B292 454	+Aguilar-Benitez Ahlen Akbari+	Ì.	Collab)
	92E	PL R202 463	+Aguilar-Benitez Ablen Akbari Alcaraz+	(13	Collab
	92L	DL D232 403	Auchara Auchara Auchara Auchara		
ALITI	92D	PL D2/0 334	+Ambrosini, Ansari, Autiero, Dareyre+	(UA2	Collab.)
BUSKULIC	92D	PL B292 210	+Decamp, Goy, Lees+	(ALEPH	Collab.)
BUSKULIC	92E	PL B294 145	+Decamp, Goy, Lees, Minard+	(ALEPH	Collab.)
DECAMP	92	PRPI 216 253	+Deschizeaux Gov Lees Minard+	ÌAI FPH	Collab)
DECAMP	02R	7PHY (53 1	+Deschizeaux, Goy, Lees, Minard+	(ALEPH	Collab
	020	DI D076 047			Collabe)
	92	PL D2/0 24/	+ALEPH, DELPHI, LS, UPAL	(LEP V	Collabs.)
ABE	91E	PRL 67 1502	+Amidei, Apollinari+	(CDF	Collab.)
ABREU	91H	ZPHY C50 185	+Adam, Adami, Adye+	(DELPHI	Collab.)
ACTON	91B	PL B273 338	+Alexander, Allison, Allport, Anderson+	OPAL	Collab.)
ΔΠΔCΗΙ	01	PL R255 613	$+\Delta nazawa Doser Enomoto+$	(TOPA7	Collab
	011	DL D255 015	+ Advisori Anvilan Denitan Aldenid	(101 A2	
ADEVA	911	PL D239 199	+Adriani, Aguilar-Denitez, Akbari+	(LS	Collab.)
AKRAWY	91F	PL B257 531	+Alexander, Allison, Allport, Anderson+	(OPAL	Collab.)
DECAMP	91B	PL B259 377	+Deschizeaux, Goy+	(ALEPH	Collab.)
DECAMP	91 J	PL B266 218	+Deschizeaux, Gov. Lees+	(ALEPH	Collab.)
DECAMP	01K	PL B273 181	+Deschizeaux, Coy, Lees Minard+		Collab.)
	01	DDI 67 22/7	Kootko Adolphan Fuiling		
JACODSEN	91	FIL U/ 334/	+roeike, Adoiptisen, Fujino+	(IVIARK II	
SHIMONAKA	91	PL B268 457	+Fujii, Miyamoto+	(TOPAZ	Collab.)
ABE	901	ZPHY C48 13	+Amako, Arai, Asano, Chiba+	(VENUS	Collab.)
ABRAMS	90	PRL 64 1334	+Adolphsen, Averill, Ballam+	(Mark II	Collab.
ADACHI	90F	PI B234 525	$\pm Doser Enomoto Euiji \pm$	(TOPA7	Collah)
	001	DI D016 005	Alovandor Allican Allicant Andress		
	901	FL D240 205	+Alexander, Allison, Allport, Anderson+	(OPAL	
REHKEND	90D	ZPHY C47 333	+Criegee, Field, Franke, Jung+	(CELLO	Collab.)
BRAUNSCH	90	ZPHY C48 433	Braunschweig, Gerhards, Kirschfink $+$	(TASSO	Collab.)
ELSEN	90	ZPHY C46 349	+Allison, Ambrus, Barlow, Bartel+	(JADE	Collab.
HEGNER	90	ZPHY C46 547	+Naroska, Schroth, Allison $+$	(IADE	Collah
KPAL	00	DDI 6/ 1011	Abrams Adolphson Averill Pollow	(Mark II	
IVIVAL	90	I INE 04 1211	+Auranis, Auorphisen, Avenni, Dallam+	(IVIALK II	conab.)

 $\mathsf{HTTP:}//\mathsf{PDG.LBL.GOV}$

Page 57

 $\mathsf{HTTP:}//\mathsf{PDG.LBL.GOV}$