



$$I(J^P) = \frac{1}{2}(\frac{1}{2}^+) \text{ Status: } ****$$

We have omitted some results that have been superseded by later experiments. See our earlier editions.

### ***n* MASS**

The mass is known much more precisely in u (atomic mass units) than in MeV; see the footnotes. The conversion from u to MeV,  $1 \text{ u} = 931.49432 \pm 0.00028 \text{ MeV}$ , involves the relatively poorly known electronic charge. The DIFILIPPO 94 value, in u, is by far the best, but when converted to MeV differs only negligibly from the 1986 CODATA value, which, for consistency, we stick with.

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>939.56563 ± 0.00028</b>	<sup>1</sup> COHEN	87	RVUE 1986 CODATA value
• • • We do not use the following data for averages, fits, limits, etc. • • •			
939.56565 ± 0.00028	<sup>2,3</sup> DIFILIPPO	94	TRAP Penning trap
939.56564 ± 0.00028	<sup>3,4</sup> GREENE	86	SPEC $np \rightarrow d\gamma$
939.5731 ± 0.0027	<sup>3</sup> COHEN	73	RVUE 1973 CODATA value

<sup>1</sup> The mass is known much more precisely in u:  $m = 1.008664904 \pm 0.000000014 \text{ u}$ .

<sup>2</sup> The mass is known much more precisely in u:  $m = 1.0086649235 \pm 0.0000000023 \text{ u}$ . We use the conversion factor given above to get the mass in MeV.

<sup>3</sup> These determinations are not independent of the  $m_n - m_p$  measurements below.

<sup>4</sup> The mass is known much more precisely in u:  $m = 1.008664919 \pm 0.000000014 \text{ u}$ .

### **$\bar{n}$ MASS**

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>939.485 ± 0.051</b>	59	<sup>5</sup> CRESTI	86	HBC $\bar{p}p \rightarrow \bar{n}n$

<sup>5</sup> This is a corrected result (see the erratum). The error is statistical. The maximum systematic error is 0.029 MeV.

### **$(m_n - m_{\bar{n}}) / m_{\text{average}}$**

A test of CPT invariance. Calculated from the *n* and  $\bar{n}$  masses, above.

<u>VALUE</u>	<u>DOCUMENT ID</u>
<b><math>(9 \pm 5) \times 10^{-5}</math> OUR EVALUATION</b>	

### **$m_n - m_p$**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1.293318 ± 0.000009</b>	<sup>6</sup> COHEN	87	RVUE 1986 CODATA value
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1.2933328 ± 0.0000072	GREENE	86	SPEC $np \rightarrow d\gamma$
1.293429 ± 0.000036	COHEN	73	RVUE 1973 CODATA value

<sup>6</sup> Calculated by us from the COHEN 87 ratio  $m_n/m_p = 1.001378404 \pm 0.000000009$ . In u,  $m_n - m_p = 0.001388434 \pm 0.000000009 \text{ u}$ .

## *n* MEAN LIFE

We now compile only direct measurements of the lifetime, not those inferred from decay correlation measurements. (Limits on lifetimes for *bound* neutrons are given in the section "*p* PARTIAL MEAN LIVES.")

For a review, see EROZOLIMSKII 89 and papers that follow it in an issue of NIM devoted to the "Proceedings of the International Workshop on Fundamental Physics with Slow Neutrons" (Grenoble 1989). For later reviews and/or commentary, see FREEDMAN 90, SCHRECKENBACH 92, and PENDLEBURY 93.

<u>VALUE (s)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>886.7 ± 1.9 OUR AVERAGE</b>	Error includes scale factor of 1.2.		
889.2 ± 3.0 ± 3.8	BYRNE	96 CNTR	Penning trap
882.6 ± 2.7	<sup>7</sup> MAMPE	93 CNTR	Gravitational trap
888.4 ± 3.1 ± 1.1	NESVIZHEV...	92 CNTR	Gravitational trap
878 ± 27 ± 14	KOSSAKOW...	89 TPC	Pulsed beam
887.6 ± 3.0	MAMPE	89 CNTR	Gravitational trap
877 ± 10	PAUL	89 CNTR	Storage ring
876 ± 10 ± 19	LAST	88 SPEC	Pulsed beam
891 ± 9	SPIVAK	88 CNTR	Beam
903 ± 13	KOSVINTSEV	86 CNTR	Gravitational trap
918 ± 14	CHRISTENSEN <sup>72</sup>	CNTR	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
888.4 ± 2.9	ALFIMENKOV	90 CNTR	See NESVIZHEVSKII 92
893.6 ± 3.8 ± 3.7	BYRNE	90 CNTR	See BYRNE 96
937 ± 18	<sup>8</sup> BYRNE	80 CNTR	
875 ± 95	KOSVINTSEV	80 CNTR	
881 ± 8	BONDAREN...	78 CNTR	See SPIVAK 88

<sup>7</sup>IGNATOVICH 95 calls into question some of the corrections and averaging procedures used by MAMPE 93. The response, BONDARENKO 96, denies the validity of the criticisms.

<sup>8</sup>This measurement has been withdrawn (J. Byrne, private communication, 1990).

## *n* MAGNETIC MOMENT

<u>VALUE (<math>\mu_N</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>-1.91304275 ± 0.00000045</b>	COHEN	87 RVUE	1986 CODATA value
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-1.91304277 ± 0.00000048	<sup>9</sup> GREENE	82 MRS	

<sup>9</sup>GREENE 82 measures the moment to be  $(1.04187564 \pm 0.00000026) \times 10^{-3}$  Bohr magnetons. The value above is obtained by multiplying this by  $m_p/m_e = 1836.152701 \pm 0.000037$  (the 1986 CODATA value from COHEN 87).

## $n$ ELECTRIC DIPOLE MOMENT

A nonzero value is forbidden by both  $T$  invariance and  $P$  invariance. A number of early results have been omitted. See RAMSEY 90 and GOLUB 94 for reviews.

VALUE ( $10^{-25}$ e cm)	CL%	DOCUMENT ID	TECN	COMMENT
< 0.97	90	ALTAREV	96 MRS	$(+0.26 \pm 0.40 \pm 0.16) \times 10^{-25}$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
< 1.1	95	ALTAREV	92 MRS	See ALTAREV 96
< 1.2	95	SMITH	90 MRS	$d = (-0.3 \pm 0.5) \times 10^{-25}$
< 2.6	95	ALTAREV	86 MRS	$d = (-1.4 \pm 0.6) \times 10^{-25}$
0.3 $\pm$ 4.8		PENDLEBURY	84 MRS	Ultracold neutrons
< 6	90	ALTAREV	81 MRS	$d = (2.1 \pm 2.4) \times 10^{-25}$
< 16	90	ALTAREV	79 MRS	$d = (4.0 \pm 7.5) \times 10^{-25}$

## $n$ ELECTRIC POLARIZABILITY $\alpha_n$

Following is the electric polarizability  $\alpha_n$  defined in terms of the induced electric dipole moment by  $\mathbf{D} = 4\pi\epsilon_0\alpha_n\mathbf{E}$ . For a review, see SCHMIED-MAYER 89.

VALUE ( $10^{-3}$ fm <sup>3</sup> )	DOCUMENT ID	TECN	COMMENT
<b>0.98<sup>+0.19</sup><sub>-0.23</sub> OUR AVERAGE</b>	Error includes scale factor of 1.1.		
0.0 $\pm$ 0.5	<sup>10</sup> KOESTER	95 CNTR	$n$ Pb, $n$ Bi transmission
1.20 $\pm$ 0.15 $\pm$ 0.20	SCHMIEDM...	91 CNTR	$n$ Pb transmission
1.07 <sup>+0.33</sup> <sub>-1.07</sub>	ROSE	90B CNTR	$\gamma d \rightarrow \gamma np$
0.8 $\pm$ 1.0	KOESTER	88 CNTR	$n$ Pb, $n$ Bi transmission
1.2 $\pm$ 1.0	SCHMIEDM...	88 CNTR	$n$ Pb, $n$ C transmission
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1.17 <sup>+0.43</sup> <sub>-1.17</sub>	ROSE	90 CNTR	See ROSE 90B

<sup>10</sup> KOESTER 95 uses natural Pb and the isotopes 208, 207, and 206. See this paper for a discussion of methods used by various groups to extract  $\alpha_n$  from data.

## $n$ CHARGE

See also " $|q_p + q_e|/e$ " in the proton Listings.

VALUE ( $10^{-21}$ e)	DOCUMENT ID	TECN	COMMENT
- 0.4 $\pm$ 1.1	<sup>11</sup> BAUMANN	88	Cold $n$ deflection
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
- 15 $\pm$ 22	<sup>12</sup> GAEHLER	82 CNTR	Reactor neutrons

<sup>11</sup> The BAUMANN 88 error  $\pm 1.1$  gives the 68% CL limits about the the value  $-0.4$ .

<sup>12</sup> The GAEHLER 82 error  $\pm 22$  gives the 90% CL limits about the the value  $-15$ .

## LIMIT ON $n\bar{n}$ OSCILLATIONS

### Mean Time for $n\bar{n}$ Transition in Vacuum

A test of  $\Delta B=2$  baryon number nonconservation. MOHAPATRA 80 and MOHAPATRA 89 discuss the theoretical motivations for looking for  $n\bar{n}$  oscillations. DOVER 83 and DOVER 85 give phenomenological analyses. The best limits come from looking for the decay of neutrons bound in nuclei. However, these analyses require model-dependent corrections for nuclear effects. See KABIR 83, DOVER 89, and ALBERICO 91 for discussions. Direct searches for  $n \rightarrow \bar{n}$  transitions using reactor neutrons are cleaner but give somewhat poorer limits. We include limits for both free and bound neutrons in the Summary Table.

<u>VALUE (s)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$>1.2 \times 10^8$	90	BERGER	90 FREJ	$n$ bound in iron
$>1.2 \times 10^8$	90	TAKITA	86 CNTR	Kamiokande
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$>8.6 \times 10^7$	90	BALDO-...	94 CNTR	Reactor neutrons
$>1 \times 10^7$	90	BALDO-...	90 CNTR	See BALDO-CEOLIN 94
$>4.9 \times 10^5$	90	BRESSI	90 CNTR	Reactor neutrons
$>4.7 \times 10^5$	90	BRESSI	89 CNTR	See BRESSI 90
$>1 \times 10^6$	90	FIDECARO	85 CNTR	Reactor neutrons
$>8.8 \times 10^7$	90	PARK	85B CNTR	
$>3 \times 10^7$		BATTISTONI	84 NUSX	
$> 2.7 \times 10^7 - 1.1 \times 10^8$		JONES	84 CNTR	
$>2 \times 10^7$		CHERRY	83 CNTR	

### $n$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Confidence level
$\Gamma_1$ $p e^- \bar{\nu}_e$	100 %	
$\Gamma_2$ hydrogen-atom $\bar{\nu}_e$		
<b>Charge conservation (Q) violating mode</b>		
$\Gamma_3$ $p \nu_e \bar{\nu}_e$	$Q < 8 \times 10^{-27}$	68%

### $n$ BRANCHING RATIOS

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	$\Gamma_2/\Gamma$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$<3 \times 10^{-2}$	95	<sup>13</sup> GREEN	90 RVUE	
<sup>13</sup> GREEN 90 infers that $\tau(\text{hydrogen-atom } \bar{\nu}_e) > 3 \times 10^4$ s by comparing neutron lifetime measurements made in storage experiments with those made in $\beta$ -decay experiments. However, the result depends sensitively on the lifetime measurements, and does not of course take into account more recent measurements of same.				

$\Gamma(\rho\nu_e\bar{\nu}_e)/\Gamma_{\text{total}}$

$\Gamma_3/\Gamma$

Forbidden by charge conservation.

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;8 × 10<sup>-27</sup></b>	68	<sup>14</sup> NORMAN	96	RVUE <sup>71</sup> Ga → <sup>71</sup> Ge neutrals
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
<9.7 × 10 <sup>-18</sup>	90	ROY	83	CNTR <sup>113</sup> Cd → <sup>113m</sup> In neut.
<7.9 × 10 <sup>-21</sup>		VAIDYA	83	CNTR <sup>87</sup> Rb → <sup>87m</sup> Sr neut.
<9 × 10 <sup>-24</sup>	90	BARABANOV	80	CNTR <sup>71</sup> Ga → <sup>71</sup> GeX
<3 × 10 <sup>-19</sup>		NORMAN	79	CNTR <sup>87</sup> Rb → <sup>87m</sup> Sr neut.

<sup>14</sup>NORMAN 96 gets this limit by attributing SAGE and GALLEX counting rates to the charge-nonconserving transition <sup>71</sup>Ga → <sup>71</sup>Ge+neutrals rather than to solar-neutrino reactions.

A REVIEW GOES HERE – Check our WWW List of Reviews

**$n \rightarrow pe^- \nu$  DECAY PARAMETERS**

See the above “Note on Baryon Decay Parameters.” For discussions of recent results, see the references cited at the beginning of the section on the neutron mean life. For discussions of the values of the weak coupling constants  $g_A$  and  $g_V$  obtained using the neutron lifetime and asymmetry parameter  $A$ , comparisons with other methods of obtaining these constants, and implications for particle physics and for astrophysics, see DUBBERS 91 and WOOLCOCK 91. For tests of the  $V-A$  theory of neutron decay, see EROZOLIMSKII 91B and MOSTOVOI 96.

**$g_A / g_V$**


VALUE	DOCUMENT ID	TECN	COMMENT
<b>-1.2670 ± 0.0035 OUR AVERAGE</b>	Error includes scale factor of 1.9. See the ideogram below.		
-1.274 ± 0.003	ABELE	97D SPEC	cold $n$ , polarized
-1.266 ± 0.004	LIAUD	97 TPC	$e$ mom- $n$ spin corr.
-1.2594 ± 0.0038	<sup>15</sup> YEROZLIM...	97 CNTR	$e$ mom- $n$ spin corr.
-1.262 ± 0.005	BOPP	86 SPEC	$e$ mom- $n$ spin corr.
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-1.266 ± 0.004	SCHRECK...	95 TPC	See LIAUD 97
-1.2544 ± 0.0036	EROZOLIM...	91 CNTR	See YEROZOLIMSKY 97
-1.226 ± 0.042	MOSTOVOY	83 RVUE	
-1.261 ± 0.012	<sup>16</sup> EROZOLIM...	79 CNTR	$e$ mom- $n$ spin corr.
-1.259 ± 0.017	<sup>16</sup> STRATOWA	78 CNTR	proton recoil spectrum
-1.263 ± 0.015	EROZOLIM...	77 CNTR	See EROZOLIMSKII 79
-1.250 ± 0.036	<sup>16</sup> DOBROZE...	75 CNTR	See STRATOWA 78
-1.258 ± 0.015	<sup>17</sup> KROHN	75 CNTR	$e$ mom- $n$ spin corr.
-1.263 ± 0.016	<sup>18</sup> KROPF	74 RVUE	$n$ decay alone
-1.250 ± 0.009	<sup>18</sup> KROPF	74 RVUE	$n$ decay + nuclear ft

<sup>15</sup>YEROZOLIMSKY 97 makes a correction to the EROZOLIMSKII 91 value.

<sup>16</sup>These experiments measure the absolute value of  $g_A/g_V$  only.

<sup>17</sup>KROHN 75 includes events of CHRISTENSEN 70.

<sup>18</sup>KROPF 74 reviews all data through 1972.



$$g_A / g_V$$


### $\beta$ ASYMMETRY PARAMETER A

This is the neutron-spin electron-momentum correlation coefficient. Unless otherwise noted, the values are corrected for radiative effects and weak magnetism.

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>-0.1162 \pm 0.0013</math> OUR AVERAGE</b>			Error includes scale factor of 1.8. See the ideogram below.
$-0.1189 \pm 0.0012$	ABELE	97D SPEC	cold $n$ , polarized
$-0.1160 \pm 0.0009 \pm 0.0012$	LIAUD	97 TPC	$e$ mom- $n$ spin corr.
$-0.1135 \pm 0.0014$	<sup>19</sup> YEROZLIM...	97 CNTR	$e$ mom- $n$ spin corr.
$-0.1146 \pm 0.0019$	BOPP	86 SPEC	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$-0.1160 \pm 0.0009 \pm 0.0011$	SCHRECK...	95 TPC	See LIAUD 97
$-0.1116 \pm 0.0014$	EROZOLIM...	91 CNTR	See YEROZOLIM-SKY 97
$-0.114 \pm 0.005$	<sup>20</sup> EROZOLIM...	79 CNTR	
$-0.113 \pm 0.006$	<sup>20</sup> KROHN	75 CNTR	

<sup>19</sup>YEROZOLIMSKY 97 makes a correction to the EROZOLIMSKII 91 value.

<sup>20</sup>These results are not corrected for radiative effects and weak magnetism, but the corrections are small compared to the errors.



### $\beta$ ASYMMETRY PARAMETER $A$

### $\bar{\nu}$ ASYMMETRY PARAMETER $B$

This is the neutron-spin antineutrino-momentum correlation coefficient.

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.983 ± 0.004 OUR AVERAGE</b>			
0.9801 ± 0.0046	SEREBROV 98	CNTR	Cold polarized neutrons
0.9894 ± 0.0083	KUZNETSOV 95	CNTR	Cold polarized neutrons
0.995 ± 0.034	CHRISTENSEN70	CNTR	
1.00 ± 0.05	EROZOLIM... 70C	CNTR	

### $e\bar{\nu}$ ANGULAR CORRELATION COEFFICIENT $a$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>-0.102 ± 0.005 OUR AVERAGE</b>			
-0.1017 ± 0.0051	STRATOWA 78	CNTR	Proton recoil spectrum
-0.091 ± 0.039	GRIGOREV 68	SPEC	Proton recoil spectrum

### $\phi_{AV}$ , PHASE OF $g_A$ RELATIVE TO $g_V$

Time reversal invariance requires this to be 0 or 180°.

VALUE (°)	DOCUMENT ID	TECN	COMMENT
<b>180.07 ± 0.18 OUR EVALUATION</b>	Using the average value for quantity $D$ given in the next data block and $\lambda \equiv g_A/g_V$ in $\sin\phi_{AV} = D(1+3\lambda^2)/2\lambda$ .		

### **180.09 ± 0.18 OUR AVERAGE**

179.71 ± 0.39	EROZOLIM... 78	CNTR	Polarized neutrons
180.35 ± 0.43	EROZOLIM... 74	CNTR	Polarized neutrons
180.14 ± 0.22	STEINBERG 74	CNTR	Polarized neutrons

• • • We do not use the following data for averages, fits, limits, etc. • • •

181.1 ± 1.3	<sup>21</sup> KROPF 74	RVUE	$n$ decay
-------------	------------------------	------	-----------

<sup>21</sup>KROPF 74 reviews all data through 1972.

## TRIPLE CORRELATION COEFFICIENT $D$

These are measurements of the component of  $n$  spin perpendicular to the decay plane in  $\beta$  decay. Should be zero if  $T$  invariance is not violated.

VALUE	DOCUMENT ID	TECN	COMMENT
<b>(-0.5 ± 1.4) × 10<sup>-3</sup> OUR AVERAGE</b>			
+ 0.0022 ± 0.0030	EROZOLIM...	78 CNTR	Polarized neutrons
- 0.0027 ± 0.0050	<sup>22</sup> EROZOLIM...	74 CNTR	Polarized neutrons
- 0.0011 ± 0.0017	STEINBERG	74 CNTR	Polarized neutrons

<sup>22</sup>EROZOLIMSKII 78 says asymmetric proton losses and nonuniform beam polarization may give a systematic error up to 0.003, thus increasing the EROZOLIMSKII 74 error to 0.005. STEINBERG 74 and STEINBERG 76 estimate these systematic errors to be insignificant in their experiment.

## $n$ REFERENCES

We have omitted some papers that have been superseded by later experiments. See our earlier editions.

SEREBROV	98	JETP 86 1074	A.P. Serebrov+	
		Translated from ZETF 113 1963.		
ABELE	97D	PL B407 212	H. Abele+	(HEIDP, ILLG)
LIAUD	97	NP A612 53	+Schreckenbach, Kossakowski+	(ILLG, LAPP)
YEROZLIM...	97	PL B412 240	Yerozolimsky, Kuznetsov, Mostovoy+	(HARV, PNPI, KIAE)
ALTAREV	96	PAN 59 1152	+Borisov, Borovikova+	(PNPI)
		Translated from YAF 59 1204.		
BONDAREN...	96	JETPL 64 416	Bondarenko, Morozov, Panin, Fomin+	(KIAE)
		Translated from ZETFP 64 382.		
BYRNE	96	EPL 33 187	+Dawber, Habeck, Smidt+	(SUSS, ILLG)
MOSTOVOI	96	PAN 59 968		(KIAE)
		Translated from YAF 59 1013.		
NORMAN	96	PR D53 4086	+Bahcall, Goldhaber	(LBL, IAS, BNL)
IGNATOVICH	95	JETPL 62 1		(JINR)
		Translated from ZETFP 62 3.		
KOESTER	95	PR C51 3363	+Waschkowski, Mitsyna+	(MUNT, JINR, LATV)
KUZNETSOV	95	PRL 75 794	+Serebrov, Stepanenko+	(PNPI, KIAE, HARV, NIST)
SCHRECK...	95	PL B349 427	Schreckenbach, Liaud+	(MUNT, ILLG, LAPP)
BALDO-...	94	ZPHY C63 409	Baldo-Ceolin, Benetti+	(HEID, ILLG, PADO, PAVI)
DIFILIPPO	94	PRL 73 1481	+Natarajan, Boyce, Pritchard	(MIT)
Also	93	PRL 71 1998	Natarajan, Boyce, DiFilippo, Pritchard	(MIT)
GOLUB	94	PRPL 237C 1	+Lamoreaux	(HAHN, WASH)
MAMPE	93	JETPL 57 82	+Bondarenko, Morozov+	(KIAE)
		Translated from ZETFP 57 77.		
PENDLEBURY	93	ARNPS 43 687		(ILLG)
ALTAREV	92	PL B276 242	+Borisov, Borovikova, Ivanov+	(PNPI)
NESVIZHEV...	92	JETP 75 405	Nesvizhevskii, Serebrov, Tal'daev+	(PNPI, JINR)
		Translated from ZETF 102 740.		
SCHRECK...	92	JPG 18 1	Schreckenbach, Mampe	(ILLG)
ALBERICO	91	NP A523 488	+de Pace, Pignone	(TORI)
DUBBERS	91	NP A527 239c		(ILLG)
Also	90	EPL 11 195	Dubbers, Mampe, Doehner	(ILLG, HEID)
EROZOLIM...	91	PL B263 33	Erozolimskii, Kuznetsov, Stepanenko, Kuida+	(PNPI, KIAE)
Also	90	SJNP 52 999	Erozolimskii, Kuznetsov, Stepanenko, Kuida+	(PNPI, KIAE)
		Translated from YAF 52 1583.		
EROZOLIM...	91B	SJNP 53 260	Erozolimskii, Mostovoi	(KIAE)
		Translated from YAF 53 418.		
SCHMIEDM...	91	PRL 66 1015	Schmiedmayer, Riehs, Harvey, Hill	(TUW, ORNL)
WOOLCOCK	91	MPL A6 2579		(CANB)
ALFIMENKOV	90	JETPL 52 373	+Varlamov, Vasil'ev, Gudkov+	(PNPI, JINR)
		Translated from ZETFP 52 984.		



BALDO-...	90	PL B236 95	Baldo-Ceolin, Benetti, Bitter+	(PADO, PAVI, HEIDP, ILLG)
BERGER	90	PL B240 237	+Froehlich, Moench, Nisius+	(FREJUS Collab.)
BRESSI	90	NC 103A 731	+Calligarich, Cambiaghi+	(PAVI, ROMA, MILA)
BYRNE	90	PRL 65 289	+Dawber, Spain, Williams+	(SUSS, NBS, SCOT, CBNM)
FREEDMAN	90	CNPP 19 209		(ANL)
GREEN	90	JPG 16 L75	+Thompson	(RAL)
RAMSEY	90	ARNPS 40 1		(HARV)
ROSE	90	PL B234 460	+Zurmuehl, Rullhusen, Ludwig+	(GOET, MPCM, MANZ)
ROSE	90B	NP A514 621	+Zurmuehl, Rullhusen, Ludwig+	(GOET, MPCM)
SMITH	90	PL B234 191	+Crampin+	(SUSS, RAL, HARV, WASH, ILLG, MUNT)
BRESSI	89	ZPHY C43 175	+Calligarich, Cambiaghi+	(INFN, MILA, PAVI, ROMA)
DOVER	89	NIM A284 13	+Gal, Richard	(BNL, HEBR, ISNG)
EROZOLIM...	89	NIM A284 89	Erozolinskii	(PNPI)
KOSSAKOW...	89	NP A503 473	Kossakowski, Grivot+	(LAPP, SAVO, ISNG, ILLG)
MAMPE	89	PRL 63 593	+Ageron, Bates, Pendlebury, Steyerl	(ILLG, RISL, SUSS, URI)
MOHAPATRA	89	NIM A284 1		(UMD)
PAUL	89	ZPHY C45 25	+Anton, Paul, Paul, Mampe	(BONN, WUPP, MPIH, ILLG)
SCHMIEDM...	89	NIM A284 137	Schmiedmayer, Rauch, Riehs	(WIEN)
BAUMANN	88	PR D37 3107	+Gaehler, Kalus, Mampe	(BAYR, MUNI, ILLG)
KOESTER	88	ZPHY A329 229	+Waschkowski, Meier	(MUNI, MUNT)
LAST	88	PRL 60 995	+Arnold, Doehner, Dubbers+	(HEIDP, ILLG, ANL)
SCHMIEDM...	88	PRL 61 1065	Schmiedmayer, Rauch, Riehs	(TUW)
Also	88B	PRL 61 2509 erratum	Schmiedmayer, Rauch, Riehs	(TUW)
SPIVAK	88	JETP 67 1735		(KIAE)
		Translated from ZETF 94 1.		
COHEN	87	RMP 59 1121	+Taylor	(RISC, NBS)
ALTAREV	86	JETPL 44 460	+Borisov, Borovikova, Brandin, Egorov+	(PNPI)
		Translated from ZETFP 44 360.		
BOPP	86	PRL 56 919	+Dubbers, Hornig, Klemt, Last+	(HEIDP, ANL, ILLG)
Also	88	ZPHY C37 179	Klemt, Bopp, Hornig, Last+	(HEIDP, ANL, ILLG)
CRESTI	86	PL B177 206	+Pasquali, Peruzzo, Pinori, Sartori	(PADO)
Also	88	PL B200 587 erratum	Cresti, Pasquali, Peruzzo, Pinori, Sartori	(PADO)
GREENE	86	PRL 56 819	+Kessler, Deslattes, Boerner	(NBS, ILLG)
KOSVINTSEV	86	JETPL 44 571	+Morozov, Terekhov	(KIAE)
		Translated from ZETFP 44 444.		
TAKITA	86	PR D34 902	+Arisaka, Kajita, Kifune+	(KEK, TOKY+)
DOVER	85	PR C31 1423	+Gal, Richard	(BNL)
FIDECARO	85	PL 156B 122	+Lanceri+	(CERN, ILLG, PADO, RAL, SUSS)
PARK	85B	NP B252 261	+Blewitt, Cortez, Foster+	(IMB Collab.)
BATTISTONI	84	PL 133B 454	+Bellotti, Bologna, Campana+	(NUSEX Collab.)
JONES	84	PRL 52 720	+Bionta, Blewitt, Bratton+	(IMB Collab.)
PENDLEBURY	84	PL 136B 327	+Smith, Golub, Byrne+	(SUSS, HARV, RAL, ILLG)
CHERRY	83	PRL 50 1354	+Lande, Lee, Steinberg, Cleveland	(PENN, BNL)
DOVER	83	PR D27 1090	+Gal, Richards	(BNL)
KABIR	83	PRL 51 231		(HARV)
MOSTOVOY	83	JETPL 37 196		(KIAE)
		Translated from ZETFP 37 162.		
ROY	83	PR D28 1770	+Vaidya, Ephraim, Datar, Bhatki+	(TATA)
VAIDYA	83	PR D27 486	+Roy, Ephraim, Datar, Bhattacharjee	(TATA)
GAEHLER	82	PR D25 2887	+Kalus, Mampe	(BAYR, ILLG)
GREENE	82	Metrologia 18 93		(YALE, HARV, ILLG, SUSS, ORNL, CENG)
ALTAREV	81	PL 102B 13	+Borisov, Borovikova, Brandin, Egorov+	(PNPI)
BARABANOV	80	JETPL 32 359	+Veretenkin, Gavrin+	(PNPI)
		Translated from ZETFP 32 384.		
BYRNE	80	PL 92B 274	+Morse, Smith, Shaikh, Green, Greene	(SUSS, RL)
KOSVINTSEV	80	JETPL 31 236	+Kushnir, Morozov, Terekhov	(JINR)
		Translated from ZETFP 31 257.		
MOHAPATRA	80	PRL 44 1316	+Marshak	(CUNY, VPI)
ALTAREV	79	JETPL 29 730	+Borisov, Brandin, Egorov, Ezhov, Ivanov+	(PNPI)
		Translated from ZETFP 29 794.		
EROZOLIM...	79	SJNP 30 356	Erozolinskii, Frank, Mostovoy+	(KIAE)
		Translated from YAF 30 692.		
NORMAN	79	PRL 43 1226	+Seamster	(WASH)
BONDAREN...	78	JETPL 28 303	Bondarenko, Kurguzov, Prokofev+	(KIAE)
		Translated from ZETFP 28 328.		
Also	82	Smolenice Conf.	Bondarenko	(KIAE)
EROZOLIM...	78	SJNP 28 48	Erozolinskii, Mostovoy, Fedunin, Frank+	(KIAE)
		Translated from YAF 28 98.		
STRATOWA	78	PR D18 3970	+Dobrozemsky, Weinzierl	(SEIB)
EROZOLIM...	77	JETPL 23 663	Erozolinskii, Frank, Mostovoy+	(KIAE)
		Translated from ZETFP 23 720.		

STEINBERG	76	PR D13 2469	+Liaud, Vignon, Hughes	(YALE, ISNG)
DOBROZE...	75	PR D11 510	Dobrozemsky, Kerschbaum, Moraw, Paul+	(SEIB)
KROHN	75	PL 55B 175	+Ringo	(ANL)
EROZOLIM...	74	JETPL 20 345	Erozolimskii, Mostovoy, Fedunin, Frank+	
		Translated from ZETFP 20 745.		
KROPF	74	ZPHY 267 129	+Paul	(LINZ)
Also	70	NP A154 160	Paul	(VIEN)
STEINBERG	74	PRL 33 41	+Liaud, Vignon, Hughes	(YALE, ISNG)
COHEN	73	JPCRD 2 663	+Taylor	(RISC, NBS)
CHRISTENSEN	72	PR D5 1628	+Nielson, Bahnsen, Brown+	(RISO)
CHRISTENSEN	70	PR C1 1693	+Krohn, Ringo	(ANL)
EROZOLIM...	70C	PL 33B 351	Erozolimskii, Bondarenko, Mostovoy, Obinyakov+	(KIAE)
GRIGOREV	68	SJNP 6 239	Grigor'ev, Grishin, Vladimirsky, Nikolaevskii+	(ITEP)
		Translated from YAF 6 329.		

---