

X(1600)

$$I^G(J^{PC}) = 2^+(2^{++})$$

OMITTED FROM SUMMARY TABLE

Observed in the reaction $\gamma\gamma \rightarrow \rho\rho$ near threshold. See also minireview under non- $q\bar{q}$ candidates. (See the index for the page number.)

X(1600) MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
1600±100	¹ ALBRECHT	91F ARG	0	10.2 $e^+e^- \rightarrow e^+e^- 2(\pi^+\pi^-)$

¹ Our estimate.

X(1600) WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
400±200	² ALBRECHT	91F ARG	0	10.2 $e^+e^- \rightarrow e^+e^- 2(\pi^+\pi^-)$

² Our estimate.

X(1600) REFERENCES

ALBRECHT 91F ZPHY C50 1 H. Albrecht *et al.* (ARGUS Collab.)

OTHER RELATED PAPERS

FILIPPI	00	PL B495 284	A. Filippi <i>et al.</i>	(OBELIX Experiment)
BAJC	96	ZPHY A356 187	B. Bajc <i>et al.</i>	
ALBRECHT	89M	PL B217 205	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
BEHREND	89D	PL B218 493	H.J. Behrend <i>et al.</i>	(CELLO Collab.)