$$f_0(1500)$$

$$I^{G}(J^{PC}) = 0^{+}(0^{+})$$

See also the mini-reviews on scalar mesons under $f_0(600)$ and on non- $q\overline{q}$ candidates. (See the index for the page number.)

f₀(1500) MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
1507 \pm 5 OUR A	/ERAGE Eri	ror includes scale fa	actor of 1.2	2.
$1515\!\pm\!12$		¹ BARBERIS	00A	450 $pp \rightarrow p_f \eta \eta p_s$
$1511\pm$ 9		^{1,2} BARBERIS	00C	450 $pp \rightarrow p_f 4\pi p_s$
$1510\pm$ 8		¹ BARBERIS	00E	450 $pp \rightarrow p_f \eta \eta p_s$
1522 ± 25		BERTIN	98 OBL	X 0.05–0.405 $\overline{n}p$ →
1440 \ 00				$\pi^{+}\pi^{+}\pi^{-}$
1449 ± 20			97C OBL	$X 0.0 pp \rightarrow \pi^+ \pi^- \pi^0$
1515 ± 20		ABELE	90B CBAI	$\begin{array}{ccc} R & 0.0 \ p \ p \rightarrow & \pi^\circ \ K \ L \\ L \\ L \end{array}$
1500 ± 15		³ AMSLER	95B CBAI	$\begin{array}{cccc} \mathcal{R} & 0.0 \ \overline{p} p \rightarrow 3\pi^{0} \\ \mathcal{P} & 0 \end{array}$
1505 ± 15		4 AMSLER	95C CBAI	$R 0.0 \ \overline{p} p \rightarrow \eta \eta \pi^{O}$
• • • We do not use	e the following	g data for averages	, fits, limit	s, etc. ● ● ●
$1490\!\pm\!30$		⁵ ABELE	01 CBA	$R 0.0 \ \overline{p} d \rightarrow \pi^{-} 4\pi^{0} p$
$1497\!\pm\!10$		⁵ BARBERIS	99 OME	G 450 $pp \rightarrow$
		_		p _s p _f K ⁺ K ⁻
$1502\!\pm\!10$		⁵ BARBERIS	99b OME	G 450 $pp \rightarrow p_s p_f \pi^+ \pi^-$
$1502\!\pm\!12\!\pm\!10$		⁶ BARBERIS	99D OME	G 450 $pp \rightarrow K^+K^-$,
		Б		$\pi^{+}\pi^{-}$ 0.0
1530 ± 45		⁵ BELLAZZINI	99 GAM	4 450 $pp \rightarrow pp\pi^0\pi^0$
1505 ± 18		³ FRENCH	99	$300 \ pp \rightarrow (10^{+} 10^{-})$
		7		$p_f(K^+K^-)p_s$
1447 ± 27			99 RVU	$= \pi\pi \to \pi\pi, KK, \sigma\sigma$
1580 ± 80			98 GAM	$4 100 \ \pi p \rightarrow \pi^0 \pi^0 n$
1499± 8			98B RVU	\leq Compliation
~ 1520			98 SPEC	$2 800 pp \rightarrow p_s p_f K_S K_S$
1510 ± 20		* BARBERIS	97B OME	G 450 $pp \rightarrow$
				$pp2(\pi^+\pi^-)$
~ 1475		FRABETTI	97D E687	$D_{s}^{\perp} \rightarrow \pi^{\pm}\pi^{\pm}\pi^{\pm}$
~ 1505		ABELE	96 CBAI	$R 0.0 \ \overline{p} p \rightarrow 5\pi^0$
$1500\pm$ 8		¹ ABELE	96C RVU	E Compilation
1460 ± 20	120	⁵ AMELIN	96B VES	$37 \pi^{-} A \rightarrow \eta \eta \pi^{-} A$
$1500\pm$ 8		BUGG	96 RVU	E 0.0.0
1500 ± 10		° AMSLER	95d CBAI	$R 0.0 \ \overline{p} p \rightarrow \pi^0 \pi^0 \pi^0,$
		9		$\pi^{O}\eta\eta, \pi^{O}\pi^{O}\eta$
1445 ± 5		⁹ ANTINORI	95 OME	G 300,450 $pp \rightarrow$
1407 20				$pp2(\pi + \pi)$
1497 ± 30		ANTINORI	95 UNE	G 300,450 $pp \rightarrow$
~ 1505		BUGG	05 MRK	$\begin{array}{c} \mu \mu \pi \cdot \pi \\ 3 & I/\pi \rightarrow \gamma \pi + \pi - \pi + \pi - \end{array}$
1446+ 5		⁵ ABAT7IS	94 OMF	$G 450 pp \rightarrow$
THAT 2				$nn^{2}(\pi^{+}\pi^{-})$

HTTP://PDG.LBL.GOV

⁵ AMSLER 94E CBAR 0.0 $\overline{p}p \rightarrow \pi^0 \eta \eta'$ $1545\pm\!25$ CBAR $0.0 \overline{p} p \rightarrow 3\pi^0, \pi^0 \eta \eta$ ^{1,10} ANISOVICH 94 $1520\pm\!25$ 1,11 BUGG RVUE $\overline{p}p \rightarrow 3\pi^0$, $\eta\eta\pi^0$, 94 $1505\pm\!20$ $\eta \pi^0 \pi^0$ 92 CBAR 0.0 $\overline{p}p \rightarrow \pi^0 \eta \eta$ ⁵ AMSLER $1560\pm\!25$ ⁵ BELADIDZE 36 $\pi^- \operatorname{Be} \rightarrow \pi^- \eta' \eta \operatorname{Be}$ 92C VES $1550 \pm 45 \pm 30$ ⁵ ARMSTRONG 89E OMEG 300 $pp \rightarrow$ $1449\pm~4$ $pp2(\pi^+\pi^-)$ ⁵ ALDE GAM4 300 $\pi^- N \rightarrow \pi^- N 2\eta$ $1610\pm\!20$ 88 88D LASS 11 $K^- p \rightarrow K^0_S K^0_S \Lambda$ ASTON ~ 1525 87 GAM4 100 $\pi^- p \rightarrow 4\pi^0 n$ ⁵ ALDE $1570\pm\!20$ 600 ¹² ALDE 86D GAM4 100 $\pi^- p \rightarrow 2\eta n$ 1575 ± 45 ⁵ BINON 84C GAM2 38 $\pi^- p \rightarrow \eta \eta' n$ 1568 ± 33 ⁵ BINON 83 GAM2 38 $\pi^- p \rightarrow 2\eta n$ 1592 ± 25 ⁵ GRAY 1525 ± 5 83 DBC $0.0 \overline{p} N \rightarrow 3\pi$ ¹T-matrix pole. ²Average between $\pi^+\pi^-2\pi^0$ and $2(\pi^+\pi^-)$. ³T-matrix pole, supersedes ANISOVICH 94. ⁴ T-matrix pole, supersedes ANISOVICH 94 and AMSLER 92. ⁵ Breit-Wigner mass. ⁶Supersedes BARBERIS 99 and BARBERIS 99B. ⁷T-matrix pole on sheet --+.

⁸T-matrix pole. Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AM-9 SLER 94D. 9 Supersedes ABATZIS 94, ARMSTRONG 89E. Breit-Wigner mass.

¹⁰ From a simultaneous analysis of the annihilations $\overline{p}p \rightarrow 3\pi^0$, $\pi^0\eta\eta$.

¹¹ Reanalysis of ANISOVICH 94 data.

¹² From central value and spread of two solutions. Breit-Wigner mass.

VALUE (MeV) EVTS	DOCUMENT ID	TECN	COMMENT
109 \pm 7 OUR AVERAGE			_
$110\pm$ 24	¹³ BARBERIS	00A	450 $pp \rightarrow p_f \eta \eta p_s$
$102\pm~18$	^{13,14} BARBERIS	00 C	450 $pp \rightarrow p_f 4\pi p_s$
$110\pm~16$	¹³ BARBERIS	00E	450 $pp \rightarrow p_f \eta \eta p_s$
$108\pm$ 33	BERTIN	98 OBLX	0.05–0.405 $\overline{n}p \rightarrow$
	10		$\pi^{+}\pi^{+}\pi^{-}$
$114\pm$ 30	¹³ BERTIN	97c OBLX	$0.0 \ \overline{p} p \rightarrow \pi^+ \pi^- \pi^0$
$105\pm~15$	ABELE	96b CBAR	$0.0 \ \overline{p} p \rightarrow \pi^0 K^0_I K^0_I$
$120\pm~25$	¹⁵ AMSLER	95B CBAR	$0.0 \ \overline{p} p \rightarrow 3\pi^0$
$120\pm~30$	¹⁶ AMSLER	95C CBAR	$0.0 \ \overline{p} p \rightarrow \eta \eta \pi^0$
• • We do not use the follow	wing data for averages	, fits, limits,	etc. ● ● ●
$140\pm$ 40	¹⁷ ABELE	01 CBAR	$0.0 \ \overline{p} d \rightarrow \pi^- 4\pi^0 p$
$104\pm~25$	¹⁷ BARBERIS	99 OMEG	450 $pp \rightarrow$
	-		p _s p _f K ⁺ K ⁻
$131\pm~15$	¹⁷ BARBERIS	99B OMEG	$450 \ pp \rightarrow p_s p_f \pi^+ \pi^-$
$98\pm$ 18 ± 16	¹⁸ BARBERIS	99D OMEG	450 $pp \rightarrow K^+K^-$,
	17		$\pi^{+}\pi^{-}$ 0.0
$160\pm~50$	¹⁷ BELLAZZINI	99 GAM4	450 $pp \rightarrow pp \pi^0 \pi^0$
$100\pm$ 33	¹⁷ FRENCH	99	$300 pp \rightarrow$
			$p_f(K^+K^-)p_s$
HTTP://PDG.LBL.GOV	Page 2	Crea	ted: 6/12/2002 17:09

f₀(1500) WIDTH

$108 \pm 280 \pm 1$ $130 \pm 120 \pm$	46 100 20 35		19 20 13 13	KAMINSKI ALDE ANISOVICH BARBERIS	99 98 98в 97в	RVUE GAM4 RVUE OMEG	$\pi \pi \rightarrow \pi \pi, K \overline{K}, \sigma \sigma$ $100 \pi^{-} p \rightarrow \pi^{0} \pi^{0} n$ Compilation $450 pp \rightarrow p^{2}(\pi^{+} \pi^{-})$
$\sim 100 \ \sim 169$				FRABETTI ABELE	97D 96	E687 CBAR	$D_{s}^{\pm} \rightarrow \pi^{\mp} \pi^{\pm} \pi^{\pm}$ $0.0 \ \overline{p} p \rightarrow 5 \pi^{0}$
$100\pm$ 132 \pm	30 15	120	17	AMELIN BUGG	96в 96	VES RVUE	$37 \ \pi^- A \rightarrow \eta \eta \pi^- A$
$154\pm$	30		21	AMSLER	95 D	CBAR	$\begin{array}{c} 0.0 \ \overline{p}p \rightarrow \pi^0 \pi^0 \pi^0, \\ \pi^0 \eta \eta, \ \pi^0 \pi^0 \eta \end{array}$
$65\pm$	10		22	ANTINORI	95	OMEG	$\begin{array}{c} 300,450 \hspace{0.1cm} pp \rightarrow \\ \hspace{0.1cm} pp2(\pi^{+}\pi^{-}) \end{array}$
199±	30		17	ANTINORI	95	OMEG	$\begin{array}{c} 300,450 \ pp \rightarrow \\ pp \pi^{+} \pi^{-} \end{array}$
50±	12		17		94	OMEG	$450 \ pp \rightarrow pp2(\pi^+\pi^-)$
$100\pm$ 148 ⁺	20	13	,23		94E 04	CBAR	$0.0 \ \overline{\rho} p \rightarrow \pi^{-} \eta \eta$ $0.0 \ \overline{\rho} p \rightarrow 3\pi^{0} \ \pi^{0} n n$
140_ 150±	25 20	13	,24	BUGG	94	RVUE	$\overline{p}p \rightarrow 3\pi^{0}, \eta\eta\pi^{0}, \\ \eta\pi^{0}\pi^{0}$
$245\pm153\pm$	50 67±50		17 17	AMSLER BELADIDZE	92 92c	CBAR VES	$\begin{array}{ccc} 0.0 \ \overline{p}p \rightarrow & \pi^0 \eta \eta \\ 36 \ \pi^- \operatorname{Be} \rightarrow & \pi^- \eta' \eta \operatorname{Be} \end{array}$
$78\pm$	18		17	ARMSTRONG	89e	OMEG	$\begin{array}{c} 300 \ pp \rightarrow \\ pp2(\pi^{+}\pi^{-}) \end{array}$
$170\pm$	40		17	ALDE	88	GAM4	$300 \ \pi^- N \rightarrow \ \pi^- N 2\eta$
150±	20 65	600	25	ALDE	87 86 D	GAM4	$100 \pi^- p \rightarrow 4\pi^0 n$ $100 \pi^- p \rightarrow 2\pi p$
$205 \pm$	60		17	RINON	84C	GAM2	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$210 \pm$	40		17	BINON	83	GAM2	$38 \pi^{-} p \rightarrow 2nn$
$101\pm$	13		17	GRAY	83	DBC	$0.0 \ \overline{p} N \rightarrow 3\pi$
 ¹³ T-matrix pole. ¹⁴ Average between π⁺π⁻2π⁰ and 2(π⁺π⁻). ¹⁵ T-matrix pole, supersedes ANISOVICH 94. ¹⁶ T-matrix pole, supersedes ANISOVICH 94 and AMSLER 92. ¹⁷ Breit-Wigner width. ¹⁸ Supersedes BARBERIS 99 and BARBERIS 99B. ¹⁹ T-matrix pole on sheet +. ²⁰ Breit-Wigner width. ²¹ T-matrix pole. Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AM-SLER 94D. 							
²² Supersedes ABATZIS 94, ARMSTRONG 89E. Breit-Wigner mass. ²³ From a simultaneous analysis of the annihilations $\overline{p}p \rightarrow 3\pi^0, \pi^0\eta\eta$. ²⁴ Reanalysis of ANISOVICH 94 data. ²⁵ From central value and spread of two solutions. Breit-Wigner mass.							

	Mode	Fraction (Γ_i/Γ)
Г1	ηη′(958)	seen
Γ ₂	$\eta \eta$	seen
Γ ₃	4π	seen
Γ4	$4\pi^0$	seen
Γ ₅	$2\pi^+2\pi^-$	seen
Г ₆	$2(\pi\pi)_{S-wave}$	
Γ ₇	ho ho	
Г ₈	$\pi(1300)\pi$	
Г9	$a_1(1260)\pi$	
Γ ₁₀	$\pi \pi$	seen
Γ_{11}	$\pi^+\pi^-$	seen
Γ_{12}	$2\pi^0$	seen
Γ ₁₃	$\overline{K}\overline{K}$	seen
Γ ₁₄	$\gamma\gamma$	not seen

f₀(1500) DECAY MODES

$f_0(1500) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(total)$

$\Gamma(\pi\pi) \times \Gamma(\gamma\gamma)$)/Γ _{total}				Γ ₁₀ Γ ₁₄ /Γ
VALUE (keV)	<u>CL%</u>	DOCUMENT ID	D TECN	COMMENT	
• • • We do not ι	ise the following	data for averag	es, fits, limits,	etc. • • •	
not seen		ACCIARRI	01H L3	$\gamma \gamma \rightarrow K_{S}^{0}$	$K_{S}^{0}, E_{cm}^{ee} =$
<0.46	95	BARATE	00e ALEP	$\gamma \gamma \rightarrow \pi^+ \gamma$	209 GeV π [—]

f₀(1500) BRANCHING RATIOS

$\Gamma(\eta\eta'(958))/\Gamma(\eta\eta)$				Γ_1/Γ_2
VALUE	DOCUMENT ID		TECN	COMMENT
0.29±0.10	²⁶ AMSLER	95 C	CBAR	$0.0 \ \overline{p} p \rightarrow \eta \eta \pi^0$
\bullet \bullet \bullet We do not use the followi	ng data for average	s, fits,	limits,	etc. • • •
0.84±0.23	ABELE	96 C	RVUE	Compilation
$2.7 \hspace{0.1 in} \pm 0.8$	BINON	8 4C	GAM2	$38 \pi^{-} p \rightarrow \eta \eta' n$
$\Gamma(\eta\eta'(958))/\Gamma(\pi\pi)$				Γ_1/Γ_{10}
VALUE	DOCUMENT ID		COMME	NT
0.095±0.026	BARBERIS	00A	450 pp	$p \rightarrow p_f \eta \eta p_s$
$\Gamma(\eta\eta)/\Gamma_{total}$				Γ2/Γ
VALUE	DOCUMENT ID		TECN	COMMENT
\bullet \bullet \bullet We do not use the followi	ng data for average	s, fits,	limits,	etc. • • •
large	ALDE	88	GAM4	$300 \ \pi^- N \rightarrow \eta \eta \pi^- N$
large	BINON	83	GAM2	$38 \pi^- p \rightarrow 2\eta n$

Page 4

Created: 6/12/2002 17:09

HTTP://PDG.LBL.GOV

Citation: K. Hagiwara et al. (Particle Data Group), Phys. Rev. D 66, 010001 (2002) (URL: http://pdg.lbl.gov)

 $\Gamma(4\pi^0)/\Gamma(\eta\eta)$ Γ_4/Γ_2 DOCUMENT ID TECN COMMENT • • • We do not use the following data for averages, fits, limits, etc. • • • 87 GAM4 100 $\pi^- p \rightarrow 4\pi^0 n$ $0.8\!\pm\!0.3$ ALDE $\Gamma(\rho\rho)/\Gamma(2(\pi\pi)_{S-\text{wave}})$ Γ_7/Γ_6 DOCUMENT ID COMMENT VALUE • • • We do not use the following data for averages, fits, limits, etc. • • • 00C 450 $pp \rightarrow p_f \pi^+ \pi^- 2\pi^0 p_s$ 3.3 ± 0.5 BARBERIS 00C 450 $pp \rightarrow p_f 2(\pi^+ \pi^-) p_s$ 2.6 ± 0.4 BARBERIS $\Gamma(2(\pi\pi)_{S-wave})/\Gamma(4\pi)$ Γ_6/Γ_3 VALUE DOCUMENT ID TECN COMMENT • • • We do not use the following data for averages, fits, limits, etc. • • • 0.26 ± 0.07 ABELE 01B CBAR 0.0 $\overline{p}n \rightarrow 5\pi$ $\Gamma(\rho\rho)/\Gamma(4\pi)$ Γ_7/Γ_3 DOCUMENT ID TECN COMMENT • • • We do not use the following data for averages, fits, limits, etc. • • • 01B CBAR 0.0 $\overline{p}n \rightarrow 5\pi$ $0.13 \!\pm\! 0.08$ ABELE $\Gamma(\pi(1300)\pi)/\Gamma(4\pi)$ Γ_8/Γ_3 VALUE DOCUMENT ID ____<u>TECN</u>___COMMENT • • • We do not use the following data for averages, fits, limits, etc. • • • $0.50 \!\pm\! 0.25$ 01B CBAR 0.0 $\overline{p}n \rightarrow 5\pi$ ABELE $\Gamma(a_1(1260)\pi)/\Gamma(4\pi)$ Γ_9/Γ_3 DOCUMENT ID VALUE TECN COMMENT • • • We do not use the following data for averages, fits, limits, etc. • • • 01B CBAR 0.0 $\overline{p} n \rightarrow 5\pi$ 0.12 ± 0.05 ABELE $\Gamma(2\pi^0)/\Gamma(\eta\eta)$ Γ_{12}/Γ_2 DOCUMENT ID VALUE TECN COMMENT 1.7 ±0.8 OUR AVERAGE Error includes scale factor of 1.5. $0.9 \ \overline{p} p \rightarrow \pi^0 \eta \eta$ 4.17 ± 1.74 AMSLER 02 CBAR $\pi^{0}\pi^{0}\pi^{0}$ ²⁷ AMSLER 95C CBAR 0.0 $\overline{p}p \rightarrow \eta \eta \pi^0$ 1.45 ± 0.61 • • • We do not use the following data for averages, fits, limits, etc. • • • ²⁸ ABELE 4.29 ± 0.72 96C RVUE Compilation 95D CBAR 0.0 $\overline{p}p \rightarrow \pi^0 \pi^0 \pi^0$ ²⁹ AMSLER 2.12 ± 0.81 $\pi^{0}\eta\eta, \pi^{0}\pi^{0}\eta$ 83 GAM2 38 $\pi^- p \rightarrow 2\eta n$ < 0.3 BINON $\Gamma(K\overline{K})/\Gamma(\eta\eta)$ Γ_{13}/Γ_{2} VALUE CL% COMMENT DOCUMENT ID TECN 1.85 ± 0.41 00E BARBERIS 450 $pp \rightarrow p_f \eta \eta p_s$ • • We do not use the following data for averages, fits, limits, etc. • ³⁰ PROKOSHKIN 91 GAM4 300 $\pi^- p \rightarrow \pi^- p \eta \eta$ < 0.4 90 ³¹ BINON 83 GAM2 38 $\pi^- p \rightarrow 2\eta n$ < 0.6 HTTP://PDG.LBL.GOV Page 5 Created: 6/12/2002 17:09

Citation: K. Hagiwara et al. (Particle Data Group), Phys. Rev. D 66, 010001 (2002) (URL: http://pdg.lbl.gov)

 $\Gamma(K\overline{K})/\Gamma_{\text{total}}$ Γ_{13}/Γ DOCUMENT ID TECN • • • We do not use the following data for averages, fits, limits, etc. • • • BUGG 96 RVUE 0.044 ± 0.021 $\Gamma(K\overline{K})/\Gamma(\pi\pi)$ Γ_{13}/Γ_{10} DOCUMENT ID TECN COMMENT 98 CBAR 0.0 $\overline{p}p \rightarrow \kappa^0_I \kappa^{\pm} \pi^{\mp}$ ³² ABELE 0.19 ± 0.07 • • • We do not use the following data for averages, fits, limits, etc. • • • $0.33 \!\pm\! 0.03 \!\pm\! 0.07$ BARBERIS 99D OMEG 450 $pp \rightarrow K^+ K^-$, 96B CBAR 0.0 $\overline{p}p \rightarrow \pi^0 K_I^0 K_I^0$ ³³ ABELE 0.20 ± 0.08 $\Gamma(\pi\pi)/\Gamma_{\text{total}}$ Γ_{10}/Γ VALLIF DOCUMENT ID TECN • • • We do not use the following data for averages, fits, limits, etc. • • • 0.454 ± 0.104 BUGG 96 RVUE $\Gamma(4\pi)/\Gamma(\pi\pi)$ Γ_3/Γ_{10} DOCUMENT ID TECN COMMENT VALUE • • • We do not use the following data for averages, fits, limits, etc. • • • BARBERIS **00**D 450 $pp \rightarrow p_f 4\pi p_s$ 1.37 ± 0.16 ³⁴ AMSLER 98 RVUE $2.1\ \pm 0.6$ ³⁴ ABELE 96 CBAR $0.0 \overline{p}p \rightarrow 5\pi^0$ 3.4 ± 0.8 $\Gamma(2(\pi\pi)_{S-wave})/\Gamma(\pi\pi)$ Γ_6/Γ_{10} DOCUMENT ID VALUE TECN COMMENT • • • We do not use the following data for averages, fits, limits, etc. • • • ³⁵ ABELE 01 CBAR 0.0 $\overline{p}d \rightarrow \pi^- 4\pi^0 p$ 0.42 ± 0.26 $\Gamma(\pi^+\pi^-)/\Gamma_{\rm total}$ Γ_{11}/Γ VALUE DOCUMENT ID TECN COMMENT • • • We do not use the following data for averages, fits, limits, etc. • • • 98 OBLX 0.05–0.405 $\overline{n}p \rightarrow$ BERTIN seen 97D E687 $D_{s}^{\pm} \rightarrow \pi^{\pm} \pi^{\pm} \pi^{\pm} \pi^{\pm}$ FRABETTI possibly seen $\Gamma(\eta\eta)/\Gamma(\pi\pi)$ Γ_2/Γ_{10} VALUE DOCUMENT ID COMMENT 0.18 ± 0.03 BARBERIS 00E 450 $pp \rightarrow p_f \eta \eta p_s$ ²⁶ Using AMSLER 94E $(\eta \eta'_{,}\pi^{0})$. ²⁷ Using AMSLER 95B ($3\pi^0$). $^{28}_{27}$ width determined to be 60 \pm 12 MeV. $^{29}_{29}$ Coupled-channel analysis of AMSLER 95B, AMSLER 95C, and AMSLER 94D. ³⁰ Combining results of GAM4 with those of WA76 on $K\overline{K}$ central production. ³¹ Using ETKIN 82B and COHEN 80. ³² Using $\pi^0 \pi^0$ from AMSLER 95B. ³³ Using AMSLER 95B ($3\pi^0$), AMSLER 94C ($2\pi^0\eta$) and SU(3). ³⁴ Excluding $\rho\rho$ contribution to 4π . ³⁵ From the combined data of ABELE 96 and ABELE 96C. HTTP://PDG.LBL.GOV Created: 6/12/2002 17:09

Page 6

f₀(1500) REFERENCES

AMSLER	02	EPJ C23 29		C. Amsler <i>et al.</i>	
ABELE	01	EPJ C19 667		A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	01B	EPJ C21 261		A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ACCIARRI	01H	PL B501 173		M. Acciarri <i>et al.</i>	(L3 Collab.)
BARATE	00F	PL B472 189		R Barate <i>et al</i>	(ALEPH Collab.)
BARBERIS	004	PL B471 429		D Barberis et al	(WA 102 Collab.)
BARBERIS	000	PL B471 440		D Barberis et al	(WA 102 Collab.)
	000	DL D471 440		D. Darberts et al.	(WA 102 Collab.)
	000	PL D4/4 423		D. Darberis et al.	(WA 102 COND.)
BARBERIS	UUE	PL B479 59		D. Barberis <i>et al.</i>	(VVA 102 Collab.)
BARBERIS	99	PL B453 305		D. Barberis <i>et al.</i>	(Omega expt.)
BARBERIS	99B	PL B453 316		D. Barberis <i>et al.</i>	(Omega expt.)
BARBERIS	99D	PL B462 462		D. Barberis <i>et al.</i>	(Omega expt.)
BELLAZZINI	99	PL B467 296		R. Bellazzini <i>et al.</i>	
FRENCH	99	PL B460 213		B. French et al.	(WA76 Collab.)
KAMINSKI	99	EPJ C9 141		R. Kaminski, L. Lesr	iak, B. Loiseau (CRAC, PARIN)
ABELE	98	PR D57 3860		A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ALDE	98	FP1 A3 361		D Alde et al	(GAM4 Collab)
Also	aa	PAN 62 405		D Alde et al	(GAMS Collab.)
71150	55	Translated from	YAF 62	446	
AMSI FR	98	RMP 70 1293	1711 02	C Amsler	
	08R	LIEN /1 /10		VV Anisovich et al	
DEDTIN	90D	DD D57 55		A Portin of al	(OPELIX Callab.)
	90	FR D37 33		A. Dertin et al.	(OBELIX COND.)
RETES	98	PRL 81 4079		M.A. Reyes et al.	(1)(1) 100 (1) (1)
BARBERIS	97B	PL B413 217		D. Barberis <i>et al.</i>	(WA 102 Collab.)
BERTIN	97C	PL B408 476		A. Bertin <i>et al.</i>	(OBELIX Collab.)
FRABETTI	97D	PL B407 79		P.L. Frabetti <i>et al.</i>	(FNAL E687 Collab.)
ABELE	96	PL B380 453		A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	96B	PL B385 425		A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	96C	NP A609 562		A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
AMELIN	96B	PAN 59 976		D.V. Amelin et al.	(SERP, TBIL)
		Translated from	YAF 59	1021.	· · · · · ·
BUGG	96	NP B471 59		D.V. Bugg, A.V. Sar	antsev, B.S. Zou (LOQM, PNPI)
AMSLER	95B	PL B342 433		C. Amsler et al.	(Crystal Barrel Collab.)
AMSLER	95C	PL B353 571		C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95D	PL B355 425		C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANTINORI	95	PL B353 589		F. Antinori <i>et al.</i>	(ATHU, BARI, BIRM+)
BUGG	95	PL B353 378		DV Bugg et al	(LOOM PNPL WASH)
ABATZIS	94	PL B324 500		S Abatzis et al	$(\Delta THI BARI BIRM+)$
AMSLER	010	PL B327 425		C Ameler et al	(Crystal Barrel Collab)
	040	DI D222 077		C. Amsler et al.	(Crystal Darrel Collab.)
	94D	PL D333 211		C. Amsler et al.	(Crystal Barrel Collab.)
	94L	FL D340 239		C. Allisier et al.	(Crystal Barrel Collab.)
ANISOVICH	94	PL D323 233		V.V. Anisovich et al.	(Crystal Barrel Collab.)
BUGG	94	PR D50 4412		D.V. Bugg et al.	
AMSLER	92	PL B291 347		C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
BELADIDZE	92C	SJNP 55 1535		G.M. Beladidze, S.I.	Bityukov, G.V. Borisov (SERP+)
		Iranslated from	YAF 55	2748.	
PROKOSHKIN	91	SPD 36 155		Y.D. Prokoshkin	(GAM2, GAM4 Collab.)
	00 -	Iranslated from	DANS 3	16 900.	
ARMSTRONG	89E	PL B228 536		I.A. Armstrong, M.	Benayoun (ATHU, BARI, BIRM+)
ALDE	88	PL B201 160		D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP+)
ASTON	88D	NP B301 525		D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
ALDE	87	PL B198 286		D.M. Alde <i>et al.</i>	(LANL, BRUX, SERP, LAPP)
ALDE	86D	NP B269 485		D.M. Alde et al.	(BELG, LAPP, SERP, CERN+)
BINON	84C	NC 80A 363		F.G. Binon et al.	(BELG, LAPP, SERP+)
BINON	83	NC 78A 313		F.G. Binon <i>et al.</i>	(BELG, LAPP, SERP+)
Also	83B	SJNP 38 561		F.G. Binon et al.	(BELG, LAPP, SERP+)
		Translated from	YAF 38	934.	(-,, +)
GRAY	83	PR D27 307	-	L. Gray <i>et al.</i>	(SYRA)
ETKIN	82B	PR D25 1786		A. Etkin et al.	(BNL, CUNY, TUFTS, VAND)
COHEN	80	PR D22 2595		D. Cohen <i>et al.</i>	(ANL)

— OTHER RELATED PAPERS –

LI	01B	EPJ C19 529
SUROVTSEV	01	PR D63 054024
ANISOVICH	99H	PL B467 289
AMSLER	98	RMP 70 1293
STROHMEIER	98	PL B438 21
ANISOVICH	97	PL B395 123

D.-M. Li, H. Yu, Q.-X. Shen Y.S. Surovtsev, D. Krupa, M. Nagy A.V. Anisovich, V.V. Anisovich C. Amsler M. Strohmeier *et al.* A.V. Anisovich, A.V. Sarantsev (PNPI)

HTTP://PDG.LBL.GOV

Page 7

Created: 6/12/2002 17:09

ANISOVICH	97B	ZPHY A357 123	A.V. Anisovich <i>et al.</i>	(PNPI)
ANISOVICH	97C	PL B413 137	A.V. Anisovich, A.V. Sarantsev	
ANISOVICH	97E	PAN 60 1892	A.V. Anisovich <i>et al.</i>	(PNPI)
		Translated from YAF 60) 2065.	· · /
KAMINSKI	97B	PL B413 130	R. Kaminski, L. Lesniak, B. Loiseau	(CRAC, IPN)
PROKOSHKIN	97	SPD 42 117	Y.D. Prokoshkin <i>et al.</i>	(SERP)
		Translated from DANS	353 323.	()
AMSLER	96	PR D53 295	C. Amsler, F.E. Close	(ZURI, RAL)
AMSLER	95E	PL B353 385	C. Amsler, F.E. Close	(ZURI, RAL)
GASPERO	95	NP A588 861	M. Gaspero	(ROMA)
SLAUGHTER	88	MPL A3 1361	M.D. Slaughter	(LANL)
BRIDGES	86B	PRL 56 215	D.L. Bridges <i>et al.</i>	(SYRA, ČASE)

Citation: K. Hagiwara et al. (Particle Data Group), Phys. Rev. D 66, 010001 (2002) (URL: http://pdg.lbl.gov)

HTTP://PDG.LBL.GOV