

$N(1900)$ P_{13} $I(J^P) = \frac{1}{2}(\frac{3}{2}^+)$ Status: $\ast\ast$

OMITTED FROM SUMMARY TABLE

 $N(1900)$ BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
≈ 1900 OUR ESTIMATE			
1879 \pm 17	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
1951 \pm 53	PENNER 02C	DPWA	Multichannel

 $N(1900)$ BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
498 \pm 78	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
622 \pm 42	PENNER 02C	DPWA	Multichannel

 $N(1900)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\pi$	
$\Gamma_2 N\pi\pi$	
$\Gamma_3 N\rho, S = 1/2, P\text{-wave}$	
$\Gamma_4 N\eta$	(14 \pm 5) %
$\Gamma_5 N\omega$	(39 \pm 9) %
$\Gamma_6 \Lambda K$	
$\Gamma_7 \Sigma K$	

 $N(1900)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	Γ_1/Γ
<u>VALUE</u>	
0.26 \pm 0.06	MANLEY 92 IPWA $\pi N \rightarrow \pi N & N\pi\pi$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$	
0.16 \pm 0.02	PENNER 02C DPWA Multichannel

$\Gamma(N\eta)/\Gamma_{\text{total}}$	Γ_4/Γ
<u>VALUE</u>	
0.14 \pm 0.05	PENNER 02C DPWA Multichannel

$\Gamma(N\omega)/\Gamma_{\text{total}}$	Γ_5/Γ
<u>VALUE</u>	
0.39 \pm 0.09	PENNER 02C DPWA Multichannel

$$(\Gamma_f/\Gamma_f)^{1/2}/\Gamma_{\text{total}} \text{ in } N\pi \rightarrow N(1900) \rightarrow N\rho, S=1/2, P\text{-wave} \quad (\Gamma_1\Gamma_3)^{1/2}/\Gamma$$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.34 ± 0.03	MANLEY	92	IPWA $\pi N \rightarrow \pi N & N\pi\pi$

$$\Gamma(\Lambda K)/\Gamma_{\text{total}} \quad \Gamma_6/\Gamma$$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			

0.001 ± 0.001 PENNER 02C DPWA Multichannel

$$\Gamma(\Sigma K)/\Gamma_{\text{total}} \quad \Gamma_7/\Gamma$$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			

0.01 ± 0.01 PENNER 02C DPWA Multichannel

N(1900) PHOTON DECAY AMPLITUDES

$$N(1900) \rightarrow p\gamma, \text{ helicity-1/2 amplitude } A_{1/2}$$

<u>VALUE (GeV$^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			

-0.017 PENNER 02D DPWA Multichannel

$$N(1900) \rightarrow p\gamma, \text{ helicity-3/2 amplitude } A_{3/2}$$

<u>VALUE (GeV$^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			

0.031 PENNER 02D DPWA Multichannel

$$N(1900) \rightarrow n\gamma, \text{ helicity-1/2 amplitude } A_{1/2}$$

<u>VALUE (GeV$^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			

-0.016 PENNER 02D DPWA Multichannel

$$N(1900) \rightarrow n\gamma, \text{ helicity-3/2 amplitude } A_{3/2}$$

<u>VALUE (GeV$^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			

-0.002 PENNER 02D DPWA Multichannel

N(1900) REFERENCES

PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KENT)
Also	84	PR D30 904	D.M. Manley <i>et al.</i>	(VPI)