


$f_1(1420)$ $I^G(J^{PC}) = 0^+(1^{++})$ See the minireview under $\eta(1440)$. **$f_1(1420)$ MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
1426.3 ± 1.1 OUR AVERAGE				Error includes scale factor of 1.3. See the ideogram below.
1426 \pm 1		BARBERIS	97C OMEG	$450 p p \rightarrow p p K_S^0 K^\pm \pi^\mp$
1425 \pm 8		BERTIN	97 OBLX	$0.0 \bar{p} p \rightarrow K^\pm (K^0) \pi^\mp \pi^+ \pi^-$
1435 \pm 9		PROKOSHIN	97B GAM4	$100 \pi^- p \rightarrow \eta \pi^0 \pi^0 n$
1430 \pm 4		¹ ARMSTRONG	92E OMEG	$85,300 \pi^+ p, p p \rightarrow \pi^+ p, p p (K\bar{K}\pi)$
1462 \pm 20		² AUGUSTIN	92 DM2	$J/\psi \rightarrow \gamma K\bar{K}\pi$
1443 $\begin{array}{l} +7 \\ -6 \end{array}$ $\begin{array}{l} +3 \\ -2 \end{array}$	1100	BAI	90C MRK3	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$
1425 \pm 10	17	BEHREND	89 CELL	$\gamma\gamma \rightarrow K_S^0 K^\pm \pi^\mp$
1442 \pm 5 $\begin{array}{l} +10 \\ -17 \end{array}$	111	BECKER	87 MRK3	$e^+ e^-, \omega K\bar{K}\pi$
1423 \pm 4		GIDAL	87B MRK2	$e^+ e^- \rightarrow e^+ e^- K\bar{K}\pi$
1417 \pm 13	13	AIHARA	86C TPC	$e^+ e^- \rightarrow e^+ e^- K\bar{K}\pi$
1422 \pm 3		CHAUVAT	84 SPEC	ISR 31.5 $p p$
1440 \pm 10		³ BROMBERG	80 SPEC	$100 \pi^- p \rightarrow K\bar{K}\pi X$
1426 \pm 6	221	DIONISI	80 HBC	$4 \pi^- p \rightarrow K\bar{K}\pi n$
1420 \pm 20		DAHL	67 HBC	$1.6-4.2 \pi^- p$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1430.8 \pm 0.9		⁴ SOSA	99 SPEC	$p p \rightarrow p_{\text{slow}} (K_S^0 K^+ \pi^-) p_{\text{fast}}$
1433.4 \pm 0.8		⁴ SOSA	99 SPEC	$p p \rightarrow p_{\text{slow}} (K_S^0 K^- \pi^+) p_{\text{fast}}$
1429 \pm 3	389	ARMSTRONG	89 OMEG	$300 p p \rightarrow K\bar{K}\pi p p$
1425 \pm 2	1520	ARMSTRONG	84 OMEG	$85 \pi^+ p, p p \rightarrow (\pi^+, p)(K\bar{K}\pi) p$
~ 1420		BITYUKOV	84 SPEC	$32 K^- p \rightarrow K^+ K^- \pi^0 Y$

¹ This result supersedes ARMSTRONG 84, ARMSTRONG 89.² From fit to the $K^*(892) K 1^{++}$ partial wave.³ Mass error increased to account for $a_0(980)$ mass cut uncertainties.⁴ No systematic error given.



$f_1(1420)$ mass (MeV)

$f_1(1420)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
55.5± 2.9 OUR AVERAGE				
58 ± 4		BARBERIS	97C OMEG	450 $p p \rightarrow p p K_S^0 K^\pm \pi^\mp$
45 ± 10		BERTIN	97 OBLX	0.0 $\bar{p} p \rightarrow K^\pm (K^0) \pi^\mp \pi^+ \pi^-$
90 ± 25		PROKOSHIN	97B GAM4	100 $\pi^- p \rightarrow \eta \pi^0 \pi^0 n$
58 ± 10		ARMSTRONG	92E OMEG	85,300 $\pi^+ p$, $p p \rightarrow \pi^+ p$, $p p (K\bar{K}\pi)$
129 ± 41		AUGUSTIN	92 DM2	$J/\psi \rightarrow \gamma K\bar{K}\pi$
68 ± 29	1100	BAI	90C MRK3	$J/\psi \rightarrow \gamma K_S^0 K^\pm \pi^\mp$
42 ± 22	17	BEHREND	89 CELL	$\gamma\gamma \rightarrow K_S^0 K^\pm \pi^\mp$
40 ± 17	111	BECKER	87 MRK3	$e^+ e^- \rightarrow \omega K\bar{K}\pi$
35 ± 47	13	AIHARA	86C TPC	$e^+ e^- \rightarrow e^+ e^- K\bar{K}\pi$
47 ± 10		CHAUVAT	84 SPEC	ISR 31.5 $p p$
62 ± 14		BROMBERG	80 SPEC	100 $\pi^- p \rightarrow K\bar{K}\pi X$
40 ± 15	221	DIONISI	80 HBC	4 $\pi^- p \rightarrow K\bar{K}\pi n$
60 ± 20		DAHL	67 HBC	1.6–4.2 $\pi^- p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

68.7 ± 2.9	⁷ SOSA	99	SPEC	$pp \rightarrow p_{\text{slow}} (K_S^0 K^+ \pi^-) p_{\text{fast}}$
58.8 ± 3.3	⁷ SOSA	99	SPEC	$pp \rightarrow p_{\text{slow}} (K_S^0 K^- \pi^+) p_{\text{fast}}$
58 ± 8	389	ARMSTRONG	89	OMEG
62 ± 5	1520	ARMSTRONG	84	OMEG
~ 50		BITYUKOV	84	SPEC
			32	$K^- p \rightarrow K^+ K^- \pi^0 Y$

⁵ This result supersedes ARMSTRONG 84, ARMSTRONG 89.

⁶ From fit to the $K^*(892) K^- \pi^+$ partial wave.

⁷ No systematic error given.

$f_1(1420)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 K \bar{K} \pi$	dominant
$\Gamma_2 K \bar{K}^*(892) + \text{c.c.}$	dominant
$\Gamma_3 \eta \pi \pi$	possibly seen
$\Gamma_4 a_0(980) \pi$	
$\Gamma_5 \pi \pi \rho$	
$\Gamma_6 4\pi$	
$\Gamma_7 \rho^0 \gamma$	
$\Gamma_8 \phi \gamma$	seen

$f_1(1420) \Gamma(i) \Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(K \bar{K} \pi) \times / \Gamma_{\text{total}}$	$\Gamma_1 \Gamma_0 / \Gamma$			
VALUE (keV)	CL%	DOCUMENT ID	TECN	COMMENT
1.7 ± 0.4 OUR AVERAGE				
$3.0 \pm 0.9 \pm 0.7$		8,9 BEHREND	89 CELL	$e^+ e^- \rightarrow e^+ e^- K_S^0 K \pi$
$2.3^{+1.0}_{-0.9} \pm 0.8$		HILL	89 JADE	$e^+ e^- \rightarrow e^+ e^- K^\pm K_S^0 \pi^\mp$
$1.3 \pm 0.5 \pm 0.3$		AIHARA	88B TPC	$e^+ e^- \rightarrow e^+ e^- K^\pm K_S^0 \pi^\mp$
$1.6 \pm 0.7 \pm 0.3$		8,10 GIDAL	87B MRK2	$e^+ e^- \rightarrow e^+ e^- K \bar{K} \pi$

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 8.0 95 JENNI 83 MRK2 $e^+ e^- \rightarrow e^+ e^- K \bar{K} \pi$

⁸ Assume a ρ -pole form factor.

⁹ A ϕ - pole form factor gives considerably smaller widths.

¹⁰ Published value divided by 2.

$f_1(1420)$ BRANCHING RATIOS **$\Gamma(K\bar{K}^*(892)+c.c.)/\Gamma(K\bar{K}\pi)$**

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_2/Γ_1
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.76 ± 0.06	BROMBERG 80	SPEC	$100 \pi^- p \rightarrow K\bar{K}\pi X$	
0.86 ± 0.12	DIONISI 80	HBC	$4 \pi^- p \rightarrow K\bar{K}\pi n$	

 $\Gamma(\pi\pi\rho)/\Gamma(K\bar{K}\pi)$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_5/Γ_1
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.3	95	CORDEN 78	OMEG	$12\text{--}15 \pi^- p$	
<2.0		DAHL 67	HBC	$1.6\text{--}4.2 \pi^- p$	

 $\Gamma(\eta\pi\pi)/\Gamma(K\bar{K}\pi)$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_3/Γ_1
<0.1					
<0.1	95	ARMSTRONG 91B	OMEG	$300 pp \rightarrow pp\eta\pi^+\pi^-$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1.35 ± 0.75		KOPKE 89	MRK3	$J/\psi \rightarrow \omega\eta\pi\pi(K\bar{K}\pi)$	
<0.6	90	GIDAL 87	MRK2	$e^+e^- \rightarrow e^+e^-\eta\pi^+\pi^-$	
<0.5	95	CORDEN 78	OMEG	$12\text{--}15 \pi^- p$	
1.5 ± 0.8		DEFOIX 72	HBC	$0.7 \bar{p}p \rightarrow 7\pi$	

 $\Gamma(a_0(980)\pi)/\Gamma(\eta\pi\pi)$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_4/Γ_3
>0.1					
>0.1	90	PROKOSHIN 97B	GAM4	$100 \pi^- p \rightarrow \eta\pi^0\pi^0n$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
not seen in either mode		ANDO 86	SPEC	$8 \pi^- p$	
not seen in either mode		CORDEN 78	OMEG	$12\text{--}15 \pi^- p$	
0.4 ± 0.2		DEFOIX 72	HBC	$0.7 \bar{p}p \rightarrow 7\pi$	

 $\Gamma(4\pi)/\Gamma(K\bar{K}^*(892)+c.c.)$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_6/Γ_2
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.90	95	DIONISI 80	HBC	$4 \pi^- p$	

 $\Gamma(K\bar{K}\pi)/[\Gamma(K\bar{K}^*(892)+c.c.) + \Gamma(a_0(980)\pi)]$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	$\Gamma_1/(\Gamma_2+\Gamma_4)$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.65 ± 0.27	¹¹ DIONISI 80	HBC	$4 \pi^- p$	

¹¹ Calculated using $\Gamma(K\bar{K})/\Gamma(\eta\pi) = 0.24 \pm 0.07$ for $a_0(980)$ fractions.

 $\Gamma(a_0(980)\pi)/\Gamma(K\bar{K}^*(892)+c.c.)$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_4/Γ_2
0.04 ± 0.01 ± 0.01					
		BARBERIS 98C	OMEG	$450 pp \rightarrow p_f f_1(1420) p_s$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.04	68	ARMSTRONG 84	OMEG	$85 \pi^+ p$	

$\Gamma(4\pi)/\Gamma(K\bar{K}\pi)$

<u>VALUE</u>	<u>CL%</u>
<0.62	95

 Γ_6/Γ_1

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
ARMSTRONG 89G	OMEG	85 $\pi p \rightarrow 4\pi X$

 $\Gamma(\rho^0\gamma)/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>CL%</u>
<0.08	95

 Γ_7/Γ

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
12 ARMSTRONG 92C	SPEC	300 $p p \rightarrow p p \pi^+ \pi^- \gamma$

12 Using the data on the $K\bar{K}\pi$ mode from ARMSTRONG 89. $\Gamma(\rho^0\gamma)/\Gamma(K\bar{K}\pi)$

<u>VALUE</u>	<u>CL%</u>
<0.02	95

 Γ_7/Γ_1

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BARBERIS 98C	OMEG	450 $p p \rightarrow p_f f_1(1420) p_s$

 $\Gamma(\phi\gamma)/\Gamma(K\bar{K}\pi)$

<u>VALUE</u>
0.003 ± 0.001 ± 0.001

 Γ_8/Γ_1

<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
BARBERIS 98C	OMEG	450 $p p \rightarrow p_f f_1(1420) p_s$

f₁(1420) REFERENCES

SOSA 99	PRL 83 913	M. Sosa <i>et al.</i>
BARBERIS 98C	PL B440 225	D. Barberis <i>et al.</i> (WA 102 Collab.)
BARBERIS 97C	PL B413 225	D. Barberis <i>et al.</i> (WA 102 Collab.)
BERTIN 97	PL B400 226	A. Bertin <i>et al.</i> (OBELIX Collab.)
PROKOSHKIN 97B	SPD 42 298	Yu.D. Prokoshkin, S.A. Sadovsky
	Translated from DANS 354 751.	
ARMSTRONG 92C	ZPHY C54 371	T.A. Armstrong <i>et al.</i> (ATHU, BARI, BIRM+)
ARMSTRONG 92E	ZPHY C56 29	T.A. Armstrong <i>et al.</i> (ATHU, BARI, BIRM+) JPC
AUGUSTIN 92	PR D46 1951	J.E. Augustin, G. Cosme (DM2 Collab.)
ARMSTRONG 91B	ZPHY C52 389	T.A. Armstrong <i>et al.</i> (ATHU, BARI, BIRM+)
BAI 90C	PRL 65 2507	Z. Bai <i>et al.</i> (Mark III Collab.)
ARMSTRONG 89	PL B221 216	T.A. Armstrong <i>et al.</i> (CERN, CDEF, BIRM+) JPC
ARMSTRONG 89G	ZPHY C43 55	T.A. Armstrong <i>et al.</i> (CERN, BIRM, BARI+)
BEHREND 89	ZPHY C42 367	H.J. Behrend <i>et al.</i> (CELLO Collab.)
HILL 89	ZPHY C42 355	P. Hill <i>et al.</i> (JADE Collab.) JP
KOPKE 89	PRPL 174 67	L. Kopke <i>et al.</i> (CERN)
AIHARA 88B	PL B209 107	H. Aihara <i>et al.</i> (TPC-2 γ Collab.)
BECKER 87	PRL 59 186	J.J. Becker <i>et al.</i> (Mark III Collab.) JP
GIDAL 87	PRL 59 2012	G. Gidal <i>et al.</i> (LBL, SLAC, HARV)
GIDAL 87B	PRL 59 2016	G. Gidal <i>et al.</i> (LBL, SLAC, HARV)
AIHARA 86C	PRL 57 2500	H. Aihara <i>et al.</i> (TPC-2 γ Collab.) JP
ANDO 86	PRL 57 1296	A. Ando <i>et al.</i> (KEK, KYOT, NIR, SAGA+)
ARMSTRONG 84	PL 146B 273	T.A. Armstrong <i>et al.</i> (ATHU, BARI, BIRM+) JP
BITYUKOV 84	SJNP 39 735	S. Bityukov <i>et al.</i> (SERP)
	Translated from YAF 39 1165.	
CHAUVAT 84	PL 148B 382	P. Chauvat <i>et al.</i> (CERN, CLER, UCLA+)
JENNI 83	PR D27 1031	P. Jenni <i>et al.</i> (SLAC, LBL)
BROMBERG 80	PR D22 1513	C.M. Bromberg <i>et al.</i> (CIT, FNAL, ILLC+)
DIONISI 80	NP B169 1	C. Dionisi <i>et al.</i> (CERN, MADR, CDEF+) IJP
CORDEN 78	NP B144 253	M.J. Corden <i>et al.</i> (BIRM, RHEL, TELA+)
DEFOIX 72	NP B44 125	C. Defoix <i>et al.</i> (CDEF, CERN)
DAHL 67	PR 163 1377	O.I. Dahl <i>et al.</i> (LRL) IJP
Also	65 PRL 14 1074	D.H. Miller <i>et al.</i> (LRL, UCB)

— OTHER RELATED PAPERS —

GODFREY	99	RMP 71 1411	S. Godfrey, J. Napolitano
PROKOSHKIN	99	PAN 62 356	Yu.D. Prokoshkin
		Translated from YAF 62 396.	
IIZUKA	91	PTP 86 885	J. Iizuka, H. Koibuchi (NAGO)
ISHIDA	89	PTP 82 119	S. Ishida <i>et al.</i> (NIHO)
AIHARA	88C	PR D38 1	H. Aihara <i>et al.</i> (TPC-2 γ Collab.) JPC
BITYUKOV	88	PL B203 327	S.I. Bityukov <i>et al.</i> (SERP)
PROTOPOP...	87B	Hadron 87 Conf.	S.D. Protopopescu, S.U. Chung (BNL)