

**$\rho(770)$**  $I^G(J^{PC}) = 1^+(1^{--})$ 

A REVIEW GOES HERE – Check our WWW List of Reviews

 **$\rho(770)$  MASS**

We no longer list  $S$ -wave Breit-Wigner fits, or data with high combinatorial background.

**MIXED CHARGES**

VALUE (MeV)	DOCUMENT ID
-------------	-------------

 **$775.0 \pm 1.0$  OUR ESTIMATE**

**$775.9 \pm 0.5$  OUR NEW AVERAGE** Includes data from the datablock that follows this one.  
[ $771.1 \pm 0.9$  MeV OUR 2002 AVERAGE Scale factor = 2.6]

**MIXED CHARGES,  $\tau$  DECAYS and  $e^+ e^-$** 

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

 **$775.9 \pm 0.5$  OUR AVERAGE**

$775.8 \pm 0.9$	$\pm 2.0$	500k	ACHASOV	02	SND	0	$1.02 e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
$776.09 \pm 0.64$	$\pm 0.50$	114k	<sup>1</sup> AKHMETSHIN	02	CMD2		$e^+ e^- \rightarrow \pi^+ \pi^-$
$775.1 \pm 1.1$	$\pm 0.5$	87k	2,3 ANDERSON	00A	CLE2		$\tau^- \rightarrow \pi^- \pi^0 \nu_\tau$
$776.4 \pm 0.9$	$\pm 1.5$		3 BARATE	97M	ALEP		$\tau^- \rightarrow \pi^- \pi^0 \nu_\tau$
$775.9 \pm 1.1$			<sup>4</sup> BARKOV	85	OLYA	0	$e^+ e^- \rightarrow \pi^+ \pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •							
$774.5 \pm 0.7$	$\pm 1.5$	500k	<sup>5</sup> ACHASOV	02	SND	$\pm$	$1.02 e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
$775.0 \pm 0.6$	$\pm 1.1$	500k	<sup>6</sup> ACHASOV	02	SND		$1.02 e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
$775.1 \pm 0.5$			<sup>7</sup> PICH	01	RVUE		$\tau^- \rightarrow \pi^- \pi^0 \nu_\tau$
$775.1 \pm 0.7$	$\pm 5.3$		<sup>8</sup> BENAYOUN	98	RVUE		$e^+ e^- \rightarrow \pi^+ \pi^-$ , $\mu^+ \mu^-$
$770.5 \pm 1.9$	$\pm 5.1$		<sup>9</sup> GARDNER	98	RVUE		$0.28-0.92 e^+ e^- \rightarrow \pi^+ \pi^-$
$764.1 \pm 0.7$			<sup>10</sup> O'CONNELL	97	RVUE		$e^+ e^- \rightarrow \pi^+ \pi^-$
$757.5 \pm 1.5$			<sup>11</sup> BERNICHA	94	RVUE		$e^+ e^- \rightarrow \pi^+ \pi^-$
$768 \pm 1$			<sup>12</sup> GESHKEN...	89	RVUE		$e^+ e^- \rightarrow \pi^+ \pi^-$

**MIXED CHARGES, OTHER REACTIONS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

**$763.0 \pm 0.3 \pm 1.2$**       600k      <sup>13</sup> ABELE      99E CBAR       $0 \pm$        $0.0 \bar{p} p \rightarrow \pi^+ \pi^- \pi^0$

## CHARGED ONLY, HADROPRODUCED

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
<b>766.5±1.1 OUR AVERAGE</b>					
763.7±3.2		ABELE	97	CBAR	$\bar{p}n \rightarrow \pi^- \pi^0 \pi^0$
768 ± 9		AGUILAR-...	91	EHS	400 $p p$
767 ± 3	2935	<sup>14</sup> CAPRARO	87	SPEC	—
761 ± 5	967	<sup>14</sup> CAPRARO	87	SPEC	—
771 ± 4		HUSTON	86	SPEC	+
766 ± 7	6500	<sup>15</sup> BYERLY	73	OSPK	—
766.8±1.5	9650	<sup>16</sup> PISUT	68	RVUE	—
767 ± 6	900	<sup>14</sup> EISNER	67	HBC	—


## NEUTRAL ONLY, PHOTOPRODUCED

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
<b>768.5± 1.1 OUR AVERAGE</b>					
770 ± 2 ± 1	79k	<sup>17</sup> BREITWEG	98B	ZEUS	0
767.6± 2.7		BARTALUCCI	78	CNTR	0
775 ± 5		GLADDING	73	CNTR	0
767 ± 4	1930	BALLAM	72	HBC	0
770 ± 4	2430	BALLAM	72	HBC	0
765 ± 10		ALVENSLEB...	70	CNTR	0
767.7± 1.9	140k	BIGGS	70	CNTR	0
765 ± 5	4000	ASBURY	67B	CNTR	0
• • • We do not use the following data for averages, fits, limits, etc. • • •					
771 ± 2	79k	<sup>18</sup> BREITWEG	98B	ZEUS	0
50–100 $\gamma p$					
$\gamma p \rightarrow e^+ e^- p$					
2.9–4.7 $\gamma p$					
2.8 $\gamma p$					
4.7 $\gamma p$					
$\gamma A, t < 0.01$					
<4.1 $\gamma C \rightarrow \pi^+ \pi^- C$					
$\gamma + Pb$					
50–100 $\gamma p$					

## NEUTRAL ONLY, OTHER REACTIONS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
<b>769.0±0.9 OUR AVERAGE</b>					
Error includes scale factor of 1.4. See the ideogram below.					
765 ± 6		BERTIN	97C	OBLX	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
773 ± 1.6		WEIDENAUER	93	ASTE	$\bar{p}p \rightarrow \pi^+ \pi^- \omega$
762.6±2.6		AGUILAR-...	91	EHS	400 $p p$
770 ± 2		<sup>19</sup> HEYN	81	RVUE	Pion form factor
768 ± 4		20,21 BOHACIK	80	RVUE	0
769 ± 3		<sup>15</sup> WICKLUND	78	ASPK	0
768 ± 1	76000	DEUTSCH...	76	HBC	16 $\pi^+ p$
767 ± 4	4100	ENGLER	74	DBC	6 $\pi^+ n \rightarrow \pi^+ \pi^- p$
775 ± 4	32000	<sup>20</sup> PROTOPOP...	73	HBC	7.1 $\pi^+ p, t < 0.4$
764 ± 3	6800	RATCLIFF	72	ASPK	15 $\pi^- p, t < 0.3$
774 ± 3	1700	REYNOLDS	69	HBC	2.26 $\pi^- p$
769.2±1.5	13300	<sup>22</sup> PISUT	68	RVUE	1.7–3.2 $\pi^- p, t < 10$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
773.5±2.5		<sup>23</sup> COLANGELO	01	RVUE	$\pi\pi \rightarrow \pi\pi$
762.3±0.5±1.2	600k	<sup>24</sup> ABELE	99E	CBAR	0
777 ± 2	4943	<sup>25</sup> ADAMS	97	E665	470 $\mu p \rightarrow \mu XB$
770 ± 2		<sup>26</sup> BOGOLYUB...	97	MIRA	32 $\bar{p}p \rightarrow \pi^+ \pi^- X$
768 ± 8		<sup>26</sup> BOGOLYUB...	97	MIRA	32 $p p \rightarrow \pi^+ \pi^- X$

761.1±2.9	DUBNICKA 27 CHABAUD 20,21 LANG 21 ESTABROOKS 14 JACOBS 770 ± 9	89 83 79 74 72 68	RVUE ASPK RVUE RVUE HBC OSPK	0 0 0 0 0 0	$\pi$ form factor $17 \pi^- p$ polarized $17 \pi^- p \rightarrow \pi^+ \pi^- n$ $2.8 \pi^- p$ $11.2 \pi^- p$
777.4±2.0					
769.5±0.7					
773.5±1.7	11200				
775 ± 3	2250				



### $\rho(770)^0$ mass (MeV)

- 1 Using the GOUNARIS 68 parameterization with the complex phase of the  $\rho$ - $\omega$  interference.
- 2  $\rho(1700)$  mass and width fixed at 1700 MeV and 235 MeV respectively.
- 3 From the GOUNARIS 68 parametrization of the pion form factor. The second error is a model error taking into account different parametrizations of the pion form factor.
- 4 From the GOUNARIS 68 parametrization of the pion form factor.
- 5 Not independent of ACHASOV 02 measurements of  $m_{\rho^0}$  and  $m_{\rho^0 - m_{\rho^\pm}}$ .
- 6 Assuming  $m_{\rho^\pm} = m_{\rho^0}$ .
- 7 From a fit of the model-independent parameterization of the pion form factor to the data of BARATE 97M.
- 8 Using the data of BARKOV 85 in the hidden local symmetry model.
- 9 From the fit to  $e^+ e^- \rightarrow \pi^+ \pi^-$  data from the compilations of HEYN 81 and BARKOV 85, including the GOUNARIS 68 parametrization of the pion form factor.
- 10 A fit of BARKOV 85 data assuming the direct  $\omega \pi \pi$  coupling.
- 11 Applying the S-matrix formalism to the BARKOV 85 data.
- 12 Includes BARKOV 85 data. Model-dependent width definition.
- 13 Assuming the equality of  $\rho^+$  and  $\rho^-$  masses and widths.
- 14 Mass errors enlarged by us to  $\Gamma/\sqrt{N}$ ; see the note with the  $K^*(892)$  mass.
- 15 Phase shift analysis. Systematic errors added corresponding to spread of different fits.

- 16 From fit of 3-parameter relativistic  $P$ -wave Breit-Wigner to total mass distribution. Includes BATON 68, MILLER 67B, ALFF-STEINBERGER 66, HAGOPIAN 66, HAGOPIAN 66B, JACOBS 66B, JAMES 66, WEST 66, BLIEDEN 65 and CARMONY 64.  
 17 From the parametrization according to SOEDING 66.  
 18 From the parametrization according to ROSS 66.  
 19 HEYN 81 includes all spacelike and timelike  $F_\pi$  values until 1978.  
 20 From pole extrapolation.  
 21 From phase shift analysis of GRAYER 74 data.  
 22 Includes MALAMUD 69, ARMENISE 68, BACON 67, HUWE 67, MILLER 67B, ALFF-STEINBERGER 66, HAGOPIAN 66, HAGOPIAN 66B, JACOBS 66B, JAMES 66, WEST 66, GOLDHABER 64, ABOLINS 63.  
 23 Breit-Wigner mass from a phase-shift analysis of HYAMS 73 and PROTOPOPESCU 73 data.  
 24 Using relativistic Breit-Wigner and taking into account  $\rho$ - $\omega$  interference.  
 25 Systematic errors not evaluated.  
 26 Systematic effects not studied.  
 27 From fit of 3-parameter relativistic Breit-Wigner to helicity-zero part of  $P$ -wave intensity. CHABAUD 83 includes data of GRAYER 74.

### $m_{\rho(770)^0} - m_{\rho(770)^{\pm}}$

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
<b>0.5±0.7 OUR AVERAGE</b>					
1.3±1.1±2.0	500k	ACHASOV	02 SND		1.02 $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$
1.6±0.6±1.7	600k	ABELE	99E CBAR	0±	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
0.0±1.0	30 BARATE	97M ALEP			$\tau^- \rightarrow \pi^- \pi^0 \nu_\tau$
-4 ±4	28 REYNOLDS	69 HBC	-0		2.26 $\pi^- p$
-5 ±5	28 FOSTER	68 HBC	±0		0.0 $\bar{p}p$
2.4±2.1	22950 PISUT	68 RVUE			$\pi N \rightarrow \rho N$

- 28 From quoted masses of charged and neutral modes.  
 29 Includes MALAMUD 69, ARMENISE 68, BATON 68, BACON 67, HUWE 67, MILLER 67B, ALFF-STEINBERGER 66, HAGOPIAN 66, HAGOPIAN 66B, JACOBS 66B, JAMES 66, WEST 66, BLIEDEN 65, CARMONY 64, GOLDHABER 64, ABOLINS 63.  
 30 Using the compilation of  $e^+ e^-$  data from BARKOV 85.

### $\rho(770)$ RANGE PARAMETER

The range parameter  $R$  enters an energy-dependent correction to the width, of the form  $(1 + q_r^2 R^2) / (1 + q^2 R^2)$ , where  $q$  is the momentum of one of the pions in the  $\pi\pi$  rest system. At resonance,  $q = q_r$ .

VALUE (GeV $^{-1}$ )	DOCUMENT ID	TECN	CHG	COMMENT
<b>5.3<math>^{+0.9}_{-0.7}</math></b>	CHABAUD 83 ASPK	0		17 $\pi^- p$ polarized

## $\rho(770)$ WIDTH

We no longer list  $S$ -wave Breit-Wigner fits, or data with high combinatorial background.

### MIXED CHARGES

VALUE (MeV)	DOCUMENT ID
-------------	-------------

**150.0 $\pm$ 2.0 OUR ESTIMATE**

**150.4 $\pm$ 1.3 OUR NEW AVERAGE** Includes data from the datablock that follows this one.  
[149.2  $\pm$  0.7 MeV OUR 2002 AVERAGE Scale factor = 1.1]

### MIXED CHARGES, $\tau$ DECAYS and $e^+e^-$

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

#### 150.4 $\pm$ 1.3 OUR FIT

**150.4  $\pm$ 1.3 OUR NEW AVERAGE** [147.9  $\pm$  1.3 MeV OUR 2002 AVERAGE Scale factor = 1.3]

151.1 $\pm$ 2.6	$\pm$ 3.0	500k	ACHASOV	02	SND	0	$1.02 e^+e^- \rightarrow \pi^+\pi^-\pi^0$
149.9 $\pm$ 2.3	$\pm$ 2.0	500k	ACHASOV	02	SND	$\pm$	$1.02 e^+e^- \rightarrow \pi^+\pi^-\pi^0$
150.4 $\pm$ 1.4	$\pm$ 1.4	87k	31,32 ANDERSON	00A	CLE2		$\tau^- \rightarrow \pi^-\pi^0\nu_\tau$
150.5 $\pm$ 1.6	$\pm$ 6.3		32 BARATE	97M	ALEP		$\tau^- \rightarrow \pi^-\pi^0\nu_\tau$
150.5 $\pm$ 3.0			33 BARKOV	85	OLYA	0	$e^+e^- \rightarrow \pi^+\pi^-$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>							
149.8 $\pm$ 2.2	$\pm$ 2.0	500k	34 ACHASOV	02	SND		$1.02 e^+e^- \rightarrow \pi^+\pi^-\pi^0$
150.9 $\pm$ 2.2	$\pm$ 2.0	500k	34 ACHASOV	02	SND		$1.02 e^+e^- \rightarrow \pi^+\pi^-\pi^0$
144.46 $\pm$ 1.33 $\pm$ 0.80	114k	35,36 AKHMETSHIN	02	CMD2			$e^+e^- \rightarrow \pi^+\pi^-$
147.9 $\pm$ 1.5	$\pm$ 7.5		37 BENAYOUN	98	RVUE		$e^+e^- \rightarrow \pi^+\pi^-, \mu^+\mu^-$
153.5 $\pm$ 1.3	$\pm$ 4.6		38 GARDNER	98	RVUE		$0.28-0.92 e^+e^- \rightarrow \pi^+\pi^-$
145.0 $\pm$ 1.7			39 O'CONNELL	97	RVUE		$e^+e^- \rightarrow \pi^+\pi^-$
142.5 $\pm$ 3.5			40 BERNICHA	94	RVUE		$e^+e^- \rightarrow \pi^+\pi^-$
138 $\pm$ 1			41 GESHKEN...	89	RVUE		$e^+e^- \rightarrow \pi^+\pi^-$

### MIXED CHARGES, OTHER REACTIONS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

**149.5 $\pm$ 1.3** 600k 42 ABELE 99E CBAR 0 $\pm$  0.0  $\bar{p}p \rightarrow \pi^+\pi^-\pi^0$

### CHARGED ONLY, HADROPRODUCED

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

**150.2 $\pm$  2.4 OUR FIT**

**150.2 $\pm$  2.4 OUR AVERAGE**

152.8 $\pm$ 4.3		ABELE	97	CBAR	$\bar{p}n \rightarrow \pi^-\pi^0\pi^0$
155 $\pm$ 11	2935	43 CAPRARO	87	SPEC	$200 \pi^-\text{Cu} \rightarrow \pi^-\pi^0\text{Cu}$
154 $\pm$ 20	967	43 CAPRARO	87	SPEC	$200 \pi^-\text{Pb} \rightarrow \pi^-\pi^0\text{Pb}$
150 $\pm$ 5		HUSTON	86	SPEC	$202 \pi^+\text{A} \rightarrow \pi^+\pi^0\text{A}$
146 $\pm$ 12	6500	44 BYERLY	73	OSPK	$5 \pi^- p$
148.2 $\pm$ 4.1	9650	45 PISUT	68	RVUE	$1.7-3.2 \pi^- p, t < 10$
146 $\pm$ 13	900	EISNER	67	HBC	$4.2 \pi^- p, t < 10$

**NEUTRAL ONLY, PHOTOPRODUCED**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
<b>150.7± 2.9 OUR AVERAGE</b>					
146 ± 3	±13	79k	46 BREITWEG	98B ZEUS	0 50–100 $\gamma p$
150.9± 3.0			BARTALUCCI	78 CNTR	0 $\gamma p \rightarrow e^+ e^- p$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
138 ± 3	79k	47 BREITWEG	98B ZEUS	0 50–100 $\gamma p$	
147 ± 11		GLADDING	73 CNTR	0 2.9–4.7 $\gamma p$	
155 ± 12	2430	BALLAM	72 HBC	0 4.7 $\gamma p$	
145 ± 13	1930	BALLAM	72 HBC	0 2.8 $\gamma p$	
140 ± 5		ALVENSLEB...	70 CNTR	0 $\gamma A, t < 0.01$	
146.1± 2.9	140k	BIGGS	70 CNTR	0 <4.1 $\gamma C \rightarrow \pi^+ \pi^- C$	
160 ± 10		LANZEROTTI	68 CNTR	0 $\gamma p$	
130 ± 5	4000	ASBURY	67B CNTR	0 $\gamma + Pb$	

**NEUTRAL ONLY, OTHER REACTIONS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
<b>150.9± 1.7 OUR AVERAGE</b>					
Error includes scale factor of 1.1.					
122 ± 20		BERTIN	97C OBLX	0	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
145.7± 5.3		WEIDENAUER	93 ASTE	0	$\bar{p}p \rightarrow \pi^+ \pi^- \omega$
144.9± 3.7		DUBNICKA	89 RVUE	0	$\pi$ form factor
148 ± 6	48,49	BOHACIK	80 RVUE	0	
152 ± 9	44	WICKLUND	78 ASPK	0	3,4,6 $\pi^\pm p N$
154 ± 2	76000	DEUTSCH...	76 HBC	0	16 $\pi^+ p$
157 ± 8	6800	RATCLIFF	72 ASPK	0	15 $\pi^- p, t < 0.3$
143 ± 8	1700	REYNOLDS	69 HBC	0	2.26 $\pi^- p$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
147.0± 2.5	600k	50 ABELE	99E CBAR	0	0.0 $\bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
146 ± 3	4943	51 ADAMS	97 E665	0	470 $\mu p \rightarrow \mu XB$
160.0 ± 4.1	- 4.0	52 CHABAUD	83 ASPK	0	17 $\pi^- p$ polarized
155 ± 1		53 HEYN	81 RVUE	0	$\pi$ form factor
148.0± 1.3	48,49	LANG	79 RVUE	0	
146 ± 14	4100	ENGLER	74 DBC	0	6 $\pi^+ n \rightarrow \pi^+ \pi^- p$
143 ± 13		49 ESTABROOKS	74 RVUE	0	17 $\pi^- p \rightarrow \pi^+ \pi^- n$
160 ± 10	32000	48 PROTOPOP...	73 HBC	0	7.1 $\pi^+ p, t < 0.4$
145 ± 12	2250	43 HYAMS	68 OSPK	0	11.2 $\pi^- p$
163 ± 15	13300	54 PISUT	68 RVUE	0	1.7–3.2 $\pi^- p, t < 10$

<sup>31</sup>  $\rho(1700)$  mass and width fixed at 1700 MeV and 235 MeV respectively.

<sup>32</sup> From the GOUNARIS 68 parametrization of the pion form factor. The second error is a model error taking into account different parametrizations of the pion form factor.

<sup>33</sup> From the GOUNARIS 68 parametrization of the pion form factor.

<sup>34</sup> Assuming  $g_{\rho^0 \pi \pi} = g_{\rho^\pm \pi \pi}$ .

<sup>35</sup> Using Gounaris-Sakurai parameterization with the complex phase of the  $\rho$ - $\omega$  interference.

<sup>36</sup> From a fit in the energy range 0.61 to 0.96 GeV.

<sup>37</sup> Using the data of BARKOV 85 in the hidden local symmetry model.

<sup>38</sup> From the fit to  $e^+ e^- \rightarrow \pi^+ \pi^-$  data from the compilations of HEYN 81 and BARKOV 85, including the GOUNARIS 68 parametrization of the pion form factor.

<sup>39</sup> A fit of BARKOV 85 data assuming the direct  $\omega \pi \pi$  coupling.

<sup>40</sup> Applying the S-matrix formalism to the BARKOV 85 data.

- 41 Includes BARKOV 85 data. Model-dependent width definition.  
 42 Assuming the equality of  $\rho^+$  and  $\rho^-$  masses and widths.  
 43 Width errors enlarged by us to  $4\Gamma/\sqrt{N}$ ; see the note with the  $K^*(892)$  mass.  
 44 Phase shift analysis. Systematic errors added corresponding to spread of different fits.  
 45 From fit of 3-parameter relativistic  $P$ -wave Breit-Wigner to total mass distribution. Includes BATON 68, MILLER 67B, ALFF-STEINBERGER 66, HAGOPIAN 66, HAGOPIAN 66B, JACOBS 66B, JAMES 66, WEST 66, BLIEDEN 65 and CARMONY 64.  
 46 From the parametrization according to SOEDING 66.  
 47 From the parametrization according to ROSS 66.  
 48 From pole extrapolation.  
 49 From phase shift analysis of GRAYER 74 data.  
 50 Using relativistic Breit-Wigner and taking into account  $\rho$ - $\omega$  interference.  
 51 Systematic errors not evaluated.  
 52 From fit of 3-parameter relativistic Breit-Wigner to helicity-zero part of  $P$ -wave intensity. CHABAUD 83 includes data of GRAYER 74.  
 53 HEYN 81 includes all spacelike and timelike  $F_\pi$  values until 1978.  
 54 Includes MALAMUD 69, ARMENISE 68, BACON 67, HUWE 67, MILLER 67B, ALFF-STEINBERGER 66, HAGOPIAN 66, HAGOPIAN 66B, JACOBS 66B, JAMES 66, WEST 66, GOLDHABER 64, ABOLINS 63.
- 

 **$\Gamma_{\rho(770)^0} - \Gamma_{\rho(770)^\pm}$** 

VALUE	DOCUMENT ID	TECN	COMMENT
<b><math>-0.1 \pm 1.9</math></b>	55 BARATE	97M ALEP	$\tau^- \rightarrow \pi^- \pi^0 \nu_\tau$

55 Using the compilation of  $e^+ e^-$  data from BARKOV 85. **$\rho(770)$  DECAY MODES**

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level
$\Gamma_1 \pi\pi$	$\sim 100$	%
<b><math>\rho(770)^\pm</math> decays</b>		
$\Gamma_2 \pi^\pm \pi^0$	$\sim 100$	%
$\Gamma_3 \pi^\pm \gamma$	$( 4.5 \pm 0.5 ) \times 10^{-4}$	S=2.2
$\Gamma_4 \pi^\pm \eta$	$< 6 \times 10^{-3}$	CL=84%
$\Gamma_5 \pi^\pm \pi^+ \pi^- \pi^0$	$< 2.0 \times 10^{-3}$	CL=84%
<b><math>\rho(770)^0</math> decays</b>		
$\Gamma_6 \pi^+ \pi^-$	$\sim 100$	%
$\Gamma_7 \pi^+ \pi^- \gamma$	$( 9.9 \pm 1.6 ) \times 10^{-3}$	
$\Gamma_8 \pi^0 \gamma$	$( 6.2 \pm 1.3 ) \times 10^{-4}$	S=1.1
$\Gamma_9 \eta \gamma$	$( 3.1 \pm 0.4 ) \times 10^{-4}$	S=1.4
$\Gamma_{10} \pi^0 \pi^0 \gamma$	$( 4.1 \pm 1.0 ) \times 10^{-5}$	
$\Gamma_{11} \mu^+ \mu^-$	[a] $( 4.60 \pm 0.28 ) \times 10^{-5}$	
$\Gamma_{12} e^+ e^-$	[a] $( 4.48 \pm 0.21 ) \times 10^{-5}$	
$\Gamma_{13} \pi^+ \pi^- \pi^0$	$< 1.2 \times 10^{-4}$	CL=90%
$\Gamma_{14} \pi^+ \pi^- \pi^+ \pi^-$	$( 1.8 \pm 0.9 ) \times 10^{-5}$	
$\Gamma_{15} \pi^+ \pi^- \pi^0 \pi^0$	$< 4 \times 10^{-5}$	CL=90%

- [a] The  $\omega\rho$  interference is then due to  $\omega\rho$  mixing only, and is expected to be small. If  $e\mu$  universality holds,  $\Gamma(\rho^0 \rightarrow \mu^+ \mu^-) = \Gamma(\rho^0 \rightarrow e^+ e^-) \times 0.99785$ .
- 

## CONSTRAINED FIT INFORMATION

An overall fit to the total width and a partial width uses 10 measurements and one constraint to determine 3 parameters. The overall fit has a  $\chi^2 = 10.7$  for 8 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta p_i \delta p_j \rangle / (\delta p_i \cdot \delta p_j)$ , in percent, from the fit to parameters  $p_i$ , including the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

$$\begin{matrix} & x_3 \\ \Gamma & \begin{bmatrix} -100 \\ 15 & -15 \\ x_2 & x_3 \end{bmatrix} \end{matrix}$$

	Mode	Rate (MeV)	Scale factor
$\Gamma_2$	$\pi^\pm \pi^0$	150.2 $\pm$ 2.4	
$\Gamma_3$	$\pi^\pm \gamma$	0.068 $\pm$ 0.007	2.3

---

## CONSTRAINED FIT INFORMATION

An overall fit to the total width, a partial width, and 4 branching ratios uses 13 measurements and one constraint to determine 6 parameters. The overall fit has a  $\chi^2 = 5.0$  for 8 degrees of freedom.


The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta p_i \delta p_j \rangle / (\delta p_i \cdot \delta p_j)$ , in percent, from the fit to parameters  $p_i$ , including the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

$x_8$	-96				
$x_9$	-35 8				
$x_{11}$	-2	0	0		
$x_{12}$	29	-22	-36	0	
$\Gamma$	-6	4	7	0	-19
	$x_6$	$x_8$	$x_9$	$x_{11}$	$x_{12}$

	Mode	Rate (MeV)		Scale factor
$\Gamma_6$	$\pi^+ \pi^-$	150.3	$\pm 1.3$	
$\Gamma_8$	$\pi^0 \gamma$	0.093	$\pm 0.020$	1.1
$\Gamma_9$	$\eta \gamma$	0.046	$\pm 0.006$	1.4
$\Gamma_{11}$	$\mu^+ \mu^-$	[a]	0.0069 $\pm 0.0004$	
$\Gamma_{12}$	$e^+ e^-$	[a]	0.00674 $\pm 0.00032$	

## $\rho(770)$ PARTIAL WIDTHS

$\Gamma(\pi^\pm \gamma)$		$\Gamma_3$
<i>VALUE (keV)</i>	<i>DOCUMENT ID</i>	<i>TECN</i> <i>CHG</i> <i>COMMENT</i>
<b>68 <math>\pm 7</math> OUR FIT</b>	Error includes scale factor of 2.3.	
<b>68 <math>\pm 7</math> OUR AVERAGE</b>	Error includes scale factor of 2.2. See the ideogram below.	
81 $\pm 4$ $\pm 4$	CAPRARO    87    SPEC    -	$200 \pi^- A \rightarrow \pi^- \pi^0 A$
59.8 $\pm 4.0$	HUSTON    86    SPEC    +	$202 \pi^+ A \rightarrow \pi^+ \pi^0 A$
71 $\pm 7$	JENSEN    83    SPEC    -	$156-260 \pi^- A \rightarrow \pi^- \pi^0 A$



$$\Gamma(\pi^\pm \gamma) \text{ (keV)}$$

### $\Gamma(e^+ e^-)$

$\Gamma_{12}$

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>6.74±0.32 OUR NEW UNCHECKED FIT</b>		[6.85 ± 0.11 keV OUR 2002 FIT]		
<b>6.77±0.32 OUR NEW AVERAGE</b>		[6.85 ± 0.11 keV OUR 2002 AVERAGE]		
<b>6.77±0.10±0.30</b>		BARKOV 85	OLYA	$e^+ e^- \rightarrow \pi^+ \pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
6.86±0.11±0.05	114k	56,57 AKHMETSHIN	02 CMD2	$e^+ e^- \rightarrow \pi^+ \pi^-$
6.3 ± 0.1		58 BENAYOUN	98 RVUE	$e^+ e^- \rightarrow \pi^+ \pi^-$ , $\mu^+ \mu^-$

### $\Gamma(\pi^0 \gamma)$

$\Gamma_8$

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
77±17±11	36500	59 ACHASOV	03 SND	$0.60-0.97 e^+ e^- \rightarrow \pi^0 \gamma$
121±31		DOLINSKY	89 ND	$e^+ e^- \rightarrow \pi^0 \gamma$

### $\Gamma(\eta\gamma)$

$\Gamma_9$

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
62±17	60 DOLINSKY	89 ND	$e^+ e^- \rightarrow \eta\gamma$

### $\Gamma(\pi^+\pi^-\pi^+\pi^-)$

$\Gamma_{14}$


VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
2.8±1.4±0.5	153	AKHMETSHIN 00	CMD2	0.6–0.97 $e^+ e^- \rightarrow \pi^+\pi^-\pi^+\pi^-$
56 Using Gounaris-Sakurai parameterization with the complex phase of the $\rho$ - $\omega$ interference.				
57 From a fit in the energy range 0.61 to 0.96 GeV.				
58 Using the data of BARKOV 85 in the hidden local symmetry model.				
59 Using $\Gamma_{\text{total}} = 147.9 \pm 1.3$ MeV and $B(\rho \rightarrow \pi^0 \gamma)$ from ACHASOV 03.				
60 Solution corresponding to constructive $\omega$ - $\rho$ interference.				

### $\rho(770) \Gamma(i)\Gamma(e^+e^-)/\Gamma^2(\text{total})$

### $\Gamma(e^+e^-) \times \Gamma(\eta\gamma)/\Gamma_{\text{total}}^2$

$\Gamma_{12}\Gamma_9/\Gamma^2$

VALUE (units $10^{-8}$ )	EVTS	DOCUMENT ID	TECN	COMMENT
<b>1.38±0.17 OUR FIT</b>				Error includes scale factor of 1.5.
<b>1.36±0.15 OUR NEW AVERAGE</b>				Error includes scale factor of 1.3. See the ideogram below. $[(1.33 \pm 0.18) \times 10^{-8}$ OUR 2002 AVERAGE Scale factor = 1.5]
1.61±0.20±0.11	23k	62,63 AKHMETSHIN 01B	CMD2	$e^+ e^- \rightarrow \eta\gamma$
1.21±0.14±0.04	312	64 ACHASOV	00D SND	$e^+ e^- \rightarrow \eta\gamma$
1.85±0.49		65 DOLINSKY	89 ND	$e^+ e^- \rightarrow \eta\gamma$



### $\Gamma(e^+e^-) \times \Gamma(\eta\gamma)/\Gamma_{\text{total}}^2$

$\Gamma_{12}\Gamma_9/\Gamma^2$

$\Gamma(e^+e^-) \times \Gamma(\pi^0\gamma)/\Gamma_{\text{total}}^2$	$\Gamma_{12}\Gamma_8/\Gamma^2$				
<u>VALUE (units <math>10^{-8}</math>)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
<b>2.8 ± 0.6 OUR FIT</b>	Error includes scale factor of 1.1.				
<b>2.8 ± 0.6 OUR AVERAGE</b>	Error includes scale factor of 1.1.				
2.37 ± 0.53 ± 0.33	36500	61 ACHASOV	03 SND	0.60–0.97 $e^+e^- \rightarrow \pi^0\gamma$	
3.61 ± 0.74 ± 0.49	10625	65 DOLINSKY	89 ND	$e^+e^- \rightarrow \pi^0\gamma$	
61 Using $\sigma_{\phi \rightarrow \pi^0\gamma}$ from ACHASOV 00 and $m_\rho = 775.97$ MeV in the model with the energy-independent phase of $\phi\omega$ interference equal to $(-10.2 \pm 7.0)^\circ$ .					
62 From the $\eta \rightarrow 3\pi^0$ decay and using $B(\eta \rightarrow 3\pi^0) = (32.24 \pm 0.29) \times 10^{-2}$ .					
63 The combined fit from 600 to 1380 MeV taking into account $\rho(770)$ , $\omega(782)$ , $\phi(1020)$ , and $\rho(1450)$ (mass and width fixed at 1450 MeV and 310 MeV respectively).					
64 From the $\eta \rightarrow 3\pi^0$ decay and using $B(\eta \rightarrow 3\pi^0) = (32.2 \pm 0.4) \times 10^{-2}$ .					
65 Recalculated by us from the cross section in the peak.					

### $\rho(770)$ BRANCHING RATIOS

$\Gamma(\pi^\pm\eta)/\Gamma(\pi\pi)$	$\Gamma_4/\Gamma_1$				
<u>VALUE (units <math>10^{-4}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<60	84	FERBEL	66 HBC	±	$\pi^\pm p$ above 2.5

$\Gamma(\pi^\pm\pi^+\pi^-\pi^0)/\Gamma(\pi\pi)$	$\Gamma_5/\Gamma_1$				
<u>VALUE (units <math>10^{-4}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<20	84	FERBEL	66 HBC	±	$\pi^\pm p$ above 2.5

• • • We do not use the following data for averages, fits, limits, etc. • • •

35 ± 40 JAMES 66 HBC + 2.1  $\pi^+ p$

$\Gamma(\mu^+\mu^-)/\Gamma(\pi^+\pi^-)$	$\Gamma_{11}/\Gamma_6$				
<u>VALUE (units <math>10^{-5}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
<b>4.60 ± 0.28 OUR FIT</b>					
<b>4.6 ± 0.2 ± 0.2</b>					
8.2 +1.6 -3.6	66 ROTHWELL	69 CNTR	Photoproduction		
5.6 ± 1.5	67 WEHMANN	69 OSPK	12 $\pi^-$ C, Fe		
9.7 +3.1 -3.3	68 HYAMS	67 OSPK	11 $\pi^-$ Li, H		

$\Gamma(e^+e^-)/\Gamma(\pi\pi)$	$\Gamma_{12}/\Gamma_1$				
<u>VALUE (units <math>10^{-4}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>		
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.40 ± 0.05	69 BENAKSAS	72 OSPK	$e^+e^- \rightarrow \pi^+\pi^-$		

$\Gamma(\eta\gamma)/\Gamma_{\text{total}}$   $\Gamma_9/\Gamma$

<u>VALUE</u> (units $10^{-4}$ )	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<b>3.1 <math>\pm</math> 0.4 OUR FIT</b>		Error includes scale factor of 1.4.			
<b>3.6 <math>\pm</math> 0.9 OUR NEW AVERAGE</b>		$[(3.8 \pm 0.7) \times 10^{-4}$ OUR 2002 AVERAGE]			
<b>3.6 <math>\pm</math> 0.9</b>	70	ANDREWS	77	CNTR 0	6.7–10 $\gamma$ Cu
• • • We do not use the following data for averages, fits, limits, etc. • • •					
3.39 $\pm$ 0.42 $\pm$ 0.23	70,71,72	AKHMETSHIN	01B	CMD2	$e^+ e^- \rightarrow \eta\gamma$
2.69 $\pm$ 0.32 $\pm$ 0.16	312	ACHASOV	00D	SND	$e^+ e^- \rightarrow \eta\gamma$
1.9 $^{+0.6}_{-0.8}$	74	BENAYOUN	96	RVUE	$0.54$ – $1.04$ $e^+ e^- \rightarrow \eta\gamma$
4.0 $\pm$ 1.1	70,75	DOLINSKY	89	ND	$e^+ e^- \rightarrow \eta\gamma$

$\Gamma(\pi^+\pi^-\pi^+\pi^-)/\Gamma_{\text{total}}$   $\Gamma_{14}/\Gamma$

<u>VALUE</u> (units $10^{-5}$ )	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1.8 <math>\pm</math> 0.9 <math>\pm</math> 0.3</b>		153	AKHMETSHIN	00	$e^+ e^- \rightarrow \pi^+\pi^-\pi^+\pi^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<20	90	KURDADZE	88	OLYA	$e^+ e^- \rightarrow \pi^+\pi^-\pi^+\pi^-$

$\Gamma(\pi^+\pi^-\pi^+\pi^-)/\Gamma(\pi\pi)$   $\Gamma_{14}/\Gamma_1$

<u>VALUE</u> (units $10^{-4}$ )	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<15	90	ERBE	69	HBC	0 2.5–5.8 $\gamma p$
<20		CHUNG	68	HBC	0 3.2,4.2 $\pi^- p$
<20	90	HUSON	68	HLBC	0 16.0 $\pi^- p$
<80		JAMES	66	HBC	0 2.1 $\pi^+ p$

$\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$   $\Gamma_{13}/\Gamma$

<u>VALUE</u> (units $10^{-4}$ )	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt;1.2</b>	90	VASSERMAN	88B	ND $e^+ e^- \rightarrow \pi^+\pi^-\pi^0$

$\Gamma(\pi^+\pi^-\pi^0)/\Gamma(\pi\pi)$   $\Gamma_{13}/\Gamma_1$

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •					

$\sim 0.01$		BRAMON	86	RVUE	0 $J/\psi \rightarrow \omega\pi^0$
<0.01	84	ABRAMS	71	HBC	0 3.7 $\pi^+ p$

$\Gamma(\pi^+\pi^-\pi^0\pi^0)/\Gamma_{\text{total}}$   $\Gamma_{15}/\Gamma$

<u>VALUE</u> (units $10^{-4}$ )	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<b>&lt;0.4</b>	90	AULCHENKO	87C	ND	$e^+ e^- \rightarrow \pi^+\pi^-\pi^0\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •					

<2	90	KURDADZE	86	OLYA	0 $e^+ e^- \rightarrow \pi^+\pi^-\pi^0\pi^0$
----	----	----------	----	------	--

$\Gamma(\pi^+\pi^-\gamma)/\Gamma_{\text{total}}$	$\Gamma_7/\Gamma$			
<i>VALUE</i>	<i>CL%</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
<b>0.0099 ± 0.0016</b>		77 DOLINSKY 91	ND	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
0.0111 ± 0.0014		78 VASSERMAN 88	ND	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
<0.005	90	79 VASSERMAN 88	ND	$e^+e^- \rightarrow \pi^+\pi^-\gamma$
$\Gamma(\pi^0\gamma)/\Gamma_{\text{total}}$	$\Gamma_8/\Gamma$			
<i>VALUE (units <math>10^{-4}</math>)</i>	<i>EVTS</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
5.22 ± 1.17 ± 0.75	36500	80,81 ACHASOV 03	SND	$0.60-0.97 e^+e^- \rightarrow \pi^0\gamma$
6.8 ± 1.7		82 BENAYOUN 96	RVUE	$0.54-1.04 e^+e^- \rightarrow \pi^0\gamma$
7.9 ± 2.0		81 DOLINSKY 89	ND	$e^+e^- \rightarrow \pi^0\gamma$
$\Gamma(\pi^0\pi^0\gamma)/\Gamma_{\text{total}}$	$\Gamma_{10}/\Gamma$			
<i>VALUE (units <math>10^{-5}</math>)</i>	<i>EVTS</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
<b>4.1 ± 1.0 OUR NEW AVERAGE</b>		$[(4.8^{+3.4}_{-1.9}) \times 10^{-5}$ OUR 2002 AVERAGE]		
<b>4.1^{+1.0}_{-0.9} ± 0.3</b>	295	83 ACHASOV 02F	SND	$0.36-0.97 e^+e^- \rightarrow \pi^0\pi^0\gamma$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
4.8^{+3.4}_{-1.8} ± 0.5	63	84 ACHASOV 00G	SND	$e^+e^- \rightarrow \pi^0\pi^0\gamma$
66 Possibly large $\rho$ - $\omega$ interference leads us to increase the minus error.				
67 Result contains $11 \pm 11\%$ correction using SU(3) for central value. The error on the correction takes account of possible $\rho$ - $\omega$ interference and the upper limit agrees with the upper limit of $\omega \rightarrow \mu^+\mu^-$ from this experiment.				
68 HYAMS 67's mass resolution is 20 MeV. The $\omega$ region was excluded.				
69 The $\rho'$ contribution is not taken into account.				
70 Solution corresponding to constructive $\omega$ - $\rho$ interference.				
71 The combined fit from 600 to 1380 MeV taking into account $\rho(770)$ , $\omega(782)$ , $\phi(1020)$ , and $\rho(1450)$ (mass and width fixed at 1450 MeV and 310 MeV respectively).				
72 Using $B(\rho \rightarrow e^+e^-) = (4.75 \pm 0.10) \times 10^{-5}$ from AKHMETSHIN 02 and $B(\eta \rightarrow 3\pi^0) = (32.24 \pm 0.29) \times 10^{-2}$ .				
73 Using $B(\rho \rightarrow e^+e^-) = (4.49 \pm 0.22) \times 10^{-5}$ and $B(\eta \rightarrow 3\pi^0) = (32.2 \pm 0.4) \times 10^{-2}$ .				
74 Reanalysis of DRUZHININ 84, DOLINSKY 89, and DOLINSKY 91 taking into account a triangle anomaly contribution. Constructive $\rho$ - $\omega$ interference solution.				
75 Not independent of the corresponding $\Gamma(e^+e^-) \times \Gamma(\eta\gamma)/\Gamma_{\text{total}}^2$ .				
76 Model dependent, assumes $I = 1, 2$ , or $3$ for the $3\pi$ system.				
77 Bremsstrahlung from a decay pion and for photon energy above 50 MeV.				
78 Superseded by DOLINSKY 91.				
79 Structure radiation due to quark rearrangement in the decay.				
80 Using $B(\rho \rightarrow e^+e^-) = (4.54 \pm 0.10) \times 10^{-5}$ .				
81 Not independent of the corresponding $\Gamma(e^+e^-) \times \Gamma(\pi^0\gamma)/\Gamma_{\text{total}}^2$ .				
82 Reanalysis of DRUZHININ 84, DOLINSKY 89, and DOLINSKY 91 taking into account a triangle anomaly contribution.				
83 This branching ratio includes the conventional VMD mechanism $\rho \rightarrow \omega\pi^0$ , $\omega \rightarrow \pi^0\gamma$ and the new decay mode $\rho \rightarrow f_0(600)\gamma$ , $f_0(600) \rightarrow \pi^0\pi^0$ with a branching ratio $(1.9^{+0.9}_{-0.8} \pm 0.4) \times 10^{-5}$ differing from zero by 2.4 standard deviations.				
84 Superseded by ACHASOV 02F.				

## $\rho(770)$ REFERENCES

ACHASOV	03	PL B559 171	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	02	PR D65 032002	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	02F	PL B537 201	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
AKHMETSHIN	02	PL B527 161	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
AKHMETSHIN	01B	PL B509 217	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
COLANGELO	01	NP B603 125	G. Colangelo, J. Gasser, H. Leutwyler	
PICH	01	PR D63 093005	A. Pich, J. Portoles	
ACHASOV	00	EPJ C12 25	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
ACHASOV	00D	JETPL 72 282	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETFP 72 411.		
ACHASOV	00G	JETPL 71 355	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
		Translated from ZETFP 71 519.		
AKHMETSHIN	00	PL B475 190	R.R. Akhmetshin <i>et al.</i>	(Novosibirsk CMD-2 Collab.)
ANDERSON	00A	PR D61 112002	S. Anderson <i>et al.</i>	(CLEO Collab.)
ABELE	99E	PL B469 270	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
BENAYOUN	98	EPJ C2 269	M. Benayoun <i>et al.</i>	(IPNP, NOVO, ADLD+)
BREITWEG	98B	EPJ C2 247	J. Breitweg <i>et al.</i>	(ZEUS Collab.)
GARDNER	98	PR D57 2716	S. Gardner, H.B. O'Connell	
Also	00A	PR D62 019903 (errata)	S. Gardner, H.B. O'Connell	
ABELE	97	PL B391 191	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ADAMS	97	ZPHY C74 237	M.R. Adams <i>et al.</i>	(E665 Collab.)
BARATE	97M	ZPHY C76 15	R. Barate <i>et al.</i>	(ALEPH Collab.)
BERTIN	97C	PL B408 476	A. Bertin <i>et al.</i>	(OBELIX Collab.)
BOGOLYUB...	97	PAN 60 46	M.Y. Bogolyubsky <i>et al.</i>	(MOSU, SERP)
		Translated from YAF 60 53.		
O'CONNELL	97	NP A623 559	H.B. O'Connell <i>et al.</i>	(ADLD)
BENAYOUN	96	ZPHY C72 221	M. Benayoun <i>et al.</i>	(IPNP, NOVO)
BERNICA	94	PR D50 4454	A. Bernica, G. Lopez Castro, J. Pestieau	(LOUV+)
WEIDENAUER	93	ZPHY C59 387	P. Weidenauer <i>et al.</i>	(ASTERIX Collab.)
AGUILAR-...	91	ZPHY C50 405	M. Aguilar-Benitez <i>et al.</i>	(LEBC-EHS Collab.)
DOLINSKY	91	PRPL 202 99	S.I. Dolinsky <i>et al.</i>	(NOVO)
ANTIROV	89	ZPHY C42 185	Y.M. Antipov <i>et al.</i>	(SERP, JINR, BGNA+)
DOLINSKY	89	ZPHY C42 511	S.I. Dolinsky <i>et al.</i>	(NOVO)
DUBNICKA	89	JPG 15 1349	S. Dubnicka <i>et al.</i>	(JINR, SLOV)
GESHKEN...	89	ZPHY C45 351	B.V. Geshkenbein	(ITEP)
KURDADZE	88	JETPL 47 512	L.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP 47 432.		
VASSERMAN	88	SJNP 47 1035	I.B. Vasserman <i>et al.</i>	(NOVO)
		Translated from YAF 47 1635.		
VASSERMAN	88B	SJNP 48 480	I.B. Vasserman <i>et al.</i>	(NOVO)
		Translated from YAF 48 753.		
AULCHENKO	87C	IYF 87-90 Preprint	V.M. Aulchenko <i>et al.</i>	(NOVO)
CAPRARO	87	NP B288 659	L. Capraro <i>et al.</i>	(CLER, FRAS, MILA+)
BRAMON	86	PL B173 97	A. Bramon, J. Casulleras	(BARC)
HUSTON	86	PR 33 3199	J. Huston <i>et al.</i>	(ROCH, FNAL, MINN)
KURDADZE	86	JETPL 43 643	L.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP 43 497.		
BARKOV	85	NP B256 365	L.M. Barkov <i>et al.</i>	(NOVO)
DRUZHININ	84	PL 144B 136	V.P. Druzhinin <i>et al.</i>	(NOVO)
CHABAUD	83	NP B223 1	V. Chabaud <i>et al.</i>	(CERN, CRAC, MPIM)
JENSEN	83	PR D27 26	T. Jensen <i>et al.</i>	(ROCH, FNAL, MINN)
HEYN	81	ZPHY C7 169	M.F. Heyn, C.B. Lang	(GRAZ)
BOHACIK	80	PR D21 1342	J. Bohacik, H. Kuhnelt	(SLOV, WIEN)
LANG	79	PR D19 956	C.B. Lang, A. Mas-Parareda	(GRAZ)
BARTALUCCI	78	NC 44A 587	S. Bartalucci <i>et al.</i>	(DESY, FRAS)
WICKLUND	78	PR D17 1197	A.B. Wicklund <i>et al.</i>	(ANL)
ANDREWS	77	PRL 38 198	D.E. Andrews <i>et al.</i>	(ROCH)
DEUTSCH...	76	NP B103 426	M. Deutschmann <i>et al.</i>	(AACH3, BERL, BONN+)
ENGLER	74	PR D10 2070	A. Engler <i>et al.</i>	(CMU, CASE)
ESTABROOKS	74	NP B79 301	P.G. Estabrooks, A.D. Martin	(DURH)
GRAYER	74	NP B75 189	G. Grayer <i>et al.</i>	(CERN, MPIM)
BYERLY	73	PR D7 637	W.L. Byerly <i>et al.</i>	(MICH)
GLADDING	73	PR D8 3721	G.E. Gladding <i>et al.</i>	(HARV)
HYAMS	73	NP B64 134	B.D. Hyams <i>et al.</i>	(CERN, MPIM)
PROTOPOP...	73	PR D7 1279	S.D. Protopopescu <i>et al.</i>	(LBL)
BALLAM	72	PR D5 545	J. Ballam <i>et al.</i>	(SLAC, LBL, TUFTS)
BENAKSAS	72	PL 39B 289	D. Benaksas <i>et al.</i>	(ORSAY)
JACOBS	72	PR D6 1291	L.D. Jacobs	(SACL)
RATCLIFF	72	PL 38B 345	B.N. Ratcliff <i>et al.</i>	(SLAC)

ABRAMS	71	PR D4 653	G.S. Abrams <i>et al.</i>	(LBL)
ALVENSLEB...	70	PRL 24 786	H. Alvensleben <i>et al.</i>	(DESY)
BIGGS	70	PRL 24 1197	P.J. Biggs <i>et al.</i>	(DARE)
ERBE	69	PR 188 2060	R. Erbe <i>et al.</i>	(German Bubble Chamber Collab.)
MALAMUD	69	Argonne Conf. 93	E.I. Malamud, P.E. Schlein	(UCLA)
REYNOLDS	69	PR 184 1424	B.G. Reynolds <i>et al.</i>	(FSU)
ROTHWELL	69	PRL 23 1521	P.L. Rothwell <i>et al.</i>	(NEAS)
WEHMANN	69	PR 178 2095	A.A. Wehmann <i>et al.</i>	(HARV, CASE, SLAC+)
ARMENISE	68	NC 54A 999	N. Armenise <i>et al.</i>	(BARI, BGNA, FIRZ+)
BATON	68	PR 176 1574	J.P. Baton, G. Laurens	(SACL)
CHUNG	68	PR 165 1491	S.U. Chung <i>et al.</i>	(LRL)
FOSTER	68	NP B6 107	M. Foster <i>et al.</i>	(CERN, CDEF)
GOUNARIS	68	PRL 21 244	G.J. Gounaris, J.J. Sakurai	
HUSON	68	PL 28B 208	R. Huson <i>et al.</i>	(ORSAY, MILA, UCLA)
HYAMS	68	NP B7 1	B.D. Hyams <i>et al.</i>	(CERN, MPIM)
LANZEROTTI	68	PR 166 1365	L.J. Lanzerotti <i>et al.</i>	(HARV)
PISUT	68	NP B6 325	J. Pisut, M. Roos	(CERN)
ASBURY	67B	PRL 19 865	J.G. Asbury <i>et al.</i>	(DESY, COLU)
BACON	67	PR 157 1263	T.C. Bacon <i>et al.</i>	(BNL)
EISNER	67	PR 164 1699	R.L. Eisner <i>et al.</i>	(PURD)
HUWE	67	PL 24B 252	D.O. Huwe <i>et al.</i>	(COLU)
HYAMS	67	PL 24B 634	B.D. Hyams <i>et al.</i>	(CERN, MPIM)
MILLER	67B	PR 153 1423	D.H. Miller <i>et al.</i>	(PURD)
ALFF...	66	PR 145 1072	C. Alff-Steinberger <i>et al.</i>	(COLU, RUTG)
FERBEL	66	PL 21 111	T. Ferbel	(ROCH)
HAGOPIAN	66	PR 145 1128	V. Hagopian <i>et al.</i>	(PENN, SACL)
HAGOPIAN	66B	PR 152 1183	V. Hagopian, Y.L. Pan	(PENN, LRL)
JACOBS	66B	UCRL 16877	L.D. Jacobs	(LRL)
JAMES	66	PR 142 896	F.E. James, H.L. Kraybill	(YALE, BNL)
ROSS	66	PR 149 1172	M. Ross, L. Stodolsky	
SOEDING	66	PL B19 702	P. Soeding	
WEST	66	PR 149 1089	E. West <i>et al.</i>	(WISC)
BLIEDEN	65	PL 19 444	H.R. Blieden <i>et al.</i>	
CARMONY	64	PRL 12 254	D.D. Carmony <i>et al.</i>	(UCB)
GOLDHABER	64	PRL 12 336	G. Goldhaber <i>et al.</i>	(LRL, UCB)
ABOLINS	63	PRL 11 381	M.A. Abolins <i>et al.</i>	(UCSD)

---

## OTHER RELATED PAPERS

---

BENAYOUN	01	EPJ C22 503	M. Benayoun, H.B. O'Connell	
CIRIGLIANO	01	PL B513 361	V. Cirigliano, G. Ecker, H. Neufeld	
CZYZ	01	EPJ C18 497	H. Czyz, J.J. Kuhn	
EIDELMAN	01	NPBPS 98 281	S. Eidelman	
FEUILLAT	01	PL B501 37	M. Feuillat, J.L. Lucio, M.J. Pestieau	
GOKALP	01B	EPJ C22 327	A. Gokalp, Y. Sarac, O. Yilmaz	
MELNIKOV	01	IJMP A16 4591	K. Melnikov	
ADLOFF	00F	EPJ C13 371	C. Adloff <i>et al.</i>	(H1 Collab.)
BENAYOUN	99	PR D59 074020	M. Benayoun <i>et al.</i>	
EIDELMAN	99	NPBPS 76 319	S. Eidelman, V. Ivanchenko	
MARCO	99	PL B470 20	E. Marco <i>et al.</i>	
ROOS	99	APS 49 N2 vii	M. Roos	
ALEMANY	98	EPJ C2 123	R. Alemany <i>et al.</i>	
ABELE	97B	PL B402 195	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	97F	PL B411 354	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
BENAYOUN	93	ZPHY C58 31	M. Benayoun <i>et al.</i>	(CDEF, CERN, BARI)
LAFFERTY	93	ZPHY C60 659	G.D. Lafferty	(MCHS)
KAMAL	92	PL B284 421	A.N. Kamal, Q.P. Xu	(ALBE)
KUHN	90	ZPHY C48 445	J.H. Kuhn <i>et al.</i>	(MPIM)
ERKAL	85	ZPHY C29 485	C. Erkal, M.G. Olsson	(WISC)
RYBICKI	85	ZPHY C28 65	K. Rybicki, I. Sakrejda	(CRAC)
KURDADZE	83	JETPL 37 733	L.M. Kurdadze <i>et al.</i>	(NOVO)
		Translated from ZETFP 37 613.		
ALEKSEEV	82	JETP 55 591	E.A. Alekseeva <i>et al.</i>	(KIAE)
		Translated from ZETFP 82 1007.		
KENNEY	62	PR 126 736	V.P. Kenney, W.D. Shephard, C.D. Gall	(KNTY)
SAMIOS	62	PRL 9 139	N.P. Samios <i>et al.</i>	(BNL, CUNY, COLU+)
XUONG	62	PR 128 1849	H. Nguyen Ngoc, G.R. Lynch	(LRL)
ANDERSON	61	PRL 6 365	J.A. Anderson <i>et al.</i>	(LRL)
ERWIN	61	PRL 6 628	A.R. Erwin <i>et al.</i>	(WISC)

---