

**$K_2(1770)$** 

$$I(J^P) = \frac{1}{2}(2^-)$$

A REVIEW GOES HERE – Check our WWW List of Reviews

 **$K_2(1770)$  MASS**

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<b>1773 ± 8</b>		<sup>1</sup> ASTON	93	LASS	11 $K^- p \rightarrow K^- \omega p$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
1810 ± 20		FRAME	86	OMEG +	13 $K^+ p \rightarrow \phi K^+ p$
~ 1730		ARMSTRONG	83	OMEG -	18.5 $K^- p \rightarrow 3K p$
~ 1780		<sup>2</sup> DAUM	81C	CNTR -	63 $K^- p \rightarrow K^- 2\pi p$
1710 ± 15	60	CHUNG	74	HBC -	7.3 $K^- p \rightarrow K^- \omega p$
1767 ± 6		BLIEDEN	72	MMS -	11-16 $K^- p$
1730 ± 20	306	<sup>3</sup> FIRESTONE	72B	DBC +	12 $K^+ d$
1765 ± 40		<sup>4</sup> COLLEY	71	HBC +	10 $K^+ p \rightarrow K 2\pi N$
1740		DENEGRI	71	DBC -	12.6 $K^- d \rightarrow \bar{K} 2\pi d$
1745 ± 20		AGUILAR-...	70C	HBC -	4.6 $K^- p$
1780 ± 15		BARTSCH	70C	HBC -	10.1 $K^- p$
1760 ± 15		LUDLAM	70	HBC -	12.6 $K^- p$

<sup>1</sup> From a partial wave analysis of the  $K^- \omega$  system.<sup>2</sup> From a partial wave analysis of the  $K^- 2\pi$  system.<sup>3</sup> Produced in conjunction with excited deuteron.<sup>4</sup> Systematic errors added correspond to spread of different fits. **$K_2(1770)$  WIDTH**

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<b>186 ± 14</b>		<sup>5</sup> ASTON	93	LASS	11 $K^- p \rightarrow K^- \omega p$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
140 ± 40		FRAME	86	OMEG +	13 $K^+ p \rightarrow \phi K^+ p$
~ 220		ARMSTRONG	83	OMEG -	18.5 $K^- p \rightarrow 3K p$
~ 210		<sup>6</sup> DAUM	81C	CNTR -	63 $K^- p \rightarrow K^- 2\pi p$
110 ± 50	60	CHUNG	74	HBC -	7.3 $K^- p \rightarrow K^- \omega p$
100 ± 26		BLIEDEN	72	MMS -	11-16 $K^- p$
210 ± 30	306	<sup>7</sup> FIRESTONE	72B	DBC +	12 $K^+ d$
90 ± 70		<sup>8</sup> COLLEY	71	HBC +	10 $K^+ p \rightarrow K 2\pi N$
130		DENEGRI	71	DBC -	12.6 $K^- d \rightarrow \bar{K} 2\pi d$
100 ± 50		AGUILAR-...	70C	HBC -	4.6 $K^- p$
138 ± 40		BARTSCH	70C	HBC -	10.1 $K^- p$
50 <sup>+40</sup> <sub>-20</sub>		LUDLAM	70	HBC -	12.6 $K^- p$

<sup>5</sup> From a partial wave analysis of the  $K^- \omega$  system.<sup>6</sup> From a partial wave analysis of the  $K^- 2\pi$  system.<sup>7</sup> Produced in conjunction with excited deuteron.<sup>8</sup> Systematic errors added correspond to spread of different fits.

## $K_2(1770)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $K\pi\pi$	
$\Gamma_2$ $K_2^*(1430)\pi$	dominant
$\Gamma_3$ $K^*(892)\pi$	seen
$\Gamma_4$ $Kf_2(1270)$	seen
$\Gamma_5$ $K\phi$	seen
$\Gamma_6$ $K\omega$	seen

## $K_2(1770)$ BRANCHING RATIOS

$$\frac{\Gamma(K_2^*(1430)\pi)}{\Gamma(K\pi\pi)} \quad \Gamma_2/\Gamma_1$$

$(K_2^*(1430) \rightarrow K\pi)$

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$\sim 0.03$	DAUM	81C CNTR		63 $K^-p \rightarrow K^-2\pi p$
$\sim 1.0$	<sup>9</sup> FIRESTONE	72B DBC	+	12 $K^+d$
$< 1.0$	COLLEY	71 HBC		10 $K^+p$
$0.2 \pm 0.2$	AGUILAR-...	70C HBC	-	4.6 $K^-p$
$< 1.0$	BARTSCH	70C HBC	-	10.1 $K^-p$
1.0	BARBARO-...	69 HBC	+	12.0 $K^+p$

<sup>9</sup> Produced in conjunction with excited deuteron.

$$\frac{\Gamma(K^*(892)\pi)}{\Gamma(K\pi\pi)} \quad \Gamma_3/\Gamma_1$$

VALUE	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$\sim 0.23$	DAUM	81C CNTR	63 $K^-p \rightarrow K^-2\pi p$

$$\frac{\Gamma(Kf_2(1270))}{\Gamma(K\pi\pi)} \quad \Gamma_4/\Gamma_1$$

$(f_2(1270) \rightarrow \pi\pi)$

VALUE	DOCUMENT ID	TECN	COMMENT
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$\sim 0.74$	DAUM	81C CNTR	63 $K^-p \rightarrow K^-2\pi p$

$$\frac{\Gamma(K\phi)}{\Gamma_{\text{total}}} \quad \Gamma_5/\Gamma$$

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
<b>seen</b>	ARMSTRONG	83 OMEG	-	18.5 $K^-p \rightarrow K^- \phi N$

$$\frac{\Gamma(K\omega)}{\Gamma_{\text{total}}} \quad \Gamma_6/\Gamma$$

VALUE	DOCUMENT ID	TECN	CHG	COMMENT
<b>seen</b>	OTTER	81 HBC	$\pm$	8.25,10,16 $K^\pm p$
<b>seen</b>	CHUNG	74 HBC	-	7.3 $K^-p \rightarrow K^- \omega p$

## **$K_2(1770)$ REFERENCES**

ASTON	93	PL B308 186	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
FRAME	86	NP B276 667	D. Frame <i>et al.</i>	(GLAS)
ARMSTRONG	83	NP B221 1	T.A. Armstrong <i>et al.</i>	(BARI, BIRM, CERN+)
DAUM	81C	NP B187 1	C. Daum <i>et al.</i>	(AMST, CERN, CRAC, MPIM+)
OTTER	81	NP B181 1	G. Otter	(AACH3, BERL, LOIC, VIEN, BIRM+)
CHUNG	74	PL 51B 413	S.U. Chung <i>et al.</i>	(BNL)
BLIEDEN	72	PL 39B 668	H.R. Blieden <i>et al.</i>	(STON, NEAS)
FIRESTONE	72B	PR D5 505	A. Firestone <i>et al.</i>	(LBL)
COLLEY	71	NP B26 71	D.C. Colley <i>et al.</i>	(BIRM, GLAS)
DENEGRI	71	NP B28 13	D. Denegri <i>et al.</i>	(JHU) JP
AGUILAR-...	70C	PRL 25 54	M. Aguilar-Benitez <i>et al.</i>	(BNL)
BARTSCH	70C	PL 33B 186	J. Bartsch <i>et al.</i>	(AACH, BERL, CERN+)
LUDLAM	70	PR D2 1234	T. Ludlam, J. Sandweiss, A.J. Slaughter	(YALE)
BARBARO-...	69	PRL 22 1207	A. Barbaro-Galtieri <i>et al.</i>	(LRL)

### ———— OTHER RELATED PAPERS ————

BERLINGHIERI	67	PRL 18 1087	J.C. Berlinghieri <i>et al.</i>	(ROCH) I
CARMONY	67	PRL 18 615	D.D. Carmony, T. Hendricks, R.L. Lander	(UCSD)
JOBES	67	PL 26B 49	M. Jobes <i>et al.</i>	(BIRM, CERN, BRUX)
BARTSCH	66	PL 22 357	J. Bartsch <i>et al.</i>	(AACH, BERL, CERN+)