

$f_0(1370)$

$I^G(J^{PC}) = 0^+(0^{++})$

See also the mini-reviews on scalar mesons under $f_0(600)$ and on non- $q\bar{q}$ candidates. (See the index for the page number.)

$f_0(1370)$ T-MATRIX POLE POSITION

Note that $\Gamma \approx 2 \operatorname{Im}(\sqrt{s_{\text{pole}}})$.

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
(1200–1500)–i(150–250) OUR ESTIMATE			
• • • We do not use the following data for averages, fits, limits, etc. • • •			
(1373 ± 15)– i (137 ± 10)	¹² BARGIOTTI	03 OBLX	$\bar{p}p$
(1302 ± 17)– i (166 ± 18)	¹ BARBERIS	00C	$450 \bar{p}p \rightarrow p_f 4\pi p_s$
(1312 ± 25 ± 10)– i (109 ± 22 ± 15)	BARBERIS	99D OMEG	$450 \bar{p}p \rightarrow K^+ K^-$, $\pi^+ \pi^-$
(1406 ± 19)– i (80 ± 6)	² KAMINSKI	99 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, \sigma\sigma$
(1300 ± 20)– i (120 ± 20)	ANISOVICH	98B RVUE	Compilation
(1290 ± 15)– i (145 ± 15)	BARBERIS	97B OMEG	$450 \bar{p}p \rightarrow$ $pp2(\pi^+ \pi^-)$
(1548 ± 40)– i (560 ± 40)	BERTIN	97C OBLX	$0.0 \bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
(1380 ± 40)– i (180 ± 25)	ABELE	96B CBAR	$0.0 \bar{p}p \rightarrow \pi^0 K_L^0 K_L^0$
(1300 ± 15)– i (115 ± 8)	BUGG	96 RVUE	
(1330 ± 50)– i (150 ± 40)	³ AMSLER	95B CBAR	$\bar{p}p \rightarrow 3\pi^0$
(1360 ± 35)– i (150–300)	³ AMSLER	95C CBAR	$\bar{p}p \rightarrow \pi^0 \eta\eta$
(1390 ± 30)– i (190 ± 40)	⁴ AMSLER	95D CBAR	$\bar{p}p \rightarrow 3\pi^0, \pi^0 \eta\eta, \pi^0 \pi^0 \eta$
1346 – i 249	^{5,6} JANSSEN	95 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
1214 – i 168	^{6,7} TORNQVIST	95 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, K\pi, \eta\pi$
1364 – i 139	AMSLER	94D CBAR	$\bar{p}p \rightarrow \pi^0 \pi^0 \eta$
(1365 ⁺²⁰ ₋₅₅)– i (134 ± 35)	ANISOVICH	94 CBAR	$\bar{p}p \rightarrow 3\pi^0, \pi^0 \eta\eta$
(1340 ± 40)– i (127 ⁺³⁰ ₋₂₀)	⁸ BUGG	94 RVUE	$\bar{p}p \rightarrow 3\pi^0, \eta\eta\pi^0, \eta\pi^0 \pi^0$
(1430 ± 5)– i (73 ± 13)	⁹ KAMINSKI	94 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
1515 – i 214	^{6,10} ZOU	93 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$
1420 – i 220	¹¹ AU	87 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}$

¹ Average between $\pi^+ \pi^- 2\pi^0$ and $2(\pi^+ \pi^-)$.

² T-matrix pole on sheet ——.

³ Supersedes ANISOVICH 94.

⁴ Coupled-channel analysis of $\bar{p}p \rightarrow 3\pi^0, \pi^0 \eta\eta$, and $\pi^0 \pi^0 \eta$ on sheet IV. Demonstrates explicitly that $f_0(600)$ and $f_0(1370)$ are two different poles.

⁵ Analysis of data from FALVARD 88.

⁶ The pole is on Sheet III. Demonstrates explicitly that $f_0(600)$ and $f_0(1370)$ are two different poles.

⁷ Uses data from BEIER 72B, OCHS 73, HYAMS 73, GRAYER 74, ROSSELET 77, CASON 83, ASTON 88, and ARMSTRONG 91B. Coupled channel analysis with flavor symmetry and all light two-pseudoscalars systems.

⁸ Reanalysis of ANISOVICH 94 data.

⁹ T-matrix pole on sheet III.

¹⁰ Analysis of data from OCHS 73, GRAYER 74, and ROSSELET 77.

¹¹ Analysis of data from OCHS 73, GRAYER 74, BECKER 79, and CASON 83.

¹² Coupled channel analysis of $\pi^+ \pi^- \pi^0$, $K^+ K^- \pi^0$, and $K^\pm K_S^0 \pi^\mp$.

f₀(1370) BREIT-WIGNER MASS OR K-MATRIX POLE PARAMETER

VALUE (MeV)	DOCUMENT ID
1200 to 1500 OUR ESTIMATE	

$\pi\pi$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1434 ± 18 ± 9	848	AITALA 01A E791	$D_s^+ \rightarrow \pi^- \pi^+ \pi^+$	
1308 ± 10		BARBERIS 99B OMEG 450	$p p \rightarrow p_S p_f \pi^+ \pi^-$	
1315 ± 50		BELLAZZINI 99 GAM4 450	$p p \rightarrow p p \pi^0 \pi^0$	
1315 ± 30		ALDE 98 GAM4 100	$\pi^- p \rightarrow \pi^0 \pi^0 n$	
1280 ± 55		BERTIN 98 OBLX 0.05–0.405	$\bar{n} p \rightarrow \pi^+ \pi^+ \pi^-$	
1186	13,14	TORNQVIST 95 RVUE	$\pi \pi \rightarrow \pi \pi, K \bar{K}, K \pi, \eta \pi$	
1472 ± 12		ARMSTRONG 91 OMEG 300	$p p \rightarrow p p \pi \pi, p p K \bar{K}$	
1275 ± 20		BREAKSTONE 90 SFM 62	$p p \rightarrow p p \pi^+ \pi^-$	
1420 ± 20		AKESSON 86 SPEC 63	$p p \rightarrow p p \pi^+ \pi^-$	
1256		FROGGATT 77 RVUE	$\pi^+ \pi^-$ channel	

¹³ Uses data from BEIER 72B, OCHS 73, HYAMS 73, GRAYER 74, ROSSELET 77, CASON 83, ASTON 88, and ARMSTRONG 91B. Coupled channel analysis with flavor symmetry and all light two-pseudoscalars systems.

¹⁴ Also observed by ASNER 00 in $\tau^- \rightarrow \pi^- \pi^0 \pi^0 \nu_\tau$ decays

$K \bar{K}$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1391 ± 10	TIKHOMIROV 03 SPEC 40.0	$\pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$	
1440 ± 50	BOLONKIN 88 SPEC 40	$\pi^- p \rightarrow K_S^0 K_S^0 n$	
1463 ± 9	ETKIN 82B MPS 23	$\pi^- p \rightarrow n 2 K_S^0$	
1425 ± 15	WICKLUND 80 SPEC 6	$\pi N \rightarrow K^+ K^- N$	
~ 1300	POLYCHRO... 79 STRC 7	$\pi^- p \rightarrow n 2 K_S^0$	

4π MODE 2($\pi\pi$) $s + \rho\rho$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1395 ± 40	ABELE 01 CBAR 0.0	$\bar{p} d \rightarrow \pi^- 4\pi^0 p$	
1374 ± 38	AMSLER 94 CBAR 0.0	$\bar{p} p \rightarrow \pi^+ \pi^- 3\pi^0$	
1345 ± 12	ADAMO 93 OBLX $\bar{n} p \rightarrow 3\pi^+ 2\pi^-$		
1386 ± 30	GASPERO 93 DBC 0.0	$\bar{p} n \rightarrow 2\pi^+ 3\pi^-$	

$\eta\eta$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1430	AMSLER	92	CBAR $0.0 \bar{p}p \rightarrow \pi^0 \eta\eta$
1220 ± 40	ALDE	86D	GAM4 $100 \pi^- p \rightarrow n2\eta$

COUPLED CHANNEL MODE

VALUE (MeV)	DOCUMENT ID	TECN	
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1306 ± 20	15	ANISOVICH	03 RVUE
$15 K\text{-matrix pole from combined analysis of } \pi^- p \rightarrow \pi^0 \pi^0 n, \pi^- p \rightarrow K\bar{K}n, \pi^+ \pi^- \rightarrow \pi^+ \pi^-, \bar{p}p \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \eta\eta, \pi^0 \pi^0 \eta, \pi^+ \pi^- \pi^0, K^+ K^- \pi^0, K_S^0 K_S^0 \pi^0, K^+ K_S^0 \pi^- \text{ at rest, } \bar{p}n \rightarrow \pi^- \pi^- \pi^+, K_S^0 K^- \pi^0, K_S^0 K_S^0 \pi^- \text{ at rest.}$			

$f_0(1370)$ BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID
200 to 500 OUR ESTIMATE	

$\pi\pi$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
173 $\pm 32 \pm 6$	848	AITALA	01A E791	$D_s^+ \rightarrow \pi^- \pi^+ \pi^+$
222 ± 20		BARBERIS	99B OMEG	$450 pp \rightarrow p_S p_f \pi^+ \pi^-$
255 ± 60		BELLAZZINI	99 GAM4	$450 pp \rightarrow pp \pi^0 \pi^0$
190 ± 50		ALDE	98 GAM4	$100 \pi^- p \rightarrow \pi^0 \pi^0 n$
323 ± 13		BERTIN	98 OBLX	$0.05-0.405 \bar{n}p \rightarrow \pi^+ \pi^+ \pi^-$
350	16,17	TORNQVIST	95 RVUE	$\pi\pi \rightarrow \pi\pi, K\bar{K}, K\pi, \eta\pi$
195 ± 33		ARMSTRONG	91 OMEG	$300 pp \rightarrow pp\pi\pi, ppK\bar{K}$
285 ± 60		BREAKSTONE	90 SFM	$62 pp \rightarrow pp\pi^+ \pi^-$
460 ± 50		AKESSON	86 SPEC	$63 pp \rightarrow pp\pi^+ \pi^-$
~ 400	18	FROGGATT	77 RVUE	$\pi^+ \pi^- \text{ channel}$

¹⁶ Uses data from BEIER 72B, OCHS 73, HYAMS 73, GRAYER 74, ROSSELET 77, CASON 83, ASTON 88, and ARMSTRONG 91B. Coupled channel analysis with flavor symmetry and all light two-pseudoscalars systems.

¹⁷ Also observed by ASNER 00 in $\tau^- \rightarrow \pi^- \pi^0 \pi^0 \nu_\tau$ decays

¹⁸ Width defined as distance between 45 and 135° phase shift.

$K\bar{K}$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
55 ± 26	TIKHOMIROV	03 SPEC	$40.0 \pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$
250 ± 80	BOLONKIN	88 SPEC	$40 \pi^- p \rightarrow K_S^0 K_S^0 n$
118^{+138}_{-16}	ETKIN	82B MPS	$23 \pi^- p \rightarrow n2K_S^0$
160 ± 30	WICKLUND	80 SPEC	$6 \pi N \rightarrow K^+ K^- N$
~ 150	POLYCHRO...	79 STRC	$7 \pi^- p \rightarrow n2K_S^0$

4 π MODE $2(\pi\pi)_S + \rho\rho$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
275±55	ABELE	01	CBAR $0.0 \bar{p}d \rightarrow \pi^- 4\pi^0 p$
375±61	AMSLER	94	CBAR $0.0 \bar{p}p \rightarrow \pi^+ \pi^- 3\pi^0$
398±26	ADAMO	93	OBLX $\bar{n}p \rightarrow 3\pi^+ 2\pi^-$
310±50	GASPERO	93	DBC $0.0 \bar{p}n \rightarrow 2\pi^+ 3\pi^-$

$\eta\eta$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
250	AMSLER	92	CBAR $0.0 \bar{p}p \rightarrow \pi^0 \eta\eta$
320±40	ALDE	86D GAM4	$100 \pi^- p \rightarrow n 2\eta$

COUPLED CHANNEL MODE

VALUE (MeV)	DOCUMENT ID	TECN	
• • • We do not use the following data for averages, fits, limits, etc. • • •			
147^{+30}_{-50}	19 ANISOVICH	03 RVUE	
$19 K\text{-matrix pole from combined analysis of } \pi^- p \rightarrow \pi^0 \pi^0 n, \pi^- p \rightarrow K\bar{K} n,$ $\pi^+ \pi^- \rightarrow \pi^+ \pi^-, \bar{p}p \rightarrow \pi^0 \pi^0 \pi^0, \pi^0 \eta\eta, \pi^0 \pi^0 \eta, \pi^+ \pi^- \pi^0, K^+ K^- \pi^0, K_S^0 K_S^0 \pi^0,$ $K^+ K_S^0 \pi^- \text{ at rest, } \bar{p}n \rightarrow \pi^- \pi^- \pi^+, K_S^0 K^- \pi^0, K_S^0 K_S^0 \pi^- \text{ at rest.}$			

$f_0(1370)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \pi\pi$	seen
$\Gamma_2 4\pi$	seen
$\Gamma_3 4\pi^0$	seen
$\Gamma_4 2\pi^+ 2\pi^-$	seen
$\Gamma_5 \pi^+ \pi^- 2\pi^0$	seen
$\Gamma_6 \rho\rho$	dominant
$\Gamma_7 2(\pi\pi)_S\text{-wave}$	seen
$\Gamma_8 \pi(1300)\pi$	seen
$\Gamma_9 a_1(1260)\pi$	seen
$\Gamma_{10} \eta\eta$	seen
$\Gamma_{11} K\bar{K}$	seen
$\Gamma_{12} \gamma\gamma$	seen
$\Gamma_{13} e^+ e^-$	not seen

$f_0(1370)$ PARTIAL WIDTHS

$\Gamma(\gamma\gamma)$

See $\gamma\gamma$ widths under $f_0(600)$ and MORGAN 90.

Γ_{12}

$\Gamma(e^+e^-)$				Γ_{13}
VALUE (eV)	CL %	DOCUMENT ID	TECN	COMMENT
<20	90	VOROBIEV	88	$e^+e^- \rightarrow \pi^0\pi^0$

$f_0(1370)$ BRANCHING RATIOS

$\Gamma(\pi\pi)/\Gamma_{\text{total}}$				Γ_1/Γ
VALUE	DOCUMENT ID	TECN	COMMENT	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.26 \pm 0.09	BUGG	96	RVUE	
<0.15	20 AMSLER	94	CBAR	$\bar{p}p \rightarrow \pi^+\pi^-3\pi^0$
<0.20	GASPERO	93	DBC	0.0 $\bar{p}n \rightarrow$ hadrons

20 Using AMSLER 95B ($3\pi^0$).

$\Gamma(4\pi)/\Gamma_{\text{total}}$				$\Gamma_2/\Gamma = (\Gamma_3 + \Gamma_4 + \Gamma_5)/\Gamma$
VALUE	DOCUMENT ID	TECN	COMMENT	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.80 \pm 0.04	GASPERO	93	DBC	0.0 $\bar{p}n \rightarrow$ hadrons

$\Gamma(4\pi^0)/\Gamma_{\text{total}}$				Γ_3/Γ
VALUE	DOCUMENT ID	TECN	COMMENT	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
seen	ABELE	96	CBAR	0.0 $\bar{p}p \rightarrow 5\pi^0$

$\Gamma(2\pi^+2\pi^-)/\Gamma(4\pi)$				$\Gamma_4/\Gamma_2 = \Gamma_4/(\Gamma_3 + \Gamma_4 + \Gamma_5)$
VALUE	DOCUMENT ID	TECN	COMMENT	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.420 \pm 0.014	21 GASPERO	93	DBC	0.0 $\bar{p}n \rightarrow 2\pi^+3\pi^-$

21 Model-dependent evaluation.

$\Gamma(\pi^+\pi^-2\pi^0)/\Gamma(4\pi)$				$\Gamma_5/\Gamma_2 = \Gamma_5/(\Gamma_3 + \Gamma_4 + \Gamma_5)$
VALUE	DOCUMENT ID	TECN	COMMENT	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.512 \pm 0.019	22 GASPERO	93	DBC	0.0 $\bar{p}n \rightarrow$ hadrons

22 Model-dependent evaluation.

$\Gamma(\rho\rho)/\Gamma(2(\pi\pi)_S\text{-wave})$				Γ_6/Γ_7
VALUE	DOCUMENT ID	TECN	COMMENT	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
large	BARBERIS	00C	450	$p p \rightarrow p_f 4\pi p_s$
1.6 \pm 0.2	AMSLER	94	CBAR	$\bar{p}p \rightarrow \pi^+\pi^-3\pi^0$
0.58 \pm 0.16	GASPERO	93	DBC	0.0 $\bar{p}n \rightarrow 2\pi^+3\pi^-$

$\Gamma(2(\pi\pi)_S\text{-wave})/\Gamma(4\pi)$				Γ_7/Γ_2
VALUE	DOCUMENT ID	TECN	COMMENT	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
5.6 \pm 2.6	23 ABELE	01	CBAR	$0.0 \bar{p}d \rightarrow \pi^- 4\pi^0 p$

$\Gamma(2(\pi\pi)s\text{-wave})/\Gamma(4\pi)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_7/Γ_2
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.51 ± 0.09	ABELE	01B CBAR	$0.0 \bar{p}n \rightarrow 5\pi$	

$\Gamma(\rho\rho)/\Gamma(4\pi)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_6/Γ_2
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.26 ± 0.07	ABELE	01B CBAR	$0.0 \bar{p}n \rightarrow 5\pi$	

$\Gamma(\pi(1300)\pi)/\Gamma(4\pi)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_8/Γ_2
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.17 ± 0.06	ABELE	01B CBAR	$0.0 \bar{p}n \rightarrow 5\pi$	

$\Gamma(a_1(1260)\pi)/\Gamma(4\pi)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_9/Γ_2
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.06 ± 0.02	ABELE	01B CBAR	$0.0 \bar{p}n \rightarrow 5\pi$	

$\Gamma(K\bar{K})/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{11}/Γ
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.35 ± 0.13	BUGG	96 RVUE		

$\Gamma(K\bar{K})/\Gamma(\pi\pi)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_{11}/Γ_1
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.91 ± 0.20	²⁴ BARGIOTTI	03 OBLX	$\bar{p}p$	
0.12 ± 0.06	²⁵ ANISOVICH	02D SPEC	Combined fit	
$0.46 \pm 0.15 \pm 0.11$	BARBERIS	99D OMEG	$450 \bar{p}p \rightarrow K^+ K^-$, $\pi^+ \pi^-$	

$\Gamma(\eta\eta)/\Gamma(4\pi)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	$\Gamma_{10}/\Gamma_2 = \Gamma_{10}/(\Gamma_3 + \Gamma_4 + \Gamma_5)$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
$(28 \pm 11) \times 10^{-3}$	²⁵ ANISOVICH	02D SPEC	Combined fit	
$(4.7 \pm 2.0) \times 10^{-3}$	BARBERIS	00E	$450 \bar{p}p \rightarrow p_f \eta \eta p_s$	

²³ From the combined data of ABELE 96 and ABELE 96C.

²⁴ Coupled channel analysis of $\pi^+ \pi^- \pi^0$, $K^+ K^- \pi^0$, and $K^\pm K_S^0 \pi^\mp$.

²⁵ From a combined K-matrix analysis of Crystal Barrel ($0. \bar{p}\bar{p} \rightarrow \pi^0 \pi^0 \pi^0$, $\pi^0 \eta \eta$, $\pi^0 \pi^0 \eta$), GAMS ($\pi p \rightarrow \pi^0 \pi^0 n$, $\eta \eta n$, $\eta \eta' n$), and BNL ($\pi p \rightarrow K\bar{K}n$) data.

$f_0(1370)$ REFERENCES

ANISOVICH	03	EPJ A16 229	V.V. Anisovich <i>et al.</i>	
BARGIOTTI	03	EPJ C26 371	M. Bargiotti <i>et al.</i>	(OBELIX Collab.)
TIKHOMIROV	03	PAN 66 828	G.D. Tikhomirov <i>et al.</i>	
		Translated from YAF 66 860.		
ANISOVICH	02D	PAN 65 1545	V.V. Anisovich <i>et al.</i>	
		Translated from YAF 65 1583.		
ABELE	01	EPJ C19 667	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	01B	EPJ C21 261	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
AITALA	01A	PRL 86 765	E.M. Aitala <i>et al.</i>	(FNAL E791 Collab.)
ASNER	00	PR D61 012002	D.M. Asner <i>et al.</i>	(CLEO Collab.)
BARBERIS	00C	PL B471 440	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	00E	PL B479 59	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	99B	PL B453 316	D. Barberis <i>et al.</i>	(Omega Expt.)
BARBERIS	99D	PL B462 462	D. Barberis <i>et al.</i>	(Omega Expt.)
BELLAZZINI	99	PL B467 296	R. Bellazzini <i>et al.</i>	
KAMINSKI	99	EPJ C9 141	R. Kaminski, L. Lesniak, B. Loiseau	(CRAC, PARIN)
ALDE	98	EPJ A3 361	D. Alde <i>et al.</i>	(GAM4 Collab.)
Also	99	PAN 62 405	D. Alde <i>et al.</i>	(GAMS Collab.)
		Translated from YAF 62 446.		
ANISOVICH	98B	UFN 41 419	V.V. Anisovich <i>et al.</i>	
BERTIN	98	PR D57 55	A. Bertin <i>et al.</i>	(OBELIX Collab.)
BARBERIS	97B	PL B413 217	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BERTIN	97C	PL B408 476	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE	96	PL B380 453	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	96B	PL B385 425	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ABELE	96C	NP A609 562	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
BUGG	96	NP B471 59	D.V. Bugg, A.V. Sarantsev, B.S. Zou	(LOQM, PNPI)
AMSLER	95B	PL B342 433	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95C	PL B353 571	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AMSLER	95D	PL B355 425	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
JANSSEN	95	PR D52 2690	G. Janssen <i>et al.</i>	(STON, ADLD, JULI)
TORNQVIST	95	ZPHY C68 647	N.A. Tornqvist	(HELS)
AMSLER	94	PL B322 431	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.) JPC
AMSLER	94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ANISOVICH	94	PL B323 233	V.V. Anisovich <i>et al.</i>	(Crystal Barrel Collab.) JPC
BUGG	94	PR D50 4412	D.V. Bugg <i>et al.</i>	(LOQM)
KAMINSKI	94	PR D50 3145	R. Kaminski, L. Lesniak, J.P. Maillet	(CRAC+)
ADAMO	93	NP A558 13C	A. Adamo <i>et al.</i>	(OBELIX Collab.) JPC
GASPERO	93	NP A562 407	M. Gaspero	(ROMAI) JPC
ZOU	93	PR D48 R3948	B.S. Zou, D.V. Bugg	(LOQM)
AMSLER	92	PL B291 347	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ARMSTRONG	91	ZPHY C51 351	T.A. Armstrong <i>et al.</i>	(ATHU, BARI, BIRM+)
ARMSTRONG	91B	ZPHY C52 389	T.A. Armstrong <i>et al.</i>	(ATHU, BARI, BIRM+)
BREAKSTONE	90	ZPHY C48 569	A.M. Breakstone <i>et al.</i>	(ISU, BGNA, CERN+)
MORGAN	90	ZPHY C48 623	D. Morgan, M.R. Pennington	(RAL, DURH)
ASTON	88	NP B296 493	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
BOLONKIN	88	NP B309 426	B.V. Bolonkin <i>et al.</i>	(ITEP, SERP)
FALVARD	88	PR D38 2706	A. Falvard <i>et al.</i>	(CLER, FRAS, LALO+)
VOROBIEV	88	SJNP 48 273	P.V. Vorobiev <i>et al.</i>	(NOVO)
		Translated from YAF 48 436.		
AU	87	PR D35 1633	K.L. Au, D. Morgan, M.R. Pennington	(DURH, RAL)
AKESSON	86	NP B264 154	T. Akesson <i>et al.</i>	(Axial Field Spec. Collab.)
ALDE	86D	NP B269 485	D.M. Alde <i>et al.</i>	(BELG, LAPP, SERP, CERN+)
CASON	83	PR D28 1586	N.M. Cason <i>et al.</i>	(NDAM, ANL)
ETKIN	82B	PR D25 1786	A. Etkin <i>et al.</i>	(BNL, CUNY, TUFTS, VAND)
WICKLUND	80	PRL 45 1469	A.B. Wicklund <i>et al.</i>	(ANL)
BECKER	79	NP B151 46	H. Becker <i>et al.</i>	(MPIM, CERN, ZEEM, CRAC)
POLYCHRO...	79	PR D19 1317	V.A. Polychronakos <i>et al.</i>	(NDAM, ANL)
FROGGATT	77	NP B129 89	C.D. Froggatt, J.L. Petersen	(GLAS, NORD)
ROSSELET	77	PR D15 574	L. Rosselet <i>et al.</i>	(GEVA, SACL)
GRAYER	74	NP B75 189	G. Grayer <i>et al.</i>	(CERN, MPIM)
HYAMS	73	NP B64 134	B.D. Hyams <i>et al.</i>	(CERN, MPIM)
OCHS	73	Thesis	W. Ochs	(MPIIM, MUNI)
BEIER	72B	PRL 29 511	E.W. Beier <i>et al.</i>	(PENN)

 OTHER RELATED PAPERS

ANISOVICH	03B	PAN 66 741 Translated from YAF 66 772.	V.V. Anisovich, V.A. Nikonorov, A.V. Sarantsev
ANISOVICH	03D	PAN 66 928 Translated from YAF 66 960.	V.V. Anisovich, A.V. Sarantsev
GARMASH	02	PR D65 092005	A. Garmash <i>et al.</i> (BELLE Collab.)
JIN	02	PR D66 057505	H. Jin, X. Zhang
KLEEFELD	02	PR D66 034007	F. Kleefeld <i>et al.</i>
RUPP	02	PR D65 078501	G. Rupp, E. van Beveren, M.D. Scadron
SHAKIN	02	PR D65 078502	C.M. Shakin, H. Wang
TESHIMA	02	JPG 28 1391	T. Teshima, I. Kitamura, N. Morisita
VOLKOV	02	PAN 65 1657 Translated from YAF 65 1701.	M.K. Volkov, V.L. Yudichev
KOPP	01	PR D63 092001	S. Kopp <i>et al.</i> (CLEO Collab.)
LI	01B	EPJ C19 529	D.-M. Li, H. Yu, Q.-X. Shen
SUROVTSEV	01	PR D63 054024	Y.S. Surovtsev, D. Krupa, M. Nagy
AKHMETSHIN	00C	PL B476 33	R.R. Akhmetshin <i>et al.</i> (Novosibirsk CMD-2 Collab.)
KAMINSKI	00	APP B31 895	R. Kaminski, L. Lesniak, K. Rybicki
SADOVSKY	00	NP A655 131c	S.A. Sadovsky
BEVEREN	99	EPJ C10 469	E. Van Beveren, G. Rupp
ISHIDA	99	PTP 101 661	M. Ishida
MINKOWSKI	99	EPJ C9 283	P. Minkowski, W. Ochs
ACHASOV	98D	PAN 61 224	N.N. Achasov, V.V. Gubin
ACHASOV	98E	PR D58 054011	N.N. Achasov, G.N. Shestakov
AMSLER	98	RMP 70 1293	C. Amsler
ANISOVICH	98	PL B437 209	V.V. Anisovich <i>et al.</i>
BLACK	98	PR D58 054012	D. Black <i>et al.</i>
LOCHER	98	EPJ C4 317	M.P. Locher <i>et al.</i> (PSI)
NARISON	98	NP B509 312	S. Narison
ANISOVICH	97	PL B395 123	A.V. Anisovich, A.V. Sarantsev (PNPI)
KAMINSKI	97	ZPHY C74 79	R. Kaminski, L. Lesniak, K. Rybicki (CRAC)
PROKOSHKIN	97	SPD 42 117 Translated from DANS 353 323.	Y.D. Prokoshkin <i>et al.</i> (SERP)
TORNQVIST	96	PRL 76 1575	N.A. Tornqvist, M. Roos (HELS)
GASPERO	95	NP A588 861	M. Gaspero (ROMA)
KLEMPPT	95	PL B361 160	E. Klemppt <i>et al.</i>
ZOU	94B	PR D50 591	B.S. Zou, D.V. Bugg (LOQM)
CLOSE	93A	PL B319 291	F.E. Close <i>et al.</i>
CLOSE	93B	NP B389 513	F.E. Close, N. Isgur, S. Kumano
MORGAN	93	PR D48 1185	D. Morgan, M.R. Pennington (RAL, DURH)
LI	91	PR D43 2161	Z.P. Li <i>et al.</i> (TENN)
BARNES	85	PL B165 434	T. Barnes
BIZZARRI	69	NP B14 169	R. Bizzarri <i>et al.</i> (CERN, CDEF)
BETTINI	66	NC 42A 695	A. Bettini <i>et al.</i> (PADO, PISA)
