

**$f_2(1270)$**  $I^G(J^{PC}) = 0^+(2^{++})$  **$f_2(1270)$  MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>1275.4 \pm 1.1</math> OUR AVERAGE</b>				
1275 $\pm$ 15		ABLIKIM	05	$J/\psi \rightarrow \phi \pi^+ \pi^-$
1283 $\pm$ 5		ALDE	98	$100 \pi^- p \rightarrow \pi^0 \pi^0 n$
1278 $\pm$ 5		<sup>1</sup> BERTIN	97c	$0.0 \bar{p}p \rightarrow \pi^+ \pi^- \pi^0$
1272 $\pm$ 8	200k	PROKOSHKIN	94	$38 \pi^- p \rightarrow \pi^0 \pi^0 n$
1269.7 $\pm$ 5.2	5730	AUGUSTIN	89	$e^+ e^- \rightarrow 5\pi$
1283 $\pm$ 8	400	<sup>2</sup> ALDE	87	$100 \pi^- p \rightarrow 4\pi^0 n$
1274 $\pm$ 5		<sup>2</sup> AUGUSTIN	87	$J/\psi \rightarrow \gamma \pi^+ \pi^-$
1283 $\pm$ 6		<sup>3</sup> LONGACRE	86	$22 \pi^- p \rightarrow n2K_S^0$
1276 $\pm$ 7		COURAU	84	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^-$
1273.3 $\pm$ 2.3		<sup>4</sup> CHABAUD	83	$17 \pi^- p$ polarized
1280 $\pm$ 4		<sup>5</sup> CASON	82	$8 \pi^+ p \rightarrow \Delta^{++} \pi^0 \pi^0$
1281 $\pm$ 7	11600	GIDAL	81	$J/\psi$ decay
1282 $\pm$ 5		<sup>6</sup> CORDEN	79	$12-15 \pi^- p \rightarrow n2\pi$
1269 $\pm$ 4	10k	APEL	75	$40 \pi^- p \rightarrow n2\pi^0$
1272 $\pm$ 4	4600	ENGLER	74	$6 \pi^+ n \rightarrow \pi^+ \pi^- p$
1277 $\pm$ 4	5300	FLATTE	71	$7.0 \pi^+ p$
1273 $\pm$ 8		<sup>2</sup> STUNTEBECK	70	$8 \pi^- p, 5.4 \pi^+ d$
1265 $\pm$ 8		BOESEBECK	68	$8 \pi^+ p$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
1251 $\pm$ 10		TIKHOMIROV	03	$40.0 \pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$
1260 $\pm$ 10		<sup>7</sup> ALDE	97	$450 pp \rightarrow pp\pi^0\pi^0$
1278 $\pm$ 6		<sup>7</sup> GRYGOREV	96	$40 \pi^- N \rightarrow K_S^0 K_S^0 X$
1262 $\pm$ 11		AGUILAR-...	91	$400 pp$
1275 $\pm$ 10		AKER	91	$0.0 \bar{p}p \rightarrow 3\pi^0$
1220 $\pm$ 10		BREAKSTONE	90	$pp \rightarrow pp\pi^+\pi^-$
1288 $\pm$ 12		ABACHI	86B	$e^+ e^- \rightarrow \pi^+ \pi^- X$
1284 $\pm$ 30	3k	BINON	83	$38 \pi^- p \rightarrow n2\eta$
1280 $\pm$ 20	3k	APEL	82	$25 \pi^- p \rightarrow n2\pi^0$
1284 $\pm$ 10	16000	DEUTSCH...	76	$16 \pi^+ p$
1258 $\pm$ 10	600	TAKAHASHI	72	$8 \pi^- p \rightarrow n2\pi$
1275 $\pm$ 13		ARMENISE	70	$9 \pi^+ n \rightarrow p\pi^+\pi^-$
1261 $\pm$ 5	1960	<sup>2</sup> ARMENISE	68	$5.1 \pi^+ n \rightarrow p\pi^+ MM^-$
1270 $\pm$ 10	360	<sup>2</sup> ARMENISE	68	$5.1 \pi^+ n \rightarrow p\pi^0 MM$
1268 $\pm$ 6		<sup>8</sup> JOHNSON	68	$3.7-4.2 \pi^- p$

<sup>1</sup> T-matrix pole.<sup>2</sup> Mass errors enlarged by us to  $\Gamma/\sqrt{N}$ ; see the note with the  $K^*(892)$  mass.<sup>3</sup> From a partial-wave analysis of data using a K-matrix formalism with 5 poles.<sup>4</sup> From an energy-independent partial-wave analysis.<sup>5</sup> From an amplitude analysis of the reaction  $\pi^+ \pi^- \rightarrow 2\pi^0$ .

<sup>6</sup> From an amplitude analysis of  $\pi^+ \pi^- \rightarrow \pi^+ \pi^-$  scattering data.<sup>7</sup> Systematic uncertainties not estimated.<sup>8</sup> JOHNSON 68 includes BONDAR 63, LEE 64, DERADO 65, EISNER 67.

## $f_2(1270)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>185.2<sup>+ 3.1</sup><sub>- 2.5</sub> OUR FIT</b>				Error includes scale factor of 1.5.
<b>184.4<sup>+ 3.9</sup><sub>- 2.5</sub> OUR AVERAGE</b>				Error includes scale factor of 1.6. See the ideogram below.
190 $\pm 20$		ABLIKIM 05	BES2	$J/\psi \rightarrow \phi \pi^+ \pi^-$
171 $\pm 10$		ALDE 98	GAM4	$100 \pi^- p \rightarrow \pi^0 \pi^0 n$
204 $\pm 20$		<sup>9</sup> BERTIN 97C	OBLX	$0.0 \bar{p} p \rightarrow \pi^+ \pi^- \pi^0$
192 $\pm 5$	200k	PROKOSHKIN 94	GAM2	$38 \pi^- p \rightarrow \pi^0 \pi^0 n$
180 $\pm 24$		AGUILAR-...	EHS	$400 p p$
169 $\pm 9$	5730	<sup>10</sup> AUGUSTIN 89	DM2	$e^+ e^- \rightarrow 5\pi$
150 $\pm 30$	400	<sup>10</sup> ALDE 87	GAM4	$100 \pi^- p \rightarrow 4\pi^0 n$
186 $\pm 9$ $\pm 2$		LONGACRE 86	MPS	$22 \pi^- p \rightarrow n2K_S^0$
179.2 <sup>+ 6.9</sup> <sub>- 6.6</sub>		<sup>12</sup> CHABAUD 83	ASPK	$17 \pi^- p$ polarized
160 $\pm 11$		DENNEY 83	LASS	$10 \pi^+ N$
196 $\pm 10$	3k	APEL 82	CNTR	$25 \pi^- p \rightarrow n2\pi^0$
152 $\pm 9$		<sup>13</sup> CASON 82	STRC	$8 \pi^+ p \rightarrow \Delta^{++} \pi^0 \pi^0$
186 $\pm 27$	11600	GIDAL 81	MRK2	$J/\psi$ decay
216 $\pm 13$		<sup>14</sup> CORDEN 79	OMEG	$12-15 \pi^- p \rightarrow n2\pi$
190 $\pm 10$	10k	APEL 75	NICE	$40 \pi^- p \rightarrow n2\pi^0$
192 $\pm 16$	4600	ENGLER 74	DBC	$6 \pi^+ n \rightarrow \pi^+ \pi^- p$
183 $\pm 15$	5300	FLATTE 71	HBC	$7 \pi^+ p \rightarrow \Delta^{++} f_2$
196 $\pm 30$		<sup>10</sup> STUNTEBECK 70	HBC	$8 \pi^- p, 5.4 \pi^+ d$
216 $\pm 20$	1960	<sup>10</sup> ARMENISE 68	DBC	$5.1 \pi^+ n \rightarrow p\pi^+ MM^-$
128 $\pm 27$		<sup>10</sup> BOESEBECK 68	HBC	$8 \pi^+ p$
176 $\pm 21$		<sup>10,15</sup> JOHNSON 68	HBC	$3.7-4.2 \pi^- p$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
121 $\pm 26$		TIKHOMIROV 03	SPEC	$40.0 \pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$
187 $\pm 20$		<sup>16</sup> ALDE 97	GAM2	$450 p p \rightarrow p p \pi^0 \pi^0$
184 $\pm 10$		<sup>16</sup> GRYGOREV 96	SPEC	$40 \pi^- N \rightarrow K_S^0 K_S^0 X$
200 $\pm 10$		AKER 91	CBAR	$0.0 \bar{p} p \rightarrow 3\pi^0$
240 $\pm 40$	3k	BINON 83	GAM2	$38 \pi^- p \rightarrow n2\eta$
187 $\pm 30$	650	<sup>10</sup> ANTIPOV 77	CIBS	$25 \pi^- p \rightarrow p3\pi$
225 $\pm 38$	16000	DEUTSCH...	HBC	$16 \pi^+ p$
166 $\pm 28$	600	<sup>10</sup> TAKAHASHI 72	HBC	$8 \pi^- p \rightarrow n2\pi$
173 $\pm 53$		<sup>10</sup> ARMENISE 70	HBC	$9 \pi^+ n \rightarrow p\pi^+ \pi^-$

<sup>9</sup> T-matrix pole.

<sup>10</sup> Width errors enlarged by us to  $4\Gamma/\sqrt{N}$ ; see the note with the  $K^*(892)$  mass.

<sup>11</sup> From a partial-wave analysis of data using a K-matrix formalism with 5 poles.

<sup>12</sup> From an energy-independent partial-wave analysis.

<sup>13</sup> From an amplitude analysis of the reaction  $\pi^+ \pi^- \rightarrow 2\pi^0$ .


<sup>14</sup> From an amplitude analysis of  $\pi^+ \pi^- \rightarrow \pi^+ \pi^-$  scattering data.

<sup>15</sup> JOHNSON 68 includes BONDAR 63, LEE 64, DERADO 65, EISNER 67.

<sup>16</sup> Systematic uncertainties not estimated.

#### WEIGHTED AVERAGE

184.4+3.9-2.5 (Error scaled by 1.6)



$f_2(1270)$  width (MeV)

## $f_2(1270)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level
$\Gamma_1 \pi\pi$	(84.8 $^{+2.5}_{-1.2}$ ) %	S=1.2
$\Gamma_2 \pi^+\pi^-2\pi^0$	( 7.1 $^{+1.4}_{-2.7}$ ) %	S=1.3
$\Gamma_3 K\bar{K}$	( 4.6 $\pm 0.4$ ) %	S=2.7
$\Gamma_4 2\pi^+2\pi^-$	( 2.8 $\pm 0.4$ ) %	S=1.2
$\Gamma_5 \eta\eta$	( 4.5 $\pm 1.0$ ) $\times 10^{-3}$	S=2.4
$\Gamma_6 4\pi^0$	( 3.0 $\pm 1.0$ ) $\times 10^{-3}$	
$\Gamma_7 \gamma\gamma$	( 1.41 $\pm 0.13$ ) $\times 10^{-5}$	
$\Gamma_8 \eta\pi\pi$	< 8 $\times 10^{-3}$	CL=95%
$\Gamma_9 K^0 K^- \pi^+ + \text{c.c.}$	< 3.4 $\times 10^{-3}$	CL=95%
$\Gamma_{10} e^+e^-$	< 6 $\times 10^{-10}$	CL=90%

## CONSTRAINED FIT INFORMATION

An overall fit to the total width, 4 partial widths, a combination of partial widths obtained from integrated cross sections, and 6 branching ratios uses 43 measurements and one constraint to determine 8 parameters. The overall fit has a  $\chi^2 = 74.5$  for 36 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta p_i \delta p_j \rangle / (\delta p_i \cdot \delta p_j)$ , in percent, from the fit to parameters  $p_i$ , including the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

$x_2$	-92						
$x_3$	12	-38					
$x_4$	10	-37	1				
$x_5$	2	-9	0	0			
$x_6$	0	-7	0	0	0		
$x_7$	11	-7	-8	1	0	0	
$\Gamma$	-78	73	-12	-8	-3	0	-14
	$x_1$	$x_2$	$x_3$	$x_4$	$x_5$	$x_6$	$x_7$

Mode	Rate (MeV)	Scale factor
$\Gamma_1 \pi\pi$	156.9 $^{+3.9}_{-1.2}$	
$\Gamma_2 \pi^+\pi^-2\pi^0$	13.1 $^{+2.8}_{-5.2}$	1.3
$\Gamma_3 K\bar{K}$	8.5 $\pm 0.8$	2.7
$\Gamma_4 2\pi^+2\pi^-$	5.2 $\pm 0.7$	1.2
$\Gamma_5 \eta\eta$	0.83 $\pm 0.18$	2.4

$\Gamma_6$	$4\pi^0$	0.55	$\pm 0.19$
$\Gamma_7$	$\gamma\gamma$	0.00260	$\pm 0.00024$

 **$f_2(1270)$  PARTIAL WIDTHS** **$\Gamma(\pi\pi)$** 

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT	$\Gamma_1$
-------------	-------------	------	---------	------------

**156.9 $^{+3.9}_{-1.2}$  OUR FIT**157.0 $^{+6.0}_{-1.0}$  <sup>18</sup> LONGACRE 86 MPS  $22\pi^- p \rightarrow n2K_S^0$  **$\Gamma(K\bar{K})$** 

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT	$\Gamma_3$
-------------	-------------	------	---------	------------

**8.5  $\pm 0.8$  OUR FIT** Error includes scale factor of 2.7.9.0 $^{+0.7}_{-0.3}$  <sup>18</sup> LONGACRE 86 MPS  $22\pi^- p \rightarrow n2K_S^0$  **$\Gamma(\eta\eta)$** 

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT	$\Gamma_5$
-------------	-------------	------	---------	------------

**0.83 $\pm 0.18$  OUR FIT** Error includes scale factor of 2.4.1.0 $\pm 0.1$  <sup>18</sup> LONGACRE 86 MPS  $22\pi^- p \rightarrow n2K_S^0$  **$\Gamma(\gamma\gamma)$** 

The value of this width depends on the theoretical model used. Unitarised models with scalars give values clustering around  $\simeq 2.6$  keV; without an *S*-wave contribution, values are systematically higher (typically around 3 keV).

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT	$\Gamma_7$
-------------	------	-------------	------	---------	------------

**2.60 $\pm 0.24$  OUR FIT****2.71 $^{+0.26}_{-0.23}$  OUR AVERAGE**

2.84 $\pm 0.35$		BOGLIONE	99	RVUE	$\gamma\gamma \rightarrow \pi^+\pi^-, \pi^0\pi^0$
2.58 $\pm 0.13$ <sup>+0.36</sup> <sub>-0.27</sub>		19 BEHREND	92	CELL	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>					
2.93 $\pm 0.23$ $\pm 0.32$		17 YABUKI	95	VNS	
3.10 $\pm 0.35$ $\pm 0.35$		20 BLINOV	92	MD1	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-$
2.27 $\pm 0.47$ $\pm 0.11$		ADACHI	90D	TOPZ	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-$
3.15 $\pm 0.04$ $\pm 0.39$		BOYER	90	MRK2	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-$
3.19 $\pm 0.16$ <sup>+0.29</sup> <sub>-0.28</sub>		MARSISKE	90	CBAL	$e^+e^- \rightarrow e^+e^-\pi^0\pi^0$
2.35 $\pm 0.65$		21 MORGAN	90	RVUE	$\gamma\gamma \rightarrow \pi^+\pi^-, \pi^0\pi^0$
3.19 $\pm 0.09$ <sup>+0.22</sup> <sub>-0.38</sub>	2177	OEST	90	JADE	$e^+e^- \rightarrow e^+e^-\pi^0\pi^0$
3.2 $\pm 0.1$ $\pm 0.4$		22 AIHARA	86B	TPC	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-$
2.5 $\pm 0.1$ $\pm 0.5$		BEHREND	84B	CELL	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-$

$2.85 \pm 0.25 \pm 0.5$	<sup>23</sup> BERGER	84 PLUT	$e^+ e^- \rightarrow e^+ e^- 2\pi$
$2.70 \pm 0.05 \pm 0.20$	COURAU	84 DLCO	$e^+ e^- \rightarrow$
$2.52 \pm 0.13 \pm 0.38$	<sup>24</sup> SMITH	84C MRK2	$e^+ e^- \rightarrow$
$2.7 \pm 0.2 \pm 0.6$	EDWARDS	82F CBAL	$e^+ e^- \rightarrow e^+ e^- 2\pi^0$
$2.9 \pm 0.6 \pm 0.6$	<sup>25</sup> EDWARDS	82F CBAL	$e^+ e^- \rightarrow e^+ e^- 2\pi^0$
$3.2 \pm 0.2 \pm 0.6$	BRANDELIK	81B TASS	$e^+ e^- \rightarrow$
$3.6 \pm 0.3 \pm 0.5$	ROUSSARIE	81 MRK2	$e^+ e^- \rightarrow$
$2.3 \pm 0.8$	<sup>26</sup> BERGER	80B PLUT	$e^+ e^- \rightarrow$

<sup>17</sup> With a narrow scalar state around 1220 MeV.

$\Gamma(e^+ e^-)$			$\Gamma_{10}$	
VALUE (eV)	CL %	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.11</b>	90	ACHASOV	00K SND	$e^+ e^- \rightarrow \pi^0 \pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<1.7 90 VOROBYEV 88 ND  $e^+ e^- \rightarrow \pi^0 \pi^0$

<sup>18</sup> From a partial-wave analysis of data using a K-matrix formalism with 5 poles.

<sup>19</sup> Using a unitarized model with a 300 - 500 keV wide scalar at 1100 MeV.

<sup>20</sup> Using the unitarized model of LYTH 85.

<sup>21</sup> Error includes spread of different solutions. Data of MARK2 and CRYSTAL BALL used in the analysis. Authors report strong correlations with  $\gamma\gamma$  width of  $f_0(1370)$  :  $\Gamma(f_2) + 1/4 \Gamma(f^0) = 3.6 \pm 0.3$  KeV.

<sup>22</sup> Radiative corrections modify the partial widths; for instance the COURAU 84 value becomes  $2.66 \pm 0.21$  in the calculation of LANDRO 86.

<sup>23</sup> Using the MENNESSIER 83 model.

<sup>24</sup> Superseded by BOYER 90.

<sup>25</sup> If helicity = 2 assumption is not made.

<sup>26</sup> Using mass, width and  $B(f_2(1270) \rightarrow 2\pi)$  from PDG 78.

### $f_2(1270) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$			$\Gamma_3\Gamma_7/\Gamma$
VALUE (keV)	DOCUMENT ID	TECN	COMMENT
<b>0.120 ± 0.014 OUR FIT</b>	Error includes scale factor of 1.3.		

**0.091 ± 0.007 ± 0.027** <sup>27</sup> ALBRECHT 90G ARG  $e^+ e^- \rightarrow$   
 $e^+ e^- K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.104 ± 0.007 ± 0.072 <sup>28</sup> ALBRECHT 90G ARG  $e^+ e^- \rightarrow$   
 $e^+ e^- K^+ K^-$

<sup>27</sup> Using an incoherent background.

<sup>28</sup> Using a coherent background.

## $f_2(1270)$ BRANCHING RATIOS

### $\Gamma(\pi\pi)/\Gamma_{\text{total}}$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	$\Gamma_1/\Gamma$
<b>0.848<sup>+0.025</sup><sub>-0.012</sub> OUR FIT</b>				Error includes scale factor of 1.2.	

### **0.837 $\pm$ 0.020 OUR AVERAGE**

0.849 $\pm$ 0.025	CHABAUD	83	ASPK	17 $\pi^- p$ polarized
0.85 $\pm$ 0.05	BEAUPRE	71	HBC	8 $\pi^+ p \rightarrow \Delta^{++} f_2$
0.8 $\pm$ 0.04	OH	70	HBC	1.26 $\pi^- p \rightarrow \pi^+ \pi^- n$

### $\Gamma(\pi^+\pi^-2\pi^0)/\Gamma(\pi\pi)$

### $\Gamma_2/\Gamma_1$

Should be twice  $\Gamma(2\pi^+ 2\pi^-)/\Gamma(\pi\pi)$  if decay is  $\rho\rho$ . (See ASCOLI 68D.)

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	$\Gamma_2/\Gamma_1$
<b>0.084<sup>+0.018</sup><sub>-0.034</sub> OUR FIT</b>				Error includes scale factor of 1.3.	
<b>0.15 <math>\pm</math>0.06</b>	600	EISENBERG	74	HBC	$4.9 \pi^+ p \rightarrow \Delta^{++} f_2$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.07	EMMS	75D	DBC	$4 \pi^+ n \rightarrow p f_2$	

### $\Gamma(K\bar{K})/\Gamma(\pi\pi)$

### $\Gamma_3/\Gamma_1$

We average only experiments which either take into account  $f_2(1270)$ - $a_2(1320)$  interference explicitly or demonstrate that  $a_2(1320)$  production is negligible.

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	$\Gamma_3/\Gamma_1$	
<b>0.054<sup>+0.005</sup><sub>-0.006</sub> OUR FIT</b>				Error includes scale factor of 2.7.		
<b>0.041<sup>+0.004</sup><sub>-0.005</sub> OUR AVERAGE</b>						
0.045 $\pm$ 0.01	29	BARGIOTTI	03	OBLX	$\bar{p}p$	
0.037 <sup>+0.008</sup> <sub>-0.021</sub>	ETKIN	82B	MPS	23 $\pi^- p \rightarrow n 2K_S^0$		
0.045 $\pm$ 0.009	CHABAUD	81	ASPK	17 $\pi^- p$ polarized		
0.039 $\pm$ 0.008	LOVERRE	80	HBC	4 $\pi^- p \rightarrow K\bar{K}N$		
• • • We do not use the following data for averages, fits, limits, etc. • • •						
0.052 $\pm$ 0.025	ABLIKIM	04E	BES2	$J/\psi \rightarrow \omega K^+ K^-$		
0.036 $\pm$ 0.005	30 COSTA...	80	OMEG	1-2.2 $\pi^- p \rightarrow K^+ K^- n$		
0.030 $\pm$ 0.005	31 MARTIN	79	RVUE			
0.027 $\pm$ 0.009	32 POLYCHRO...	79	STRC	7 $\pi^- p \rightarrow n 2K_S^0$		
0.025 $\pm$ 0.015	EMMS	75D	DBC	$4 \pi^+ n \rightarrow p f_2$		
0.031 $\pm$ 0.012	20	ADERHOLZ	69	HBC	$8 \pi^+ p \rightarrow K^+ K^- \pi^+ p$	

### $\Gamma(2\pi^+ 2\pi^-)/\Gamma(\pi\pi)$

### $\Gamma_4/\Gamma_1$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	$\Gamma_4/\Gamma_1$
<b>0.033<math>\pm</math>0.005 OUR FIT</b>				Error includes scale factor of 1.2.	
<b>0.033<math>\pm</math>0.004 OUR AVERAGE</b>				Error includes scale factor of 1.1.	
0.024 $\pm$ 0.006	160	EMMS	75D	DBC	$4 \pi^+ n \rightarrow p f_2$
0.051 $\pm$ 0.025	70	EISENBERG	74	HBC	$4.9 \pi^+ p \rightarrow \Delta^{++} f_2$
0.043 <sup>+0.007</sup> <sub>-0.011</sub>	285	LOUIE	74	HBC	3.9 $\pi^- p \rightarrow n f_2$
0.037 $\pm$ 0.007	154	ANDERSON	73	DBC	$6 \pi^+ n \rightarrow p f_2$
0.047 $\pm$ 0.013	OH	70	HBC	1.26 $\pi^- p \rightarrow \pi^+ \pi^- n$	

$\Gamma(\eta\eta)/\Gamma_{\text{total}}$  $\Gamma_5/\Gamma$ 

<u>VALUE</u> (units $10^{-3}$ )	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
---------------------------------	--------------------	-------------	----------------

**4.5±1.0 OUR FIT** Error includes scale factor of 2.4.**3.1±0.8 OUR AVERAGE** Error includes scale factor of 1.3. $2.8 \pm 0.7$ ALDE 86D GAM4  $100 \pi^- p \rightarrow 2\eta n$  $5.2 \pm 1.7$ BINON 83 GAM2  $38 \pi^- p \rightarrow 2\eta n$  $\Gamma(\eta\eta)/\Gamma(\pi\pi)$  $\Gamma_5/\Gamma_1$ 

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------	------------	--------------------	-------------	----------------

**0.003 ±0.001**BARBERIS 00E 450  $p p \rightarrow p f_1 \eta \eta p_S$ 

• • • We do not use the following data for averages, fits, limits, etc. • • •

 $<0.05$ EDWARDS 82F CBAL  $e^+ e^- \rightarrow e^+ e^- 2\eta$  $<0.016$ EMMS 75D DBC  $4 \pi^+ n \rightarrow p f_2$  $<0.09$ EISENBERG 74 HBC  $4.9 \pi^+ p \rightarrow \Delta^{++} f_2$  $\Gamma(4\pi^0)/\Gamma_{\text{total}}$  $\Gamma_6/\Gamma$ 

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------	-------------	--------------------	-------------	----------------

**0.0030±0.0010 OUR FIT****0.003 ±0.001**  $400 \pm 50$ ALDE 87 GAM4  $100 \pi^- p \rightarrow 4\pi^0 n$  $\Gamma(\eta\pi\pi)/\Gamma(\pi\pi)$  $\Gamma_8/\Gamma_1$ 

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------	------------	--------------------	-------------	----------------

**<0.010**EMMS 75D DBC  $4 \pi^+ n \rightarrow p f_2$  $\Gamma(K^0 K^- \pi^+ + \text{c.c.})/\Gamma(\pi\pi)$  $\Gamma_9/\Gamma_1$ 

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------	------------	--------------------	-------------	----------------

**<0.004**EMMS 75D DBC  $4 \pi^+ n \rightarrow p f_2$  $\Gamma(e^+ e^-)/\Gamma_{\text{total}}$  $\Gamma_{10}/\Gamma$ 

<u>VALUE</u> (units $10^{-10}$ )	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
----------------------------------	------------	--------------------	-------------	----------------

**<6**ACHASOV 00K SND  $e^+ e^- \rightarrow \pi^0 \pi^0$ 29 Coupled channel analysis of  $\pi^+ \pi^- \pi^0$ ,  $K^+ K^- \pi^0$ , and  $K^\pm K_S^0 \pi^\mp$ .

30 Re-evaluated by CHABAUD 83.

31 Includes PAWLICKI 77 data.

32 Takes into account the  $f_2(1270)$ - $f'_2(1525)$  interference. **$f_2(1270)$  REFERENCES**

ABLIKIM 05 PL B607 243	M. Ablikim <i>et al.</i>	(BES Collab.)
ABLIKIM 04E PL B603 138	M. Ablikim <i>et al.</i>	(BES Collab.)
BARGIOTTI 03 EPJ C26 371	M. Bargiotti <i>et al.</i>	(OBELIX Collab.)
TIKHOMIROV 03 PAN 66 828	G.D. Tikhomirov <i>et al.</i>	
Translated from YAF 66 860.		
ACHASOV 00K PL B492 8	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
BARBERIS 00E PL B479 59	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BOGLIONE 99 EPJ C9 11	M. Boglione, M.R. Pennington	
ALDE 98 EPJ A3 361	D. Alde <i>et al.</i>	(GAM4 Collab.)
Also 99 PAN 62 405	D. Alde <i>et al.</i>	(GAMS Collab.)
Translated from YAF 62 446.		

ALDE	97	PL B397 350	D.M. Alde <i>et al.</i>	(GAMS Collab.)
BERTIN	97C	PL B408 476	A. Bertin <i>et al.</i>	(OBELIX Collab.)
GRYGOREV	96	PAN 59 2105	V.K. Grigoriev, O.N. Baloshin, B.P. Barkov	(ITEP)
		Translated from YAF 59 2187.		
YABUKI	95	JPSJ 64 435	F. Yabuki <i>et al.</i>	(VENUS Collab.)
PROKOSHKIN	94	SPD 39 420	Y.D. Prokoshkin, A.A. Kondashov	(SERP)
		Translated from DANS 336 613.		
BEHREND	92	ZPHY C56 381	H.J. Behrend	(CELLO Collab.)
BLINOV	92	ZPHY C53 33	A.E. Blinov <i>et al.</i>	(NOVO)
AGUILAR-...	91	ZPHY C50 405	M. Aguilar-Benitez <i>et al.</i>	(LEBC-EHS Collab.)
AKER	91	PL B260 249	E. Aker <i>et al.</i>	(Crystal Barrel Collab.)
ADACHI	90D	PL B234 185	I. Adachi <i>et al.</i>	(TOPAZ Collab.)
ALBRECHT	90G	ZPHY C48 183	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
BOYER	90	PR D42 1350	J. Boyer <i>et al.</i>	(Mark II Collab.)
BREAKSTONE	90	ZPHY C48 569	A.M. Breakstone <i>et al.</i>	(ISU, BGNA, CERN+)
MARSISKE	90	PR D41 3324	H. Marsiske <i>et al.</i>	(Crystal Ball Collab.)
MORGAN	90	ZPHY C48 623	D. Morgan, M.R. Pennington	(RAL, DURH)
OEST	90	ZPHY C47 343	T. Oest <i>et al.</i>	(JADE Collab.)
AUGUSTIN	89	NP B320 1	J.E. Augustin, G. Cosme	(DM2 Collab.)
VOROBYEV	88	SJNP 48 273	P.V. Vorobiev <i>et al.</i>	(NOVO)
		Translated from YAF 48 436.		
ALDE	87	PL B198 286	D.M. Alde <i>et al.</i>	(LANL, BRUX, SERP, LAPP)
AUGUSTIN	87	ZPHY C36 369	J.E. Augustin <i>et al.</i>	(LAJO, CLER, FRAS+)
ABACHI	86B	PRL 57 1990	S. Abachi <i>et al.</i>	(PURD, ANL, IND, MICH+)
AIHARA	86B	PRL 57 404	H. Aihara <i>et al.</i>	(TPC-2 $\gamma$ Collab.)
ALDE	86D	NP B269 485	D.M. Alde <i>et al.</i>	(BELG, LAPP, SERP, CERN+)
LANDRO	86	PL B172 445	M. Landro, K.J. Mork, H.A. Olsen	(UTRO)
LONGACRE	86	PL B177 223	R.S. Longacre <i>et al.</i>	(BNL, BRAN, CUNY+)
LYTH	85	JPG 11 459	D.H. Lyth	
BEHREND	84B	ZPHY C23 223	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
BERGER	84	ZPHY C26 199	C. Berger <i>et al.</i>	(PLUTO Collab.)
COURAU	84	PL 147B 227	A. Courau <i>et al.</i>	(CIT, SLAC)
SMITH	84C	PR D30 851	J.R. Smith <i>et al.</i>	(SLAC, LBL, HARV)
BINON	83	NC 78A 313	F.G. Binon <i>et al.</i>	(BELG, LAPP, SERP+)
Also	83B	SJNP 38 561	F.G. Binon <i>et al.</i>	(BELG, LAPP, SERP+)
		Translated from YAF 38 934.		
CHABAUD	83	NP B223 1	V. Chabaud <i>et al.</i>	(CERN, CRAC, MPIM)
DENNEY	83	PR D28 2726	D.L. Denney <i>et al.</i>	(IOWA, MICH)
MENNESSIER	83	ZPHY C16 241	G. Mennessier	(MONP)
APEL	82	NP B201 197	W.D. Apel <i>et al.</i>	(KARLK, KARLE, PISA, SERP+)
CASON	82	PRL 48 1316	N.M. Cason <i>et al.</i>	(NDAM, ANL)
EDWARDS	82F	PL 110B 82	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
ETKIN	82B	PR D25 1786	A. Etkin <i>et al.</i>	(BNL, CUNY, TUFTS, VAND)
BRANDELIK	81B	ZPHY C10 117	R. Brandelik <i>et al.</i>	(TASSO Collab.)
CHABAUD	81	APP B12 575	V. Chabaud <i>et al.</i>	(CERN, CRAC, MPIM)
GIDAL	81	PL 107B 153	G. Gidal <i>et al.</i>	(SLAC, LBL)
ROUSSARIE	81	PL 105B 304	A. Roussarie <i>et al.</i>	(SLAC, LBL)
BERGER	80B	PL 94B 254	C. Berger <i>et al.</i>	(PLUTO Collab.)
COSTA...	80	NP B175 402	G. Costa de Beauregard <i>et al.</i>	(BARI, BONN+)
LOVERRE	80	ZPHY C6 187	P.F. Loverre <i>et al.</i>	(CERN, CDEF, MADR+)
CORDEN	79	NP B157 250	M.J. Corden <i>et al.</i>	(BIRM, RHEL, TELA+)
MARTIN	79	NP B158 520	A.D. Martin, E.N. Ozmutlu	(DURH)
POLYCHRO...	79	PR D19 1317	V.A. Polychronakos <i>et al.</i>	(NDAM, ANL)
PDG	78	PL 75B	C. Bricman <i>et al.</i>	
ANTIPOV	77	NP B119 45	Y.M. Antipov <i>et al.</i>	(SERP, GEVA)
PAWLICKI	77	PR D15 3196	A.J. Pawlicki <i>et al.</i>	(ANL)
DEUTSCH...	76	NP B103 426	M. Deutschmann <i>et al.</i>	(AACH3, BERL, BONN+)
APEL	75	PL 57B 398	W.D. Apel <i>et al.</i>	(KARLK, KARLE, PISA, SERP+)
EMMS	75D	NP B96 155	M.J. Emms <i>et al.</i>	(BIRM, DURH, RHEL)
EISENBERG	74	PL 52B 239	Y. Eisenberg <i>et al.</i>	(REHO)
ENGLER	74	PR D10 2070	A. Engler <i>et al.</i>	(CMU, CASE)
LOUIE	74	PL 48B 385	J. Louie <i>et al.</i>	(SACL, CERN)
ANDERSON	73	PRL 31 562	J.C. Anderson <i>et al.</i>	(CMU, CASE)
TAKAHASHI	72	PR D6 1266	K. Takahashi <i>et al.</i>	(TOHOK, PENN, NDAM+)
BEAUPRE	71	NP B28 77	J.V. Beaupre <i>et al.</i>	(AACH, BERL, CERN)
FLATTE	71	PL 34B 551	S.M. Flatte <i>et al.</i>	(LBL)
ARMENISE	70	LNC 4 199	N. Armenise <i>et al.</i>	(BARI, BGNA, FIRZ)
OH	70	PR D1 2494	B.Y. Oh <i>et al.</i>	(WISC, TNTO) JP
STUNTEBECK	70	PL 32B 391	P.H. Stuntebeck <i>et al.</i>	(NDAM)
ADERHOLZ	69	NP B11 259	M. Aderholz <i>et al.</i>	(AACH3, BERL, CERN+)
ARMENISE	68	NC 54A 999	N. Armenise <i>et al.</i>	(BARI, BGNA, FIRZ+)

ASCOLI	68D	PRL 21 1712	G. Ascoli <i>et al.</i>	(ILL)
BOESEBECK	68	NP B4 501	K. Boesebeck <i>et al.</i>	(AACH, BERL, CERN)
JOHNSON	68	PR 176 1651	P.B. Johnson <i>et al.</i>	(NDAM, PURD, SLAC)
EISNER	67	PR 164 1699	R.L. Eisner <i>et al.</i>	(PURD)
DERADO	65	PRL 14 872	I. Derado <i>et al.</i>	(NDAM)
LEE	64	PRL 12 342	Y.Y. Lee <i>et al.</i>	(MICH)
BONDAR	63	PL 5 153	L. Bondar <i>et al.</i>	(AACH, BIRM, BONN, DESY+)

---

## OTHER RELATED PAPERS

---

ABLIKIM	04A	PL B598 149	M. Ablikim <i>et al.</i>	(BES Collab.)
GARMASH	02	PR D65 092005	A. Garmash <i>et al.</i>	(BELLE Collab.)
LI	01	JPG 27 807	D.-M. Li, H. Yu, Q.-X. Shen	