

# $f_J(2220)$

$$I^G(J^{PC}) = 0^+(2^{++} \text{ or } 4^{++})$$

OMITTED FROM SUMMARY TABLE

Needs confirmation.

A REVIEW GOES HERE – Check our WWW List of Reviews

## $f_J(2220)$ MASS

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>2231.1 ± 3.5 OUR AVERAGE</b>				
2235 ± 4 ± 6	74	BAI	96B BES	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\pi^+\pi^-$
2230 $^{+6}_{-7}$ ±16	46	BAI	96B BES	$e^+e^- \rightarrow J/\psi \rightarrow \gamma K^+K^-$
2232 $^{+8}_{-7}$ ±15	23	BAI	96B BES	$e^+e^- \rightarrow J/\psi \rightarrow \gamma K_S^0 K_S^0$
2235 ± 4 ± 5	32	BAI	96B BES	$e^+e^- \rightarrow J/\psi \rightarrow \gamma p\bar{p}$
2209 $^{+17}_{-15}$ ±10		ASTON	88F LASS	11 $K^-p \rightarrow K^+K^-\Lambda$
2230 ±20		BOLONKIN	88 SPEC	40 $\pi^-p \rightarrow K_S^0 K_S^0 n$
2220 ±10	41	<sup>1</sup> ALDE	86B GA24	38–100 $\pi p \rightarrow n\eta\eta'$
2230 ± 6 ±14	93	BALTRUSAIT..86D	MRK3	$e^+e^- \rightarrow \gamma K^+K^-$
2232 ± 7 ± 7	23	BALTRUSAIT..86D	MRK3	$e^+e^- \rightarrow \gamma K_S^0 K_S^0$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
2246 ±36		BAI	98H BES	$J/\psi \rightarrow \gamma\pi^0\pi^0$

<sup>1</sup>ALDE 86B uses data from both the GAMS-2000 and GAMS-4000 detectors.

## $f_J(2220)$ WIDTH

<u>VALUE (MeV)</u>	<u>CL%</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>23 <math>^{+8}_{-7}</math> OUR AVERAGE</b>					
19 $^{+13}_{-11}$ ±12		74	BAI	96B BES	$e^+e^- \rightarrow J/\psi \rightarrow \gamma\pi^+\pi^-$
20 $^{+20}_{-15}$ ±17		46	BAI	96B BES	$e^+e^- \rightarrow J/\psi \rightarrow \gamma K^+K^-$
20 $^{+25}_{-16}$ ±14		23	BAI	96B BES	$e^+e^- \rightarrow J/\psi \rightarrow \gamma K_S^0 K_S^0$
15 $^{+12}_{-9}$ ± 9		32	BAI	96B BES	$e^+e^- \rightarrow J/\psi \rightarrow \gamma p\bar{p}$
60 $^{+107}_{-57}$			ASTON	88F LASS	11 $K^-p \rightarrow K^+K^-\Lambda$
80 ± 30			BOLONKIN	88 SPEC	40 $\pi^-p \rightarrow K_S^0 K_S^0 n$
26 $^{+20}_{-16}$ ±17		93	BALTRUSAIT..86D	MRK3	$e^+e^- \rightarrow \gamma K^+K^-$
18 $^{+23}_{-15}$ ±10		23	BALTRUSAIT..86D	MRK3	$e^+e^- \rightarrow \gamma K_S^0 K_S^0$

● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●

<80

90

ALDE

87C GAM2 38  $\pi^- p \rightarrow \eta' \eta n$

### $f_J(2220)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $\pi\pi$	seen
$\Gamma_2$ $\pi^+\pi^-$	seen
$\Gamma_3$ $K\bar{K}$	seen
$\Gamma_4$ $p\bar{p}$	
$\Gamma_5$ $\gamma\gamma$	not seen
$\Gamma_6$ $\eta\eta'(958)$	seen
$\Gamma_7$ $\phi\phi$	not seen
$\Gamma_8$ $\eta\eta$	not seen

### $f_J(2220)$ $\Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$					$\Gamma_3\Gamma_5/\Gamma$
VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT	
< 1.4	95	<sup>2</sup> ACCIARRI	01H L3	$\gamma\gamma \rightarrow K_S^0 K_S^0, E_{\text{cm}}^{\text{ee}} = 91, 183-209 \text{ GeV}$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 5.6	95	<sup>2</sup> GODANG	97 CLE2	$\gamma\gamma \rightarrow K_S^0 K_S^0$
< 86	95	<sup>2</sup> ALBRECHT	90G ARG	$\gamma\gamma \rightarrow K^+ K^-$
<1000	95	<sup>3</sup> ALTHOFF	85B TASS	$\gamma\gamma, K\bar{K}\pi$

$\Gamma(\pi\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$					$\Gamma_1\Gamma_5/\Gamma$
VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT	
<2.5	95	ALAM	98C CLE2	$\gamma\gamma \rightarrow \pi^+\pi^-$	

<sup>2</sup> Assuming  $J^P = 2^+$ .

<sup>3</sup> True for  $J^P = 0^+$  and  $J^P = 2^+$ .

### $f_J(2220)$ $\Gamma(i)\Gamma(p\bar{p})/\Gamma^2(\text{total})$

$\Gamma(p\bar{p}) \times \Gamma(\pi\pi)/\Gamma_{\text{total}}^2$					$\Gamma_4\Gamma_1/\Gamma^2$
VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT	
<18	95	<sup>4</sup> AMSLER	01 CBAR	$1.4-1.5 p\bar{p} \rightarrow \pi^0\pi^0$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

<(11-42)	99	<sup>5</sup> HASAN	96 SPEC	$1.35-1.55 p\bar{p} \rightarrow \pi^+\pi^-$
----------	----	--------------------	---------	---

$\Gamma(p\bar{p}) \times \Gamma(\phi\phi)/\Gamma_{\text{total}}^2$					$\Gamma_4\Gamma_7/\Gamma^2$
VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT	
<6	95	<sup>6</sup> EVANGELISTA	98 SPEC	$1.1-2.0 p\bar{p} \rightarrow \phi\phi$	

$\Gamma(p\bar{p}) \times \Gamma(\eta\eta)/\Gamma_{\text{total}}^2$   $\Gamma_4\Gamma_8/\Gamma^2$

VALUE (units $10^{-5}$ )	CL%	DOCUMENT ID	TECN	COMMENT
<4	95	<sup>4</sup> AMSLER	01	CBAR 1.4–1.5 $p\bar{p} \rightarrow \eta\eta$

<sup>4</sup> For  $J^P = 2^+$  in the mass range 2222–2240 MeV and the total width between 10 and 20 MeV.

<sup>5</sup> For  $J^P = 2^+$  and  $J^P = 4^+$  in the mass range 2220–2245 MeV and the total width of 15 MeV.

<sup>6</sup> For  $J^P = 2^+$ , the mass of 2235 MeV and the total width of 15 MeV.

**$f_J(2220)$  BRANCHING RATIOS**

$\Gamma(p\bar{p})/\Gamma_{\text{total}}$   $\Gamma_4/\Gamma$

VALUE (units $10^{-4}$ )	CL%	DOCUMENT ID	TECN	COMMENT
--------------------------	-----	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<3.0	95	<sup>8</sup> EVANGELISTA 97	SPEC	1.96-2.40 $p\bar{p} \rightarrow K_S^0 K_S^0$
<1.1	99.7	<sup>7</sup> BARNES	93	SPEC 1.3-1.57 $p\bar{p} \rightarrow K_S^0 K_S^0$
<2.6	99.7	<sup>7</sup> BARDIN	87	CNTR 1.3-1.5 $p\bar{p} \rightarrow K^+ K^-$
<3.6	99.7	<sup>7</sup> SCULLI	87	CNTR 1.29-1.55 $p\bar{p} \rightarrow K^+ K^-$

<sup>7</sup> Assuming  $\Gamma = 30\text{--}35$  MeV,  $J^P = 2^+$  and  $B(f_J(2220) \rightarrow K\bar{K}) = 100\%$ .

$\Gamma(\pi\pi)/\Gamma(K\bar{K})$   $\Gamma_1/\Gamma_3$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>1.0 ± 0.5</b>	BAI	96B BES	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma 2\pi, K\bar{K}$

$\Gamma(p\bar{p})/\Gamma(K\bar{K})$   $\Gamma_4/\Gamma_3$

VALUE	DOCUMENT ID	TECN	COMMENT
<b>0.17 ± 0.09</b>	BAI	96B BES	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma p\bar{p}, K\bar{K}$

<sup>8</sup> Assuming  $\Gamma \sim 20$  MeV,  $J^P = 2^+$  and  $B(f_J(2220) \rightarrow K\bar{K}) = 100\%$ .

**$f_J(2220)$  REFERENCES**

ACCIARRI	01H	PL B501 173	M. Acciarri <i>et al.</i>	(L3 Collab.)
AMSLER	01	PL B520 175	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
ALAM	98C	PRL 81 3328	M.S. Alam <i>et al.</i>	(CLEO Collab.)
BAI	98H	PRL 81 1179	J.Z. Bai <i>et al.</i>	(BES Collab.)
EVANGELISTA	98	PR D57 5370	C. Evangelista <i>et al.</i>	(JETSET Collab.)
EVANGELISTA	97	PR D56 3803	C. Evangelista <i>et al.</i>	(LEAR Collab.)
GODANG	97	PRL 79 3829	R. Godang <i>et al.</i>	(CLEO Collab.)
BAI	96B	PRL 76 3502	J.Z. Bai <i>et al.</i>	(BES Collab.)
HASAN	96	PL B388 376	A. Hasan, D.V. Bugg	(BRUN, LOQM)
BARNES	93	PL B309 469	P.D. Barnes, P. Birien, W.H. Breunlich	
ALBRECHT	90G	ZPHY C48 183	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ASTON	88F	PL B215 199	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS) JP
BOLONKIN	88	NP B309 426	B.V. Bolonkin <i>et al.</i>	(ITEP, SERP)
ALDE	87C	SJNP 45 255	D. Alde <i>et al.</i>	
		Translated from YAF 45 405.		
BARDIN	87	PL B195 292	G. Bardin <i>et al.</i>	(SACL, FERR, CERN, PADO+)
SCULLI	87	PRL 58 1715	J. Sculli <i>et al.</i>	(NYU, BNL)
ALDE	86B	PL B177 120	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP)
BALTRUSAITIS...	86D	PRL 56 107	R.M. Baltrusaitis	(CIT, UCSC, ILL, SLAC+)
ALTHOFF	85B	ZPHY C29 189	M. Althoff <i>et al.</i>	(TASSO Collab.)

————— **OTHER RELATED PAPERS** —————

CHUA	02	PL B544 139	C.-K. Chua, W.-S. Hou, S.U. Tsai	
MASEK	02	PR D65 072002	G. Masek <i>et al.</i>	(CLEO Collab.)
LIU	00A	JPG 26 L59	L.C. Liu, W.H. Ma	
WANG	00A	PR D62 017503	Z. Wang	
ANISOVICH	99D	PL B452 180	A.V. Anisovich <i>et al.</i>	
Also	99F	NP A651 253	A.V. Anisovich <i>et al.</i>	
ANISOVICH	99F	NP A651 253	A.V. Anisovich <i>et al.</i>	
PROKOSHKIN	99	PAN 62 356	Yu.D. Prokoshkin	
		Translated from YAF 62 396.		
HUANG	96	PL B380 189	T. Huang <i>et al.</i>	(BHEP, BEIJ)
BARDIN	87	PL B195 292	G. Bardin <i>et al.</i>	(SACL, FERR, CERN, PADO+)
LEYAOUANC	85	ZPHY C28 309	A. Le Yaouanc <i>et al.</i>	(ORSAY, TOKY)
GODFREY	84	PL 141B 439	S. Godfrey, R. Kokoski, N. Isgur	(TNTO)
SHATZ	84	PL 138B 209	M.P. Shatz	(CIT)
WILLEY	84	PRL 52 585	R.S. Willey	(PITT)
EISENHAND...	75	NP B96 109	E. Eisenhandler <i>et al.</i>	(LOQM, LIVP, DARE+)

---