


$f_4(2050)$ $I^G(J^{PC}) = 0^+(4^{++})$ **$f_4(2050)$ MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT	
2018±11 OUR AVERAGE		Error includes scale factor of 2.1. See the ideogram below.			
1960±15		AMELIN 06	VES	$36 \pi^- p \rightarrow \omega\omega n$	
2005±10		¹ BINON 05	GAMS	$33 \pi^- p \rightarrow \eta\eta n$	
1998±15		ALDE 98	GAM4	$100 \pi^- p \rightarrow \pi^0\pi^0 n$	
2060±20		ALDE 90	GAM2	$38 \pi^- p \rightarrow \omega\omega n$	
2038±30		AUGUSTIN 87	DM2	$J/\psi \rightarrow \gamma\pi^+\pi^-$	
2086±15		BALTRUSAIT.. 87	MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-$	
2000±60		ALDE 86D	GAM4	$100 \pi^- p \rightarrow n2\eta$	
2020±20	40k	² BINON 84B	GAM2	$38 \pi^- p \rightarrow n2\pi^0$	
2015±28		³ CASON 82	STRC	$8 \pi^+ p \rightarrow \Delta^{++}\pi^0\pi^0$	
2031 ⁺²⁵ ₋₃₆		ETKIN 82B	MPS	$23 \pi^- p \rightarrow n2K_S^0$	
2020±30	700	APEL 75	NICE	$40 \pi^- p \rightarrow n2\pi^0$	
2050±25		BLUM 75	ASPK	$18.4 \pi^- p \rightarrow nK^+K^-$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2018± 6		ANISOVICH 00J	SPEC	$2.0 \bar{p}p \rightarrow \eta\pi^0\pi^0, \pi^0\pi^0,$ $\eta\eta, \eta\eta', \pi\pi$	
~ 2000		⁴ MARTIN 98	RVUE	$N\bar{N} \rightarrow \pi\pi$	
~ 2010		⁵ MARTIN 97	RVUE	$\bar{N}N \rightarrow \pi\pi$	
~ 2040		⁶ OAKDEN 94	RVUE	$0.36\text{--}1.55 \bar{p}p \rightarrow \pi\pi$	
~ 1990		⁷ OAKDEN 94	RVUE	$0.36\text{--}1.55 \bar{p}p \rightarrow \pi\pi$	
1978± 5		⁸ ALPER 80	CNTR	$62 \pi^- p \rightarrow K^+K^- n$	
2040±10		⁸ ROZANSKA 80	SPRK	$18 \pi^- p \rightarrow p\bar{p}n$	
1935±13		⁸ CORDEN 79	OMEG	$12\text{--}15 \pi^- p \rightarrow n2\pi$	
1988± 7		EVANGELIS... 79B	OMEG	$10 \pi^- p \rightarrow K^+K^- n$	
1922±14		⁹ ANTIPOV 77	CIBS	$25 \pi^- p \rightarrow p3\pi$	

¹ From the first PWA solution.² From a partial-wave analysis of the data.³ From an amplitude analysis of the reaction $\pi^+\pi^- \rightarrow 2\pi^0$.⁴ Energy-dependent analysis.⁵ Single energy analysis.⁶ From solution A of amplitude analysis of data on $\bar{p}p \rightarrow \pi\pi$. See however KLOET 96 who fit $\pi^+\pi^-$ only and find waves only up to $J = 3$ to be important but not significantly resonant.⁷ From solution B of amplitude analysis of data on $\bar{p}p \rightarrow \pi\pi$. See however KLOET 96 who fit $\pi^+\pi^-$ only and find waves only up to $J = 3$ to be important but not significantly resonant.⁸ $I(J^P) = 0(4^+)$ from amplitude analysis assuming one-pion exchange.⁹ Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.



$f_4(2050)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
237\pm 18 OUR AVERAGE				
290 \pm 20		AMELIN 06	VES	$36\pi^- p \rightarrow \omega\omega n$
340 \pm 80	10	BINON 05	GAMS	$33\pi^- p \rightarrow \eta\eta n$
395 \pm 40		ALDE 98	GAM4	$100\pi^- p \rightarrow \pi^0\pi^0 n$
170 \pm 60		ALDE 90	GAM2	$38\pi^- p \rightarrow \omega\omega n$
304 \pm 60		AUGUSTIN 87	DM2	$J/\psi \rightarrow \gamma\pi^+\pi^-$
210 \pm 63		BALTRUSAIT... 87	MRK3	$J/\psi \rightarrow \gamma\pi^+\pi^-$
400 \pm 100		ALDE 86D	GAM4	$100\pi^- p \rightarrow n2\eta$
240 \pm 40	40k	BINON 84B	GAM2	$38\pi^- p \rightarrow n2\pi^0$
190 \pm 14		DENNEY 83	LASS	$10\pi^+ n/\pi^+ p$
186 $^{+103}_{-58}$		CASON 82	STRC	$8\pi^+ p \rightarrow \Delta^{++}\pi^0\pi^0$
305 $^{+36}_{-119}$		ETKIN 82B	MPS	$23\pi^- p \rightarrow n2K_S^0$
180 \pm 60	700	APEL 75	NICE	$40\pi^- p \rightarrow n2\pi^0$
225 $^{+120}_{-70}$		BLUM 75	ASPK	$18.4\pi^- p \rightarrow nK^+ K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
182 \pm 7		ANISOVICH 00J	SPEC	$2.0\bar{p}p \rightarrow \eta\pi^0\pi^0, \pi^0\pi^0,$
~ 170		MARTIN 98	RVUE	$\eta\eta, \eta\eta', \pi\pi$
~ 200		MARTIN 97	RVUE	$\overline{N}N \rightarrow \pi\pi$
~ 60		OAKDEN 94	RVUE	$0.36\text{--}1.55\bar{p}p \rightarrow \pi\pi$
~ 80		OAKDEN 94	RVUE	$0.36\text{--}1.55\bar{p}p \rightarrow \pi\pi$

243 ± 16	¹⁷ ALPER	80	CNTR	$62 \pi^- p \rightarrow K^+ K^- n$
140 ± 15	¹⁷ ROZANSKA	80	SPRK	$18 \pi^- p \rightarrow p\bar{p}n$
263 ± 57	¹⁷ CORDEN	79	OMEG	$12-15 \pi^- p \rightarrow n2\pi$
100 ± 28	EVANGELIS...	79B	OMEG	$10 \pi^- p \rightarrow K^+ K^- n$
107 ± 56	¹⁸ ANTIPOV	77	CIBS	$25 \pi^- p \rightarrow p3\pi$

¹⁰ From the first PWA solution.

¹¹ From a partial-wave analysis of the data.

¹² From an amplitude analysis of the reaction $\pi^+ \pi^- \rightarrow 2\pi^0$.

¹³ Energy-dependent analysis.


¹⁴ Single energy analysis.

¹⁵ From solution A of amplitude analysis of data on $\bar{p}p \rightarrow \pi\pi$. See however KLOET 96 who fit $\pi^+ \pi^-$ only and find waves only up to $J = 3$ to be important but not significantly resonant.

¹⁶ From solution B of amplitude analysis of data on $\bar{p}p \rightarrow \pi\pi$. See however KLOET 96 who fit $\pi^+ \pi^-$ only and find waves only up to $J = 3$ to be important but not significantly resonant.

¹⁷ $I(J^P) = 0(4^+)$ from amplitude analysis assuming one-pion exchange.

¹⁸ Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.



$f_4(2050)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $\omega\omega$	seen
Γ_2 $\pi\pi$	$(17.0 \pm 1.5) \%$
Γ_3 $K\bar{K}$	$(6.8^{+3.4}_{-1.8}) \times 10^{-3}$

Γ_4	$\eta\eta$	$(2.1 \pm 0.8) \times 10^{-3}$
Γ_5	$4\pi^0$	$< 1.2 \%$
Γ_6	$\gamma\gamma$	
Γ_7	$a_2(1320)\pi$	seen

$f_4(2050) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ $\Gamma_3\Gamma_6/\Gamma$

VALUE (keV)	CL%	DOCUMENT ID	TECN	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
<0.29	95	ALTHOFF	85B TASS	$\gamma\gamma \rightarrow K\bar{K}\pi$

$\Gamma(\pi\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ $\Gamma_2\Gamma_6/\Gamma$

VALUE (keV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<1.1	95	13 ± 4	OEST	90 JADE	$e^+e^- \rightarrow e^+e^-\pi^0\pi^0$

$f_4(2050)$ BRANCHING RATIOS

$\Gamma(\omega\omega)/\Gamma_{\text{total}}$ Γ_1/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
seen	AMELIN	06 VES	$36\pi^- p \rightarrow \omega\omega n$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
not seen	BARBERIS	00F	$450\,pp \rightarrow p_f\omega\omega p_s$

$\Gamma(\omega\omega)/\Gamma(\pi\pi)$ Γ_1/Γ_2

VALUE	DOCUMENT ID	TECN	COMMENT
1.5±0.3	ALDE	90 GAM2	$38\pi^- p \rightarrow \omega\omega n$

$\Gamma(\pi\pi)/\Gamma_{\text{total}}$ Γ_2/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
0.170±0.015 OUR AVERAGE			
0.18 ± 0.03	19 BINON	83C GAM2	$38\pi^- p \rightarrow n4\gamma$
0.16 ± 0.03	19 CASON	82 STRC	$8\pi^+ p \rightarrow \Delta^{++}\pi^0\pi^0$
0.17 ± 0.02	19 CORDEN	79 OMEG	$12\text{--}15\pi^- p \rightarrow n2\pi$

¹⁹ Assuming one pion exchange.

$\Gamma(K\bar{K})/\Gamma(\pi\pi)$ Γ_3/Γ_2

VALUE	DOCUMENT ID	TECN	COMMENT
0.04^{+0.02}_{-0.01}	ETKIN	82B MPS	$23\pi^- p \rightarrow n2K_S^0$

$\Gamma(\eta\eta)/\Gamma_{\text{total}}$ Γ_4/Γ

VALUE (units 10^{-3})	DOCUMENT ID	TECN	COMMENT
2.1±0.8	ALDE	86D GAM4	$100\pi^- p \rightarrow n4\gamma$

$\Gamma(4\pi^0)/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE	DOCUMENT ID	TECN	COMMENT
<0.012	ALDE	87 GAM4	$100\pi^- p \rightarrow 4\pi^0n$

$\Gamma(a_2(1320)\pi)/\Gamma_{\text{total}}$ Γ_7/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
seen	AMELIN 00	VES	$37 \pi^- p \rightarrow \eta\pi^+\pi^- n$

f₄(2050) REFERENCES

AMELIN	06	PAN 69 690 Translated from YAF 69 715.	D.V. Amelin <i>et al.</i>	(VES Collab.)
BINON	05	PAN 68 960 Translated from YAF 68 998.	F. Binon <i>et al.</i>	
AMELIN	00	NP A668 83	D. Amelin <i>et al.</i>	(VES Collab.)
ANISOVICH	00J	PL B491 47	A.V. Anisovich <i>et al.</i>	
BARBERIS	00F	PL B484 198	D. Barberis <i>et al.</i>	(WA 102 Collab.)
ALDE	98	EPJ A3 361	D. Alde <i>et al.</i>	(GAM4 Collab.)
Also		PAN 62 405 Translated from YAF 62 446.	D. Alde <i>et al.</i>	(GAMS Collab.)
MARTIN	98	PR C57 3492	B.R. Martin <i>et al.</i>	
MARTIN	97	PR C56 1114	B.R. Martin, G.C. Oades	(LOUC, AARH)
KLOET	96	PR D53 6120	W.M. Kloet, F. Myhrer	(RUTG, NORD)
OAKDEN	94	NP A574 731	M.N. Oakden, M.R. Pennington	(DURH)
ALDE	90	PL B241 600	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP+)
OEST	90	ZPHY C47 343	T. Oest <i>et al.</i>	(JADE Collab.)
ALDE	87	PL B198 286	D.M. Alde <i>et al.</i>	(LANL, BRUX, SERP, LAPP)
AUGUSTIN	87	ZPHY C36 369	J.E. Augustin <i>et al.</i>	(LAJO, CLER, FRAS+)
BALTRUSAIT...	87	PR D35 2077	R.M. Baltrusaitis <i>et al.</i>	(Mark III Collab.)
ALDE	86D	NP B269 485	D.M. Alde <i>et al.</i>	(BELG, LAPP, SERP, CERN+)
ALTHOFF	85B	ZPHY C29 189	M. Althoff <i>et al.</i>	(TASSO Collab.)
BINON	84B	LNC 39 41	F.G. Binon <i>et al.</i>	(SERP, BELG, LAPP)
BINON	83C	SJNP 38 723 Translated from YAF 38 1199.	F.G. Binon <i>et al.</i>	(SERP, BRUX+)
DENNEY	83	PR D28 2726	D.L. Denney <i>et al.</i>	(IOWA, MICH)
CASON	82	PRL 48 1316	N.M. Cason <i>et al.</i>	(NDAM, ANL)
ETKIN	82B	PR D25 1786	A. Etkin <i>et al.</i>	(BNL, CUNY, TUFTS, VAND)
ALPER	80	PL 94B 422	B. Alper <i>et al.</i>	(AMST, CERN, CRAC, MPIM+)
ROZANSKA	80	NP B162 505	M. Rozanska <i>et al.</i>	(MPIM, CERN)
CORDEN	79	NP B157 250	M.J. Corden <i>et al.</i>	(BIRM, RHEL, TELA+) JP
EVANGELIS...	79B	NP B154 381	C. Evangelista <i>et al.</i>	(BARI, BONN, CERN+)
ANTIPOV	77	NP B119 45	Y.M. Antipov <i>et al.</i>	(SERP, GEVA)
APEL	75	PL 57B 398	W.D. Apel <i>et al.</i>	(KARLK, KARLE, PISA, SERP+) JP
BLUM	75	PL 57B 403	W. Blum <i>et al.</i>	(CERN, MPIM) JP

OTHER RELATED PAPERS

ANISOVICH	99D	PL B452 180	A.V. Anisovich <i>et al.</i>	
Also		NP A651 253	A.V. Anisovich <i>et al.</i>	
ANISOVICH	99F	NP A651 253	A.V. Anisovich <i>et al.</i>	
PROKOSHKIN	97	SPD 42 117 Translated from DANS 353 323.	Y.D. Prokoshkin <i>et al.</i>	(SERP)
CASON	83	PR D28 1586	N.M. Cason <i>et al.</i>	(NDAM, ANL)
GOTTESMAN	80	PR D22 1503	S.R. Gottesman <i>et al.</i>	(SYRA, BRAN, BNL+)
EISENHAND...	75	NP B96 109	E. Eisenhandler <i>et al.</i>	(LOQM, LIVP, DARE+)
WAGNER	74	London Conf. 2 27	F. Wagner	(MPIM)