$$I^{G}(J^{PC}) = 0^{+}(4^{+})$$

OMITTED FROM SUMMARY TABLE

This entry was previously called $U_0(2350)$. Contains results mostly from formation experiments. For further production experiments see the Further States entry. See also $\rho(2150)$, $f_2(2150)$, $\rho_3(2250)$, $\rho_5(2350)$.

f₄(2300) MASS

$\overline{p}p \rightarrow \pi\pi \text{ or } \overline{K}K$

VALUE (MeV)	DOCUMENT IL)	TECN	COMMENT		
\bullet \bullet We do not use the follow	ing data for averag	es, fits,	limits, e	etc. • • •		
\sim 2314	HASAN	94	RVUE	$\overline{p} p \rightarrow \pi \pi$		
~ 2300	¹ MARTIN	80 B	RVUE			
~ 2300	¹ MARTIN	80 C	RVUE			
\sim 2340	² CARTER	78 B	CNTR	$0.7-2.4 \ \overline{p} p \rightarrow \ K^- K^+$		
\sim 2330	DULUDE	78 B	OSPK	$1-2 \overline{p} p \rightarrow \pi^0 \pi^0$		
\sim 2310	³ CARTER	77	CNTR	0.7–2.4 $\overline{p} p \rightarrow \pi \pi$		
$^{1}I(J^{P}) = 0(4^{+})$ from simultaneous analysis of $p\overline{p} \rightarrow \pi^{-}\pi^{+}$ and $\pi^{0}\pi^{0}$.						
$2I(J^P) = 0(4^+)$ from Barrelet-zero analysis.						
${}^{3}I(J^{P}) = 0(4^{+})$ from amplitude analysis.						

S-CHANNEL $\overline{p}p$ or $\overline{N}N$

VALUE (MeV)	DOCUMENT ID		TECN	COMMENT		
ullet $ullet$ $ullet$ We do not use the following data for averages, fits, limits, etc. $ullet$ $ullet$						
2283±17	⁴ ANISOVICH	100 J	SPEC			
~ 2380	⁵ CUTTS	78 B	CNTR	$0.97-3 \overline{p} p \rightarrow \overline{N} N$		
2345 ± 15	^{5,6} COUPLAND	77	CNTR	$0.7-2.4 \ \overline{p} p \rightarrow \overline{p} p$		
$2359\pm~2$	^{5,7} ALSPECTOR	73	CNTR	<u>p</u> p S channel		
2375 ± 10	ABRAMS	70	CNTR	S channel NN		
⁴ From the combined analysis of ANISOVICH 99C and ANISOVICH 99F on $\overline{p}p \rightarrow \eta \pi^0 \pi^0$, $\pi^0 \pi^0, \eta\eta, \eta\eta', \pi^+ \pi^-$. ⁵ Isospins 0 and 1 not separated. ⁶ From a fit to the total elastic cross section. ⁷ Referred to as <i>U</i> or <i>U</i> region by ALSPECTOR 73.						
$\pi^- \rho \rightarrow \eta \pi \pi n$						
VALUE (MeV)	DOCUMENT ID		TECN	COMMENT		
ullet $ullet$ We do not use the following data for averages, fits, limits, etc. $ullet$ $ullet$ $ullet$						

 $2330 \!\pm\! 20 \!\pm\! 40$

HTTP://PDG.LBL.GOV

AMELIN

00

VES 37 $\pi^- p \rightarrow \eta \pi^+ \pi^- n$

VALUE (MeV)	DOCUMENT IL	DOCUMENT ID		NT
2320 \pm 60 OUR ESTIM	ATE			
• • • We do not use t	he following data for averag	es, fits,	limits, e	etc. • • •
2332±15	BARBERIS	00F	450 pp	$p \rightarrow p_f \omega \omega p_s$
	f ₄ (2300) WII	DTH		
$\overline{p}p \rightarrow \pi\pi \text{ or } \overline{K}K$				
VALUE (MeV)	DOCUMENT ID)	TECN	COMMENT
• • • We do not use t	he following data for averag	es, fits,	limits, e	etc. ● ● ●
~ 278	HASAN	94	RVUE	$\overline{p}p \rightarrow \pi\pi$
~ 200	⁸ MARTIN	80 C	RVUE	
~ 150	⁹ CARTER	78 B	CNTR	$0.7-2.4 \ \overline{p} p \rightarrow K^- K^-$
~ 210	¹⁰ CARTER	77	CNTR	$0.72.4 \ \overline{p} p \rightarrow \pi \pi$
$8 I(I^P) = 0(4^+)$ from	m simultaneous analysis of	$\overline{n}\overline{n} \rightarrow$	$\pi^{-}\pi^{+}$	and $\pi^0 \pi^0$
$9_{I(I^{P})} = 0(4^{+})$ from	m Barrelet-zero analysis	PP		
$10_{I(IP)} - 0(4^{+})$ from	m amplitude analysis			
$f(3^{-}) = 0(4^{-}) = 0(4^{-})$	in amplitude analysis.			
S-CHANNEL $\overline{p}p$ or	NN			
				6 6 1 <i>1</i> 1 - 1 - 1

• • • We do not use the following data for averages, fits, limits, etc. • • •					
$310\pm$ 25	¹¹ ANISOVICH	00J	SPEC		
135^{+150}_{-65}	12,13 COUPLAND	77	CNTR 0.7-2.4 $\overline{p}p \rightarrow \overline{p}p$		
$165 \begin{array}{c} + & 18 \\ - & 8 \end{array}$	¹³ ALSPECTOR	73	CNTR $\overline{p}p S$ channel		
~ 190	ABRAMS	70	CNTR S channel $\overline{N}N$		

¹¹ From the combined analysis of ANISOVICH 99C and ANISOVICH 99F on $\overline{p}p \rightarrow \eta \pi^0 \pi^0$, $\pi^0 \pi^0$, $\eta \eta$, $\eta \eta'$, $\pi^+ \pi^-$. ¹² From a fit to the total elastic cross section. ¹³ Isospins 0 and 1 not separated.

$\pi^- p \rightarrow \eta \pi \pi n$

VALUE (MeV)	DOCUMENT ID		TECN	COMMENT	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
$235 \pm 50 \pm 40$	AMELIN	00	VES	$37 \pi^- p \rightarrow \eta \pi^+ \pi^- n$	
pp CENTRAL PRODUCTION					
VALUE (MeV)	DOCUMENT ID		COMME	NT	
250±80 OUR ESTIMATE					
ullet $ullet$ We do not use the following data for averages, fits, limits, etc. $ullet$ $ullet$					
260±57	BARBERIS	00F	450 pp	$p \rightarrow p_f \omega \omega p_s$	

HTTP://PDG.LBL.GOV

f₄(2300) DECAY MODES

	Mode	Fraction (Γ_i/Γ)
Γ ₁	ho ho	seen
Г2	$\omega \omega$	seen
Г ₃	$\eta \pi \pi$	seen
Г ₄	$\pi \pi$	seen
Γ ₅	KK	seen
Г ₆	NN	seen

f₄(2300) BRANCHING RATIOS

$\Gamma(\rho\rho)/\Gamma(\omega\omega)$			Γ_1/Γ_2
VALUE	DOCUMENT ID	<u>COMMENT</u>	
$\bullet \bullet \bullet$ We do not use the follow	ving data for averages, fi	ts, limits, etc. • • •	
2.8±0.5	BARBERIS 00	$PF 450 \ pp \rightarrow p_f \omega \omega p_s$	5

f₄(2300) REFERENCES

AMELIN	00	NP A668 83	D. Amelin <i>et al.</i>	(VES Collab.)
	00J	PL B491 47	A.V. Anisovich <i>et al.</i>	$(M/\Lambda 102 \text{ Callab})$
ANISOVICH	99C	PL B452 173	A.V. Anisovich <i>et al.</i>	(WA 102 Collab.)
ANISOVICH	99F	NP A651 253	A.V. Anisovich <i>et al.</i>	
HASAN	94	PL B334 215	A. Hasan, D.V. Bugg	(LOQM)
MARTIN	80B	NP B176 355	B.R. Martin, D. Morgan	(LOUC, RHEL) JP
	80C	NP B169 216	A.D. Martin, M.R. Pennington	(DURH) JP
CHETS	78B	NP D141 407 PR D17 16	D Cutts et al	
DULUDE	78B	PL 79B 335	R.S. Dulude <i>et al.</i>	(BROW, MIT, BARI) JP
CARTER	77	PL 67B 117	A.A. Carter <i>et al.</i>	LOQM, RHEL) JP
COUPLAND	77	PL 71B 460	M. Coupland <i>et al.</i>	(LOQM, RHEL)
ALSPECTOR	73	PRL 30 511	J. Alspector <i>et al.</i>	(RUTG, UPNJ)
ABRAMS	70	PR D1 1917	R.J. Abrams <i>et al.</i>	(BNL)
			RELATED PAPERS -	
ANISOVICH	99D	PL B452 180	A.V. Anisovich et al.	
Also		NP A651 253	A.V. Anisovich et al.	
ANISOVICH	99F	NP A651 253	A.V. Anisovich <i>et al.</i>	
EISENHAND	75 71	NP B90 109 PRI 27 1740	E. Elsenhandler <i>et al.</i> T. Fields et al	(LOQM, LIVP, DARE+)
YOH	71	PRI 26 922	IK Yoh et al	(CIT BNI ROCH)
BRICMAN	69	PL 29B 451	C. Bricman <i>et al.</i>	(CERN, CAEN, SACL)