

$f_2(1910)$

$I^G(J^{PC}) = 0^+(2^{++})$

OMMITTED FROM SUMMARY TABLE


We list here three different peaks with close masses and widths seen in the mass distributions of $\omega\omega$, $\eta\eta'$, and K^+K^- final states. ALDE 91B argues that they are of different nature.

$f_2(1910)$ MASS

$f_2(1910)$ $\omega\omega$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1903 ± 9 OUR AVERAGE	Error includes scale factor of 1.5. See the ideogram below.		
1890 \pm 10	¹ AMELIN 06	VES	$36 \pi^- p \rightarrow \omega\omega n$
1934 \pm 20	ANISOVICH 00J	SPEC	
1897 \pm 11	BARBERIS 00F		$450 pp \rightarrow p_f \omega\omega p_s$
1924 \pm 14	ALDE 90	GAM2	$38 \pi^- p \rightarrow \omega\omega n$

¹ Supersedes BELADIDZE 92B.



$f_2(1910)$ $\eta\eta'$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1934±16	² BARBERIS 00A	450 $p p \rightarrow p_f \eta\eta' p_s$	
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1911±10	ALDE 91B GAM2 38 $\pi^- p \rightarrow \eta\eta' n$		
² Also compatible with $JPC=1-+$.			

$f_2(1910)$ $K^+ K^-$ MODE


VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1941±18	AMSLER 06 CBAR 1.64 $\bar{p}p \rightarrow K^+ K^- \pi^0$		

$f_2(1910)$ WIDTH

$f_2(1910)$ $\omega\omega$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
196±31 OUR AVERAGE			Error includes scale factor of 2.3. See the ideogram below.
165±19	³ AMELIN 06 VES 36 $\pi^- p \rightarrow \omega\omega n$		
271±25	ANISOVICH 00J SPEC		
202±32	BARBERIS 00F 450 $p p \rightarrow p_f \omega\omega p_s$		
91±50	ALDE 90 GAM2 38 $\pi^- p \rightarrow \omega\omega n$		

³ Supersedes BELADIDZE 92B.



$f_2(1910)$ $\eta\eta'$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
141±41	⁴ BARBERIS 00A	450 $p p \rightarrow p_f \eta\eta' p_s$	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
90±35	ALDE 91B GAM2 38 $\pi^- p \rightarrow \eta\eta' n$		
⁴ Also compatible with $JPC=1-+$.			

$f_2(1910)$ $K^+ K^-$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
120±40	AMSLER 06 CBAR 1.64 $\bar{p}p \rightarrow K^+ K^- \pi^0$		

$f_2(1910)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \pi^0 \pi^0$	
$\Gamma_2 K^+ K^-$	seen
$\Gamma_3 K_S^0 K_S^0$	
$\Gamma_4 \eta\eta$	seen
$\Gamma_5 \omega\omega$	seen
$\Gamma_6 \eta\eta'$	seen
$\Gamma_7 \eta'\eta'$	
$\Gamma_8 \rho\rho$	seen

$f_2(1910)$ BRANCHING RATIOS

$\Gamma(K^+ K^-)/\Gamma_{\text{total}}$

VALUE	DOCUMENT ID	TECN	COMMENT
seen	AMSLER 06 CBAR 1.64 $\bar{p}p \rightarrow K^+ K^- \pi^0$		

Γ_2/Γ

$\Gamma(\pi^0 \pi^0)/\Gamma(\eta\eta')$

VALUE	DOCUMENT ID	TECN	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
<0.1	ALDE 89 GAM2 38 $\pi^- p \rightarrow \eta\eta' n$		

Γ_1/Γ_6

$\Gamma(K_S^0 K_S^0)/\Gamma(\eta\eta')$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
<0.066	90	BALOSHIN 86 SPEC	40 $\pi p \rightarrow K_S^0 K_S^0 n$	

Γ_3/Γ_6

$\Gamma(\eta\eta)/\Gamma(\eta\eta')$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
<0.05	90	ALDE 91B GAM2 38	$\pi^- p \rightarrow \eta\eta' n$	

Γ_4/Γ_6

$\Gamma(\omega\omega)/\Gamma(\eta\eta')$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>COMMENT</u>	Γ_5/Γ_6
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2.6 \pm 0.6	BARBERIS 00F	450 $p p \rightarrow p_f \omega\omega p_s$	

$\Gamma(\eta'\eta')/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_7/Γ
• • • We do not use the following data for averages, fits, limits, etc. • • •				
probably not seen	BARBERIS 00A		450 $p p \rightarrow p_f \eta' \eta' p_s$	
possibly seen	BELADIDZE 92D	VES	37 $\pi^- p \rightarrow \eta' \eta' n$	

$\Gamma(\rho\rho)/\Gamma(\omega\omega)$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>COMMENT</u>	Γ_8/Γ_5
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2.6 \pm 0.4	BARBERIS 00F	450 $p p \rightarrow p_f \omega\omega p_s$	

f₂(1910) REFERENCES

AMELIN	06	PAN 69 690 Translated from YAF 69 715.	D.V. Amelin <i>et al.</i>	(VES Collab.)
AMSLER	06	PL B639 165	C. Amsler <i>et al.</i>	(CBAR Collab.)
ANISOVICH	00J	PL B491 47	A.V. Anisovich <i>et al.</i>	
BARBERIS	00A	PL B471 429	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	00F	PL B484 198	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BELADIDZE	92B	ZPHY C54 367	G.M. Beladidze <i>et al.</i>	(VES Collab.)
BELADIDZE	92D	ZPHY C57 13	G.M. Beladidze <i>et al.</i>	(VES Collab.)
ALDE	91B	SJNP 54 455 Translated from YAF 54 751.	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP+)
Also		PL B276 375	D.M. Alde <i>et al.</i>	(BELG, SERP, KEK, LANL+)
ALDE	90	PL B241 600	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP+)
ALDE	89	PL B216 447	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP)
Also		SJNP 48 1035	D.M. Alde <i>et al.</i>	(BELG, SERP, LANL, LAPP)
BALOSHIN	86	Translated from YAF 48 1724. SJNP 43 959 Translated from YAF 43 1487.	O.N. Baloshin <i>et al.</i>	(ITEP)

OTHER RELATED PAPERS

ABLIKIM	06H	PR D73 112007	M. Ablikim <i>et al.</i>	(BES Collab.)
ANISOVICH	05	JETPL 80 715 Translated from ZETFP 80 845.	V.V. Anisovich	
ANISOVICH	05A	JETPL 81 417 Translated from ZETFP 81 531.	V.V. Anisovich, A.V. Sarantsev	
ANISOVICH	05C	IJMP A20 6327	V.V. Anisovich, M.A. Matveev, A.V. Sarantsev	
LEE	94	PL B323 227	J.H. Lee <i>et al.</i>	(BNL, IND, KYUN, MASD+)