

$D_{s2}(2573)^{\pm}$

$J(P) = 0(?)$

J^P is natural, width and decay modes consistent with 2^+ .

$D_{s2}(2573)^{\pm}$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
2572.6 ± 0.9 OUR AVERAGE					
2572.2 $\pm 0.3 \pm 1.0$		AUBERT,BE	06E	BABR	$e^+ e^- \rightarrow D K X$
2574.5 $\pm 3.3 \pm 1.6$		ALBRECHT	96	ARG	$e^+ e^- \rightarrow D^0 K^+ X$
$2573.2^{+1.7}_{-1.6} \pm 0.9$	217	KUBOTA	94	CLE2	$+ e^+ e^- \sim 10.5$ GeV
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
2570.0 ± 4.3	25	¹ EVDOKIMOV	04	SELX	$600 \Sigma^- A \rightarrow D^0 K^+ X$
2568.6 ± 3.2	64	² HEISTER	02B	ALEP	$e^+ e^- \rightarrow D^0 K^+ X$

¹ Not independent of the mass difference below.

² Calculated using $m_{D^0} = 1864.5 \pm 0.5$ MeV and the mass difference below.


$m_{D_{s2}(2573)^{\pm}} - m_{D^0}$

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
704 $\pm 3 \pm 1$	64	HEISTER	02B	$ALEP e^+ e^- \rightarrow D^0 K^+ X$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
705.4 ± 4.3	25	³ EVDOKIMOV	04	SELX $600 \Sigma^- A \rightarrow D^0 K^+ X$
$\bullet \bullet \bullet$ Systematic errors not estimated.				

$D_{s2}(2573)^{\pm}$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
20 ± 5 OUR AVERAGE Error includes scale factor of 1.3. See the ideogram below.					
27.1 $\pm 0.6 \pm 5.6$		AUBERT,BE	06E	BABR	$e^+ e^- \rightarrow D K X$
10.4 $\pm 8.3 \pm 3.0$		ALBRECHT	96	ARG	$e^+ e^- \rightarrow D^0 K^+ X$
$16^{+5}_{-4} \pm 3$	217	KUBOTA	94	CLE2	$+ e^+ e^- \sim 10.5$ GeV
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
14 $^{+9}_{-6}$	25	⁴ EVDOKIMOV	04	SELX	$600 \Sigma^- A \rightarrow D^0 K^+ X$

⁴ Systematic errors not estimated.



$D_{s2}(2573)^+$ DECAY MODES

$D_{s2}(2573)^-$ modes are charge conjugates of the modes below.

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \quad D^0 K^+$	seen
$\Gamma_2 \quad D^*(2007)^0 K^+$	not seen

$D_{s2}(2573)^+$ BRANCHING RATIOS

$\Gamma(D^0 K^+)/\Gamma_{\text{total}}$	Γ_1/Γ
VALUE <u>EVTS</u> seen 217	<u>DOCUMENT ID</u> KUBOTA <u>TECN</u> 94 <u>CHG</u> ± <u>COMMENT</u> $e^+ e^- \sim 10.5$ GeV

$\Gamma(D^*(2007)^0 K^+)/\Gamma(D^0 K^+)$	Γ_2/Γ_1
VALUE <u>CL%</u> <0.33 90	<u>DOCUMENT ID</u> KUBOTA <u>TECN</u> 94 <u>CHG</u> + <u>COMMENT</u> $e^+ e^- \sim 10.5$ GeV

$D_{s2}(2573)^{\pm}$ REFERENCES

AUBERT,BE 06E PRL 97 222001	B. Aubert <i>et al.</i>	(BABAR Collab.)
EVDOKIMOV 04 PRL 93 242001	A.V. Evdokimov <i>et al.</i>	(SELEX Collab.)
HEISTER 02B PL B526 34	A. Heister <i>et al.</i>	(ALEPH Collab.)
ALBRECHT 96 ZPHY C69 405	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
KUBOTA 94 PRL 72 1972	Y. Kubota <i>et al.</i>	(CLEO Collab.)

———— OTHER RELATED PAPERS ——

COLANGELO 06 PL B642 48
CLOSE 05C PR D72 094004
SEMENOV 99 SPU 42 847
Translated from UFN 42 937.

P. Colangelo *et al.*
F.E. Close, E.S. Swanson
S.V. Semenov

(OXFTP)