$K_{3}^{*}(1780$

$$I(J^P) = \frac{1}{2}(3^-)$$

K₃*(1780) MASS

VALUE (MeV)	EVTS	DOCUMENT ID		TECN	CHG	COMMENT
1776 \pm 7 OUR A	VERAGE	Error includes scale	facto	or of 1.1		
$1781\pm$ 8 \pm 4		¹ ASTON	88	LASS	0	11 $K^- p \rightarrow$
$1740 \pm 14 \pm 15$		¹ ASTON	87	LASS	0	$ \begin{array}{c} K^{-} \pi^{+} n \\ 11 K^{-} p \rightarrow \\ \overline{\nu} 0 + - n \end{array} $
1779 ± 11		² BALDI	76	SPEC	+	$10 \begin{array}{c} K^{+} \pi & \pi \\ K^{+} p \rightarrow & K^{0} \pi^{+} p \end{array}$
$1776\!\pm\!26$		³ BRANDENB	76 D	ASPK	0	13 $K^{\pm}_{\pm} p \rightarrow_{\pm}$
• • • We do not	use the fo	llowing data for aver	rages,	fits, lim	its, etc	$K^{\pm}\pi^{+}N$
$1720 \pm 10 \pm 15$	6111	⁴ BIRD	89	LASS	_	11 $K^- p \rightarrow \overline{K}^0 \pi^- p$
1749 ± 10	0111	ASTON	88B	LASS	_	$11 \ K^- p \rightarrow K^- np$
1780± 9	300	BAUBILLIER	8 4B	HBC	_	$8.25 K^- p \rightarrow$
1790 ± 15		BAUBILLIER	82 B	НВС	0	$K^{0} \pi^{-} p$ 8.25 $K^{-} p \rightarrow$ $K^{0} 2\pi N$
1784 ± 9	2060	CLELAND	82	SPEC	±	50 $\kappa^{5} p \rightarrow \kappa^{0}_{\varsigma} \pi^{\pm} p$
$1786\!\pm\!15$		⁵ ASTON	81 D	LASS	0	11 $K^- p \rightarrow$
1762± 9	190	TOAFF	81	HBC	_	$ \begin{array}{c} K^{-} \pi^{+} n \\ 6.5 \ K^{-} p \rightarrow \\ \overline{K}^{0} \pi^{-} p \end{array} $
$1850\!\pm\!50$		ETKIN	80	MPS	0	$6 K^- p \rightarrow$
1812±28		BEUSCH	78	OMEG		$ \begin{array}{c} $
1786± 8		CHUNG	78	MPS	0	$6 K^{-} p \rightarrow K^{-} \pi^{+} n$

¹ From energy-independent partial-wave analysis. ² From a fit to Y_6^2 moment. $J^P = 3^-$ found. ³ Confirmed by phase shift analysis of ESTABROOKS 78, yields $J^P = 3^-$. ⁴ From a partial wave amplitude analysis. ⁵ From a fit to the Y_6^0 moment.

K₃(1780) WIDTH

VALUE (MeV)	EVTS	DOCUMENT II	D	TECN	CHG	COMMENT
159±21 OUR	AVERAGE	Error includes s	cale fac	tor of 1.	3. See	the ideogram below.
$203\pm30\pm$ 8		⁶ ASTON	88	LASS	0	11 $K^- p \rightarrow$
$171 \pm 42 \pm 20$		⁶ ASTON	87	LASS	0	$ \begin{array}{c} K^{-} \pi^{+} n \\ 11 K^{-} p \rightarrow \\ \overline{K} 0 + - \end{array} $
$135\!\pm\!22$		⁷ BALDI	76	SPEC	+	$10 K^0 \pi^+ \pi^- n$ $K^0 \pi^+ p \rightarrow K^0 \pi^+ p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

	$187 \pm 31 \pm 20$	6111	⁸ BIRD	89	LASS	_	11 $K^- p \rightarrow \overline{K}^0 \pi^- p$
	193^{+51}_{-37}		ASTON	88 B	LASS	_	$11 \ K^- p \rightarrow \ K^- \eta p$
	99±30	300	BAUBILLIER	8 4B	HBC	_	8.25 $K^- p \rightarrow \overline{K^0} \pi^- p$
\sim	, 130		BAUBILLIER	82 B	HBC	0	$8.25 K^{-} p \rightarrow K_{0}^{0} 2\pi N$
	$191\!\pm\!24$	2060	CLELAND	82	SPEC	±	$50 \ K^+ p \rightarrow \ K^0_{\varsigma} \pi^{\pm} p$
	$225\!\pm\!60$		⁹ ASTON	81 D	LASS	0	11 $K^- p \rightarrow$
\sim	80	190	TOAFF	81	HBC	_	$ \begin{array}{c} K^{-} \pi^{+} n \\ 6.5 \ K^{-} p \rightarrow \\ \overline{K}_{0} \pi^{-} p \end{array} $
	240±50		ETKIN	80	MPS	0	$ \begin{array}{ccc} & & & & p \\ 6 & K^{-} & p \rightarrow \\ & & \overline{x}^{0} & \pm & - \end{array} $
	181±44		¹⁰ BEUSCH	78	OMEG		$ \begin{array}{c} K^{0}\pi^{+}\pi^{-} \\ 10 K^{-}p \rightarrow \\ \overline{x}0 + - \end{array} $
	96±31		CHUNG	78	MPS	0	$6 K^{-} p \rightarrow K^{-} \pi^{+} n$
	270±70		¹¹ BRANDENB	76 D	ASPK	0	$\begin{array}{c} 13 \ K^{\pm} \ p \rightarrow \\ K^{\pm} \ \pi^{\mp} \ N \end{array}$

⁶ From energy-independent partial-wave analysis. ⁷ From a fit to Y_6^2 moment. $J^P = 3^-$ found. ⁸ From a partial wave amplitude analysis. ⁹ From a fit to Y_6^0 moment.

¹⁰ Errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass. ¹¹ ESTABROOKS 78 find that BRANDENBURG 76D data are consistent with 175 MeV width. Not averaged.



K₃(1780) DECAY MODES

	Mode	Fraction (Γ_i/Γ)	Confidence level
Γ_1	Κρ	$(31 \pm 9)\%$	
Г2	$K^*(892)\pi$	$(20 \pm 5)\%$	
Γ ₃	$K\pi$	$(18.8\pm~1.0)~\%$	
Γ4	$K\eta$	$(30 \pm 13)\%$	
Г ₅	$\mathcal{K}^*_2(1430)\pi$	< 16 %	95%

CONSTRAINED FIT INFORMATION

An overall fit to 3 branching ratios uses 4 measurements and one constraint to determine 4 parameters. The overall fit has a $\chi^2=$ 0.0 for 1 degrees of freedom.

The following off-diagonal array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv$ Γ_i/Γ_{total} . The fit constrains the x_i whose labels appear in this array to sum to one.

<i>x</i> 2	85							
<i>x</i> 3	18	21						
<i>x</i> 4	-98	-94	-27					
	<i>x</i> ₁	<i>x</i> ₂	x ₃					
			<i>К</i> 3 (1780) В	RAN	CHING	RAT	IOS	
Г(<i>К р</i>)	/୮(<i>K</i> *(8	92) π)						Γ_1/Γ_2
VALUE	·	<u> </u>	DOCUMENT ID		TECN	<u>CHG</u>	COMMENT	
1.52±0. 1.52±0.	23 OUR F 21±0.10	-IT	ASTON	87	LASS	0	11 $K^- p \rightarrow$	$\overline{K}^0 \pi^+ \pi^- n$
Г(К*(8	392) π)/	$\Gamma(K\pi)$						Γ2/Γ3
VALUE		· · · ·)	DOCUMENT ID		TECN	CHG	COMMENT	- 2/ - J
1.09±0. 1.09±0.	26 OUR F 26	FIT	ASTON	84 B	LASS	0	11 $K^- p \rightarrow$	$\overline{K}^{0} 2\pi n$
Г(<i>К</i> _{<i>π</i>})	/[Гэ/Г
VALUE		_	DOCUMENT ID		TECN	CHG	COMMENT	- 3/ -
0.188±0	0.010 OU	R FIT						
0.188±0	0.010 OUF	R AVER		~~		•		<i>v</i> = +
$0.187 \pm 0.10 \pm 0.10$).008±0.0).02	800	ASTON	88 5 7 8	LASS	0	$11 K p \rightarrow 13 K^{\pm} p \rightarrow$	Κ π'n ΚπΝ
0.19 10	5.02		LJTADROOK	570	AJEN	0	13 $\Lambda \ \mu \rightarrow$	N N N
$\Gamma(K\eta)$	/Γ(Κπ)							Γ_4/Γ_3
VALUE			DOCUMENT ID		TECN	<u>CHG</u>	COMMENT	
$1.6 \pm 0.$	7 OUR	FII use the	following data	for a	oragos	fita lin	aita ata a	-
		use the		00		1115, 111	$11 K^{-}$	-
$0.41 \pm 0.$ 0.50 + 0	050 18			09 888		_	$11 \ K \ p \rightarrow$ $11 \ K^{-} \ p \rightarrow$	$K^{-}\pi^{-}p$
12 This	result sup	persedes	ASTON 888.	000	L/(33		ii K p /	κ ηρ
Г(<i>К</i> *(1	L 430) π),	/ Г (<i>K</i> *	(892) π)					Γ ₅ /Γ ₂
VALUE		<u>CL%</u>	DOCUMEN	IT ID	<u>T</u>	<u>ECN</u>	<u>CHG</u> <u>COMME</u>	NT
<0.78		95	ASTON		87 L	ASS	$\begin{array}{c} 0 & 11 \ K^{-} \\ \overline{K}^{0} \end{array}$	$p \rightarrow \pi^+ \pi^- n$

K₃(1780) REFERENCES

INUS)
INITC) ID
11103/31
INUS)
OTTA)
LAS+)
LAS+)
AUS+)
OTTA) JP
KANS)
CUNY) JP
ETH) JP
JNY+) JP
JRH+) JP
URH+)
GEVA) JP
(SLAC) JP

- OTHER RELATED PAPERS -

AGUILAR	73	PRL 30 672	M. Aguilar-Benitez et al.	(BNL)
WALUCH	73	PR D8 2837	V. Waluch, S.M. Flatte, J.H. Friedman	(LBL)
CARMONY	71	PRL 27 1160	D.D. Carmony et al. (PURD	, UCD, IÙPU)
FIRESTONE	71	PL 36B 513	A. Firestone <i>et al.</i>	(LBL)
				()