



$I(J^P) = 0(?)$

$J^P$  is natural, width and decay modes consistent with  $1^-$ .

### $D_s^{*\pm}$ MASS

The fit includes  $D^\pm$ ,  $D^0$ ,  $D_s^\pm$ ,  $D^{*\pm}$ ,  $D^{*0}$ , and  $D_s^{*\pm}$  mass and mass difference measurements.

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>2112.3±0.5 OUR FIT</b>	Error includes scale factor of 1.1.		
<b>2106.6±2.1±2.7</b>	<sup>1</sup> BLAYLOCK 87 MRK3 $e^+ e^- \rightarrow D_s^\pm \gamma X$		

<sup>1</sup> Assuming  $D_s^\pm$  mass =  $1968.7 \pm 0.9$  MeV.

### $m_{D_s^{*\pm}} - m_{D_s^\pm}$

The fit includes  $D^\pm$ ,  $D^0$ ,  $D_s^\pm$ ,  $D^{*\pm}$ ,  $D^{*0}$ , and  $D_s^{*\pm}$  mass and mass difference measurements.

VALUE (MeV)	EVTs	DOCUMENT ID	TECN	COMMENT
<b>143.8 ± 0.4 OUR FIT</b>				
<b>143.9 ± 0.4 OUR AVERAGE</b>				
143.76± 0.39±0.40		GRONBERG 95	CLE2	$e^+ e^-$
144.22± 0.47±0.37		BROWN 94	CLE2	$e^+ e^-$
142.5 ± 0.8 ±1.5		<sup>2</sup> ALBRECHT 88	ARG	$e^+ e^- \rightarrow D_s^\pm \gamma X$
139.5 ± 8.3 ±9.7	60	AIHARA 84D	TPC	$e^+ e^- \rightarrow$ hadrons
• • • We do not use the following data for averages, fits, limits, etc. • • •				
143.0 ±18.0	8	ASRATYAN 85	HLBC	FNAL 15-ft, $\nu^2 H$
110 ±46		BRANDELIK 79	DASP	$e^+ e^- \rightarrow D_s^\pm \gamma X$

<sup>2</sup> Result includes data of ALBRECHT 84B.

### $D_s^{*\pm}$ WIDTH

VALUE (MeV)	CL%	DOCUMENT ID	TECN	COMMENT
< 1.9	90	GRONBERG 95	CLE2	$e^+ e^-$
< 4.5	90	ALBRECHT 88	ARG	$E_{cm}^{ee} = 10.2$ GeV

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 4.9	90	BROWN 94	CLE2	$e^+ e^-$
<22	90	BLAYLOCK 87	MRK3	$e^+ e^- \rightarrow D_s^\pm \gamma X$

## $D_s^{*+}$ DECAY MODES

$D_s^{*-}$  modes are charge conjugates of the modes below.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 \quad D_s^+ \gamma$	(94.2±0.7) %
$\Gamma_2 \quad D_s^+ \pi^0$	( 5.8±0.7) %

## CONSTRAINED FIT INFORMATION

An overall fit to a branching ratio uses 2 measurements and one constraint to determine 2 parameters. The overall fit has a  $\chi^2 = 0.0$  for 1 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$ , in percent, from the fit to the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

$$\begin{array}{cc} x_2 & \boxed{-100} \\ & x_1 \end{array}$$

## $D_s^{*+}$ BRANCHING RATIOS

$\Gamma(D_s^+ \gamma) / \Gamma_{\text{total}}$	$\Gamma_1 / \Gamma$			
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.942±0.007 OUR FIT</b>				

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.942±0.004±0.006	16k	<sup>3</sup> AUBERT,BE	05G BABR	10.6 $e^+ e^- \rightarrow$ hadrons
seen		ASRATYAN	91	HLBC $\bar{\nu}_\mu$ Ne
seen		ALBRECHT	88	ARG $e^+ e^- \rightarrow D_s^\pm \gamma X$
seen		AIHARA	84D	
seen		ALBRECHT	84B	
seen		BRANDELIK	79	

$\Gamma(D_s^+ \pi^0) / \Gamma_{\text{total}}$	$\Gamma_2 / \Gamma$			
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
<b>0.059±0.004±0.006</b>				

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.059±0.004±0.006	560	<sup>3</sup> AUBERT,BE	05G BABR	10.6 $e^+ e^- \rightarrow$ hadrons
-------------------	-----	------------------------	----------	---------------------------------------

$\Gamma(D_s^+ \pi^0)/\Gamma(D_s^+ \gamma)$	$\Gamma_2/\Gamma_1$		
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.062±0.008 OUR FIT</b>			
<b>0.062±0.008 OUR AVERAGE</b>			
0.062±0.005±0.006	AUBERT,BE	05G	BABR $10.6 e^+ e^- \rightarrow$ hadrons
0.062 <sup>+0.020</sup> <sub>-0.018</sub> ±0.022	GRONBERG	95	CLE2 $e^+ e^-$
<sup>3</sup> Derived from the ratio $\Gamma(D_s^+ \pi^0)/\Gamma(D_s^+ \gamma)$ assuming that the branching fractions of $D_s^{*+} \rightarrow D_s^+ \pi^0$ and $D_s^{*+} \rightarrow D_s^+ \gamma$ decays sum to 100%.			

## $D_s^{*\pm}$ REFERENCES

AUBERT,BE	05G	PR D72 091101	B. Aubert <i>et al.</i>	(BABAR Collab.)
GRONBERG	95	PRL 75 3232	J. Gronberg <i>et al.</i>	(CLEO Collab.)
BROWN	94	PR D50 1884	D. Brown <i>et al.</i>	(CLEO Collab.)
ASRATYAN	91	PL B257 525	A.E. Asratyan <i>et al.</i>	(ITEP, BELG, SACL+)
ALBRECHT	88	PL B207 349	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
BLAYLOCK	87	PRL 58 2171	G.T. Blaylock <i>et al.</i>	(Mark III Collab.)
ASRATYAN	85	PL 156B 441	A.E. Asratyan <i>et al.</i>	(ITEP, SERP)
AIHARA	84D	PRL 53 2465	H. Aihara <i>et al.</i>	(TPC Collab.)
ALBRECHT	84B	PL 146B 111	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
BRANDELIK	79	PL 80B 412	R. Brandelik <i>et al.</i>	(DASP Collab.)

## OTHER RELATED PAPERS

KAMAL	92	PL B284 421	A.N. Kamal, Q.P. Xu	(ALBE)
BRANDELIK	78C	PL 76B 361	R. Brandelik <i>et al.</i>	(DASP Collab.)
BRANDELIK	77B	PL 70B 132	R. Brandelik <i>et al.</i>	(DASP Collab.)