

**$D_{s1}(2460)^{\pm}$**  $I(J^P) = 0(1^+)$  **$D_{s1}(2460)^{\pm}$  MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>2459.6±0.6 OUR FIT</b>				Error includes scale factor of 1.1.
<b>2459.6±0.9 OUR AVERAGE</b>				Error includes scale factor of 1.3.
2460.1±0.2±0.8	1	AUBERT	06P BABR	10.6 $e^+ e^-$
2458.0±1.0±1.0	195	AUBERT	04E BABR	10.6 $e^+ e^-$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
2459.5±1.2±3.7	920	AUBERT	06P BABR	10.6 $e^+ e^- \rightarrow D_s^+ \gamma X$
2458.6±1.0±2.5	560	AUBERT	06P BABR	10.6 $e^+ e^- \rightarrow D_s^+ \pi^0 \gamma X$
2460.2±0.2±0.8	123	AUBERT	06P BABR	10.6 $e^+ e^- \rightarrow D_s^+ \pi^+ \pi^- X$
2458.9±1.5	112	2 AUBERT,B	04S BABR	$B \rightarrow D_{s1}(2460)^+ \overline{D}^{(*)}$
2461.1±1.6	139	3 AUBERT,B	04S BABR	$B \rightarrow D_{s1}(2460)^+ \overline{D}^{(*)}$
2456.5±1.3±1.3	126	4,5 MIKAMI	04 BELL	10.6 $e^+ e^-$
2459.5±1.3±2.0	152	6,7 MIKAMI	04 BELL	10.6 $e^+ e^-$
2459.9±0.9±1.6	60	6,7 MIKAMI	04 BELL	10.6 $e^+ e^-$
2459.2±1.6±2.0	57	KROKOVNY	03B BELL	10.6 $e^+ e^-$

<sup>1</sup> The average of the values obtained from the  $D_s^+ \gamma$ ,  $D_s^+ \pi^0 \gamma$ ,  $D_s^+ \pi^+ \pi^-$  final state.

<sup>2</sup> Systematic errors not evaluated. From the decay to  $D_s^{*+} \pi^0$ .

<sup>3</sup> Systematic errors not evaluated. From the decay to  $D_s^+ \gamma$ .

<sup>4</sup> Not independent of the corresponding  $m_{D_{s1}(2460)^{\pm}} - m_{D_s^{*\pm}}$ .

<sup>5</sup> Using  $m_{D_s^{*+}} = 2112.4 \pm 0.7$  MeV.


<sup>6</sup> Not independent of the corresponding  $m_{D_{s1}(2460)^{\pm}} - m_{D_s^{\pm}}$ .

<sup>7</sup> Using  $m_{D_s^+} = 1968.5 \pm 0.6$  MeV.

 **$m_{D_{s1}(2460)^{\pm}} - m_{D_s^{*\pm}}$** 

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>347.2±0.8 OUR FIT</b>				Error includes scale factor of 1.2.
<b>347.1±2.2 OUR AVERAGE</b>				Error includes scale factor of 1.9. See the ideogram below.
344.1±1.3±1.1	126	MIKAMI	04 BELL	10.6 $e^+ e^-$
351.2±1.7±1.0	41	BESSON	03 CLE2	10.6 $e^+ e^-$
346.8±1.6±1.9	57	8 KROKOVNY	03B BELL	10.6 $e^+ e^-$

<sup>8</sup> Recalculated by us using  $m_{D_s^{*+}} = 2112.4 \pm 0.7$  MeV.



$$m_{D_{s1}(2460)^{\pm}} - m_{D_s^{\pm}}$$


---

$$m_{D_{s1}(2460)^{\pm}} - m_{D_s^{\pm}}$$

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>491.1 <math>\pm</math> 0.7 OUR FIT</b>	Error includes scale factor of 1.1.			
<b>491.3 <math>\pm</math> 1.4 OUR AVERAGE</b>				
491.0 $\pm$ 1.3 $\pm$ 1.9	152	<sup>9</sup> MIKAMI	04	BELL 10.6 $e^+ e^-$
491.4 $\pm$ 0.9 $\pm$ 1.5	60	<sup>10</sup> MIKAMI	04	BELL 10.6 $e^+ e^-$
<sup>9</sup> From the decay to $D_s^{\pm} \gamma$ .				
<sup>10</sup> From the decay to $D_s^{\pm} \pi^+ \pi^-$ .				

---

### $D_{s1}(2460)^{\pm}$ WIDTH

VALUE (MeV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
< 3.5	95	123	AUBERT	06P BABR	$10.6 e^+ e^- \rightarrow D_s^+ \pi^+ \pi^- X$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>					
< 6.3	95	560	AUBERT	06P BABR	$10.6 e^+ e^- \rightarrow D_s^+ \pi^0 \gamma X$
< 10		195	AUBERT	04E BABR	$10.6 e^+ e^-$
< 5.5	90	126	MIKAMI	04 BELL	$10.6 e^+ e^-$
< 7	90	41	BESSON	03 CLE2	$10.6 e^+ e^-$

---

## $D_{s1}(2460)^+$ DECAY MODES

$D_{s1}(2460)^-$  modes are charge conjugates of the modes below.

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level
$\Gamma_1 D_s^{*+} \pi^0$	(48 $\pm$ 11) %	
$\Gamma_2 D_s^+ \gamma$	(18 $\pm$ 4) %	
$\Gamma_3 D_s^+ \pi^+ \pi^-$	( 4.3 $\pm$ 1.3) %	S=1.1
$\Gamma_4 D_s^{*+} \gamma$	< 8 %	CL=90%
$\Gamma_5 D_{s0}^*(2317)^+ \gamma$	( 3.7 $\pm$ 5.0 ) %	
$\Gamma_6 D_s^+ \pi^0$		
$\Gamma_7 D_s^+ \pi^0 \pi^0$		
$\Gamma_8 D_s^+ \gamma \gamma$		

## CONSTRAINED FIT INFORMATION

An overall fit to 7 branching ratios uses 8 measurements and one constraint to determine 5 parameters. The overall fit has a  $\chi^2 = 3.4$  for 4 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$ , in percent, from the fit to the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

$x_2$	80			
$x_3$	68	62		
$x_5$	-3	25	26	

## $D_{s1}(2460)^{\pm}$ BRANCHING RATIOS

$\Gamma(D_s^{*+} \pi^0) / \Gamma_{\text{total}}$	$\Gamma_1 / \Gamma$
VALUE	EVTS DOCUMENT ID TECN COMMENT
<b>0.48 <math>\pm</math> 0.11 OUR FIT</b>	
<b>0.56 <math>\pm</math> 0.13 <math>\pm</math> 0.09</b>	11 AUBERT 06N BABR $B \rightarrow D_{s1}(2460)^- \bar{D}^{(*)}$
• • • We do not use the following data for averages, fits, limits, etc. • • •	
seen	41 BESSON 03 CLE2 10.6 $e^+ e^-$

11 Evaluated in AUBERT 06N including measurements from AUBERT,B 04S.

$\Gamma(D_s^+ \gamma) / \Gamma_{\text{total}}$	$\Gamma_2 / \Gamma$
VALUE	DOCUMENT ID TECN COMMENT
<b>0.18 <math>\pm</math> 0.04 OUR FIT</b>	
<b>0.16 <math>\pm</math> 0.04 <math>\pm</math> 0.03</b>	12 AUBERT 06N BABR $B \rightarrow D_{s1}(2460)^- \bar{D}^{(*)}$

12 Evaluated in AUBERT 06N including measurements from AUBERT,B 04S.



