

N(2090) S₁₁ $I(J^P) = \frac{1}{2}(\frac{1}{2}^-)$ Status: *

OMITTED FROM SUMMARY TABLE

Any structure in the S_{11} wave above 1800 MeV is listed here. A few early results that are now obsolete have been omitted.

The latest GWU analysis (ARNDT 06) finds no evidence for this resonance.

N(2090) BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
≈ 2090 OUR ESTIMATE			
1928±59	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
2180±80	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
1880±20	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1822±43	VRANA 00	DPWA	Multichannel
1897±50 ⁺³⁰ ₋₂	PLOETZKE 98	SPEC	$\gamma p \rightarrow p\eta'(958)$

N(2090) BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
414±157	MANLEY 92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
350±100	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
95±30	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
248±185	VRANA 00	DPWA	Multichannel
396±155 ⁺³⁵ ₋₄₅	PLOETZKE 98	SPEC	$\gamma p \rightarrow p\eta'(958)$

N(2090) POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2150±70	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
1937 or 1949	¹ LONGACRE 78	IPWA	$\pi N \rightarrow N\pi\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1795	VRANA 00	DPWA	Multichannel

–2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
350±100	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
139 or 131	¹ LONGACRE 78	IPWA	$\pi N \rightarrow N\pi\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
220	VRANA 00	DPWA	Multichannel

N(2090) ELASTIC POLE RESIDUE**MODULUS $|r|$**

<i>VALUE</i> (MeV)	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
40 ± 20	CUTKOSKY	80	$\pi N \rightarrow \pi N$

PHASE θ

<i>VALUE</i> ($^{\circ}$)	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
0 ± 90	CUTKOSKY	80	$\pi N \rightarrow \pi N$

N(2090) DECAY MODES

Mode

Γ_1	$N\pi$
Γ_2	$N\eta$
Γ_3	ΛK
Γ_4	$N\pi\pi$
Γ_5	$\Delta\pi$
Γ_6	$\Delta(1232)\pi$, <i>D-wave</i>
Γ_7	$N\rho$
Γ_8	$N\rho$, <i>S</i> =1/2, <i>S-wave</i>
Γ_9	$N\rho$, <i>S</i> =3/2, <i>D-wave</i>
Γ_{10}	$N(\pi\pi)^{I=0}_{S\text{-wave}}$
Γ_{11}	$N(1440)\pi$

N(2090) BRANCHING RATIOS **$\Gamma(N\pi)/\Gamma_{\text{total}}$**

<i>VALUE</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
0.10 ± 0.10	MANLEY	92	$\pi N \rightarrow \pi N$ & $N\pi\pi$
0.18 ± 0.08	CUTKOSKY	80	$\pi N \rightarrow \pi N$
0.09 ± 0.05	HOEHLER	79	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.17 ± 0.03	VRANA	00	DPWA Multichannel

 Γ_1/Γ **$\Gamma(N\eta)/\Gamma_{\text{total}}$**

<i>VALUE</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
0.41 ± 0.04	VRANA	00	DPWA Multichannel

 Γ_2/Γ **$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(2090) \rightarrow \Lambda K$**

<i>VALUE</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
not seen	SAXON	80	DPWA $\pi^- p \rightarrow \Lambda K^0$

 $(\Gamma_1\Gamma_3)^{1/2}/\Gamma$ **$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$**

<i>VALUE</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
0.01 ± 0.01	VRANA	00	DPWA Multichannel

 Γ_6/Γ

$\Gamma(N\rho, S=1/2, S\text{-wave})/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.36±0.01	VRANA	00	DPWA Multichannel

Γ_8/Γ

$\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.01±0.01	VRANA	00	DPWA Multichannel

Γ_9/Γ

$\Gamma(N(\pi\pi)_{S\text{-wave}}^{I=0})/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.02±0.01	VRANA	00	DPWA Multichannel

Γ_{10}/Γ

$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.02±0.01	VRANA	00	DPWA Multichannel

Γ_{11}/Γ

N(2090) FOOTNOTES

¹ LONGACRE 78 values are from a search for poles in the unitarized T-matrix. The first (second) value uses, in addition to $\pi N \rightarrow N\pi\pi$ data, elastic amplitudes from a Saclay (CERN) partial-wave analysis.

N(2090) REFERENCES

ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman,, T.-S.H. Lee	(PITT+)
PLOETZKE	98	PL B444 555	R. Ploetzke <i>et al.</i>	(Bonn SAPHIR Collab.)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KENT) IJP
Also		PR D30 904	D.M. Manley <i>et al.</i>	(VPI)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
SAXON	80	NP B162 522	D.H. Saxon <i>et al.</i>	(RHEL, BRIS) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
LONGACRE	78	PR D17 1795	R.S. Longacre <i>et al.</i>	(LBL, SLAC)