

X(3872) $J^P(JPC) = 0^? (?^+)$

Seen by CHOI 03 in $B \rightarrow K\pi^+\pi^-J/\psi(1S)$ decays as a narrow peak in the invariant mass distribution of the $\pi^+\pi^-J/\psi(1S)$ final state, but not seen in the $\gamma\chi_{c1}$ final state of these decays. Possibly absent in the invariant mass spectrum of the final state $\pi^+\pi^-J/\psi(1S)$ in e^+e^- collisions. Interpretation as a 1^{--} charmonium state not favored. Isovector hypothesis excluded by AUBERT 05B. A helicity amplitude analysis of the $X(3872) \rightarrow J/\psi\pi^+\pi^-$ decay gives two possible J^P assignments: $J^P = 1^{++}$ and 2^{-+} (ABULENCIA 07E).

X(3872) MASS

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3872.3 ± 0.8 OUR AVERAGE				Error includes scale factor of 2.3. See the ideogram below.
3875.1 ± 0.7 0.5	33 ± 6	1 AUBERT	08B BABR	$B \rightarrow \bar{D}^*0 D^0 K$
3871.4 ± 0.6 0.1	93.4	AUBERT	08Y BABR	$B^+ \rightarrow K^+ J/\psi\pi^+\pi^-$
3868.7 ± 1.5 0.4	9.4	AUBERT	08Y BABR	$B^0 \rightarrow K_S^0 J/\psi\pi^+\pi^-$
3875.2 ± 0.7 -1.8	24 ± 6	1 GOKHROO	06 BELL	$B \rightarrow D^0 \bar{D}^0 \pi^0 K$
3871.8 ± 3.1 ± 3.0	522	2,3 ABAZOV	04F D0	$p\bar{p} \rightarrow J/\psi\pi^+\pi^- X$
3871.3 ± 0.7 ± 0.4	730	3 ACOSTA	04 CDF2	$p\bar{p} \rightarrow J/\psi\pi^+\pi^- X$
3872.0 ± 0.6 ± 0.5	36	CHOI	03 BELL	$B \rightarrow K\pi^+\pi^- J/\psi$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
3868.6 ± 1.2 ± 0.2	8	4 AUBERT	06 BABR	$B^0 \rightarrow K_S^0 J/\psi\pi^+\pi^-$
3871.3 ± 0.6 ± 0.1	61	4 AUBERT	06 BABR	$B^- \rightarrow K^- J/\psi\pi^+\pi^-$
3873.4 ± 1.4	25	5 AUBERT	05R BABR	$B^+ \rightarrow K^+ J/\psi\pi^+\pi^-$
3836 ± 13	58	3,6 ANTONIAZZI	94 E705	$300 \pi^\pm \text{Li} \rightarrow J/\psi\pi^+\pi^- X$

¹ May not necessarily be the same state as that observed in the $J/\psi\pi^+\pi^-$ mode.


² Calculated from the corresponding $m_{X(3872)} - m_{J/\psi}$ using $m_{J/\psi} = 3096.916$ MeV.

³ Width consistent with detector resolution.

⁴ Calculated from the corresponding $m_{X(3872)} - m_{\psi(2S)}$ using $m_{\psi(2S)} = 3686.093$ MeV. Superseded by AUBERT 08Y.

⁵ Calculated from the corresponding $m_{X(3872)} - m_{\psi(2S)}$ using $m_{\psi(2S)} = 3685.96$ MeV. Superseded by AUBERT 06.

⁶ A lower mass value can be due to an incorrect momentum scale for soft pions.



$m_{X(3872)} - m_{J/\psi}$

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
774.9±3.1±3.0	522	ABAZOV	04F D0	$p\bar{p} \rightarrow J/\psi \pi^+ \pi^- X$

$m_{X(3872)} - m_{\psi(2S)}$

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
187.4±1.4	25	⁷ AUBERT	05R BABR	$B^+ \rightarrow K^+ J/\psi \pi^+ \pi^-$
7 Superseded by AUBERT 06.				

$X(3872)$ WIDTH

VALUE (MeV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
3.0^{+1.9}_{-1.4}±0.9		33 ± 6	⁸ AUBERT	08B BABR	$B \rightarrow \bar{D}^{*0} D^0 K$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<3.3	90	AUBERT	08Y BABR	$B^+ \rightarrow K^+ J/\psi \pi^+ \pi^-$
<4.1	90	AUBERT	06 BABR	$B \rightarrow K\pi^+\pi^- J/\psi$
<2.3	90	CHOI	03 BELL	$B \rightarrow K\pi^+\pi^- J/\psi$

⁸ May not necessarily be the same state as that observed in the $J/\psi \pi^+ \pi^-$ mode.

X(3872) DECAY MODES

Mode	Fraction (Γ_i/Γ)	Confidence level
$\Gamma_1 e^+ e^-$	$< 8 \times 10^{-5}$	90%
$\Gamma_2 \pi^+ \pi^- J/\psi(1S)$	$> 2.6 \%$	90%
$\Gamma_3 \rho^0 J/\psi(1S)$	seen	
$\Gamma_4 \gamma\gamma$		
$\Gamma_5 D^0 \bar{D}^0$	not seen	
$\Gamma_6 D^+ D^-$	not seen	
$\Gamma_7 D^0 \bar{D}^0 \pi^0$	seen	
$\Gamma_8 \gamma \chi_{c1}$		
$\Gamma_9 \eta J/\psi$		
$\Gamma_{10} \gamma J/\psi$		

X(3872) PARTIAL WIDTHS

$\Gamma(e^+ e^-)$	Γ_1
$VALUE \text{ (keV)}$	$CL\%$
<hr/>	
• • • We do not use the following data for averages, fits, limits, etc. • • •	
< 0.28	90
⁹ YUAN	
04 RVUE $e^+ e^- \rightarrow \pi^+ \pi^- J/\psi$	
⁹ Using BAI 98E data on $e^+ e^- \rightarrow \pi^+ \pi^- \ell^+ \ell^-$. Assuming that $\Gamma(\pi^+ \pi^- J/\psi)$ of X(3872) is the same as that of $\psi(2S)$ (85.4 keV).	

X(3872) $\Gamma(i)\Gamma(e^+ e^-)/\Gamma(\text{total})$

$\Gamma(\pi^+ \pi^- J/\psi(1S)) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$	$\Gamma_2 \Gamma_1/\Gamma$
$VALUE \text{ (eV)}$	$CL\%$
<hr/>	
< 6.2	90
10,11 AUBERT	05D BABR
$10.6 e^+ e^- \rightarrow K^+ K^- \pi^+ \pi^- \gamma$	
<hr/>	
• • • We do not use the following data for averages, fits, limits, etc. • • •	
< 8.3	90
11 DOBBS	05 CLE3
$e^+ e^- \rightarrow \pi^+ \pi^- J/\psi$	
< 10	90
12 YUAN	04 RVUE
$e^+ e^- \rightarrow \pi^+ \pi^- J/\psi$	
10 Using $B(X(3872) \rightarrow J/\psi \pi^+ \pi^-) \cdot B(J/\psi \rightarrow \mu^+ \mu^-) \cdot \Gamma(X(3872) \rightarrow e^+ e^-) < 0.37$ eV from AUBERT 05D and $B(J/\psi \rightarrow \mu^+ \mu^-) = 0.0588 \pm 0.0010$ from the PDG 04.	
11 Assuming X(3872) has $J^{PC} = 1^{--}$.	
12 Using BAI 98E data on $e^+ e^- \rightarrow \pi^+ \pi^- \ell^+ \ell^-$. From theoretical calculation of the production cross section and using $B(J/\psi \rightarrow \mu^+ \mu^-) = (5.88 \pm 0.10)\%$.	

X(3872) $\Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(\gamma\gamma) \times \Gamma(\pi^+ \pi^- J/\psi(1S))/\Gamma_{\text{total}}$	$\Gamma_4 \Gamma_2/\Gamma$
$VALUE \text{ (eV)}$	$CL\%$
<hr/>	
• • • We do not use the following data for averages, fits, limits, etc. • • •	
< 12.9	90
13 DOBBS	05 CLE3
$e^+ e^- \rightarrow \pi^+ \pi^- J/\psi \gamma$	
13 Assuming X(3872) has positive C parity and spin 0.	

X(3872) BRANCHING RATIOS

$$\Gamma(\pi^+ \pi^- J/\psi(1S)) / \Gamma_{\text{total}} \quad \Gamma_2 / \Gamma$$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
>0.026	90	14 AUBERT	08Y BABR	$B \rightarrow X(3872)K$

• • • We do not use the following data for averages, fits, limits, etc. • • •

>0.042	90	15,16 AUBERT	06E BABR	$B^\pm \rightarrow K^\pm X_{c\bar{c}}$
--------	----	--------------	----------	--

14 AUBERT 08Y reports $[\Gamma(X(3872) \rightarrow \pi^+ \pi^- J/\psi(1S)) / \Gamma_{\text{total}}] \times [B(B^+ \rightarrow X(3872)K^+)] = (8.4 \pm 1.5 \pm 0.7) \times 10^{-6}$. We divide by our best value $B(B^+ \rightarrow X(3872)K^+) < 3.2 \times 10^{-4}$.

15 Superseded by AUBERT 08Y. Calculated by us using $B(B^\pm \rightarrow K^\pm X(3872)) < 3.2 \times 10^{-4}$ from AUBERT 06E and $B(B^\pm \rightarrow K^\pm X(3872)) \times B(X(3872) \rightarrow J/\psi \pi^+ \pi^-) = (11.4 \pm 2.0) \times 10^{-6}$ from the 2006 Edition of this Review (PDG 06).

16 Decay proceeds via the $\rho^0 J/\psi$ (ABULENCIA 06B).

$$\Gamma(D^0 \bar{D}^0) / \Gamma(\pi^+ \pi^- J/\psi(1S)) \quad \Gamma_5 / \Gamma_2$$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

not seen	CHISTOV	04	BELL	$B \rightarrow K D^0 \bar{D}^0$
----------	---------	----	------	---------------------------------

$$\Gamma(D^+ D^-) / \Gamma(\pi^+ \pi^- J/\psi(1S)) \quad \Gamma_6 / \Gamma_2$$

VALUE	DOCUMENT ID	TECN	COMMENT
-------	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

not seen	CHISTOV	04	BELL	$B \rightarrow K D^+ D^-$
----------	---------	----	------	---------------------------

$$\Gamma(D^0 \bar{D}^0 \pi^0) / \Gamma(\pi^+ \pi^- J/\psi(1S)) \quad \Gamma_7 / \Gamma_2$$

VALUE	DOCUMENT ID	TECN	COMMENT	
seen	17 GOKHROO	06	BELL	$B \rightarrow D^0 \bar{D}^0 \pi^0 K$

17 May not necessarily be the same state as that observed in the $J/\psi \pi^+ \pi^-$ mode. Supersedes CHISTOV 04.

$$\Gamma(\gamma \chi_{c1}) / \Gamma(\pi^+ \pi^- J/\psi(1S)) \quad \Gamma_8 / \Gamma_2$$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
<0.89	90	CHOI	03	$B \rightarrow K \pi^+ \pi^- J/\psi$

$$\Gamma(\eta J/\psi) / \Gamma(\pi^+ \pi^- J/\psi(1S)) \quad \Gamma_9 / \Gamma_2$$

VALUE	CL%	DOCUMENT ID	TECN	COMMENT
-------	-----	-------------	------	---------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.6	90	AUBERT	04Y BABR	$B \rightarrow K \eta J/\psi$
------	----	--------	----------	-------------------------------

$$\Gamma(\gamma J/\psi) / \Gamma_{\text{total}} \quad \Gamma_{10} / \Gamma$$

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
>0.010	19	18 AUBERT,BE	06M BABR	$B^+ \rightarrow K^+ J/\psi \gamma$

18 AUBERT,BE 06M reports $[\Gamma(X(3872) \rightarrow \gamma J/\psi) / \Gamma_{\text{total}}] \times [B(B^+ \rightarrow X(3872)K^+)] = (3.3 \pm 1.0 \pm 0.3) \times 10^{-6}$. We divide by our best value $B(B^+ \rightarrow X(3872)K^+) < 3.2 \times 10^{-4}$.

X(3872) REFERENCES

AUBERT	08B	PR D77 011102R	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	08Y	PR D77 111101R	B. Aubert <i>et al.</i>	(BABAR Collab.)
ABULENCIA	07E	PRL 98 132002	A. Abulencia <i>et al.</i>	(CDF Collab.)
ABULENCIA	06B	PRL 96 102002	A. Abulencia <i>et al.</i>	(CDF Collab.)
AUBERT	06	PR D73 011101R	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	06E	PRL 96 052002	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT,BE	06M	PR D74 071101R	B. Aubert <i>et al.</i>	(BABAR Collab.)
GOKHROO	06	PRL 97 162002	G. Gokhroo <i>et al.</i>	(BELLE Collab.)
PDG	06	JPG 33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
AUBERT	05B	PR D71 031501R	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	05D	PR D71 052001	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	05R	PR D71 071103R	B. Aubert <i>et al.</i>	(BABAR Collab.)
DOBBS	05	PRL 94 032004	S. Dobbs <i>et al.</i>	(CLEO Collab.)
ABAZOV	04F	PRL 93 162002	V.M. Abazov <i>et al.</i>	(D0 Collab.)
ACOSTA	04	PRL 93 072001	D. Acosta <i>et al.</i>	(CDF Collab.)
AUBERT	04Y	PRL 93 041801	B. Aubert <i>et al.</i>	(BaBar Collab.)
CHISTOV	04	PRL 93 051803	R. Chistov <i>et al.</i>	(BELLE Collab.)
PDG	04	PL B592 1	S. Eidelman <i>et al.</i>	
YUAN	04	PL B579 74	C.Z. Yuan <i>et al.</i>	
CHOI	03	PRL 91 262001	S.-K. Choi <i>et al.</i>	(BELLE Collab.)
BAI	98E	PR D57 3854	J.Z. Bai <i>et al.</i>	(BES Collab.)
ANTONIAZZI	94	PR D50 4258	L. Antoniazzi <i>et al.</i>	(E705 Collab.)

OTHER RELATED PAPERS

ALBUQUERQ...	09	NP A815 53	R.M. Albuquerque, M. Nielsen	
GRINSTEIN	09	PL B671 440	B. Grinstein, R. Jora, A.D. Polosa	(UCSD, ROMAI)
ABLIKIM	08H	PRL 101 102004	M. Ablikim <i>et al.</i>	(BES Collab.)
BRAATEN	08	PR D77 014029	E. Braaten, M. Lu	
BUGG	08	JPG 35 075005	D.V. Bugg	
CHAO	08	PL B661 348	K.-T. Chao	
CHOI	08	PRL 100 142001	S.-K. Choi <i>et al.</i>	(BELLE Collab.)
DONG	08	PR D77 094013	Y. Dong <i>et al.</i>	
DUBYNNSKIY	08	PR D77 014013	S. Dubynskiy, M.B. Voloshin	
DUBYNNSKIY	08A	PL B666 344	S. Dubynskiy, M.B. Voloshin	(MINN, ITEP)
DUDEK	08	PR D78 094504	J.J. Dudek, E. Rrapaj	
DUNWOODIE	08	PRL 100 062006	W. Dunwoodie, V. Ziegler	
EICHENTH	08	RMP 80 1161	E. Eichten <i>et al.</i>	
GUO	08	PL B665 26	F.-K. Guo, C. Hanhart, U.-G. Meissner	
KALASHNIK...	08	PR D77 054025	Yu.S. Kalashnikova, A.V. Nefediev	
LEE	08	PL B661 28	S.H. Lee <i>et al.</i>	
LEE	08B	PR D78 076001	S.H. Lee, K. Morita, M. Nielsen	
LI	08	PR D77 054001	Y. Li, C.-D. Lu, W. Wang	
LIU	08A	PR D77 034003	X. Liu <i>et al.</i>	
LIU	08D	PR D77 094015	X. Liu <i>et al.</i>	
LIU	08G	EPJ C56 63	Y.-R. Liu <i>et al.</i>	
LIU	08H	PR D78 014032	Z.Q. Liu, X.S. Qin, C.Z. Yuan	
MAIANI	08	NJP 10 073004	L. Maiani, A.D. Polosa, V. Riquer	
MENG	08	PR D77 074003	C. Meng, K.-T. Chao	
MIZUK	08	PR D78 072004	R. Mizuk <i>et al.</i>	(BELLE Collab.)
PAKHLOVA	08B	PRL 101 172001	C. Pakhlova <i>et al.</i>	(BELLE Collab.)
SIMONOV	08	PAN 71 1048	Yu.A. Simonov	
		Translated from YAF 71 1074.		
THOMAS	08	PR D78 034007	C.E. Thomas, F.E. Close	(OXFTP)
YUAN	08	PR D77 011105R	C.Z. Yuan <i>et al.</i>	(BELLE Collab.)
BRAATEN	07	PR D76 054010	E. Braaten <i>et al.</i>	
BRAATEN	07A	PR D76 094028	E. Braaten, M. Lu	
CHIU	07	PL B646 95	T.-W. Chiu, T.-H. Hsieh	
COLANGELO	07	PL B650 166	P. Colangelo <i>et al.</i>	
FLEMING	07	PR D76 034006	S. Fleming <i>et al.</i>	
GAMERMANN	07	EPJ A33 119	D. Gamermann, E. Oset	
HANHART	07A	PR D76 034007	C. Hanhart <i>et al.</i>	
KONG	07	PL B657 192	Y. Kong, A. Zhang	
MAIANI	07B	PRL 99 182003	L. Maiani, A. Polosa	
MATHEUS	07	PR D75 014005	R. Matheus <i>et al.</i>	
MATHEUS	07A	PR D76 056005	R.D. Matheus	
MENG	07	PR D75 114002	C. Meng, K.-T. Chao	
ROSNER	07	PR D76 114002	J. Rosner	

VIJANDE	07	PR D76 094022	J. Vijande <i>et al.</i>
VOLOSHIN	07	PR D76 014007	M.B. Voloshin
ABD-EL-HADY	06	PR D73 073010	A. Abd-El-Hady
ALFIKY	06	PL B640 238	M. AlFiky, F. Gabbiani, A.A. Petrov
BRAATEN	06	PR D73 011501	E. Braaten
BRIERE	06	PR D74 031106R	R.A. Briere <i>et al.</i>
COAN	06A	PRL 96 182002	T.E. Coan <i>et al.</i>
DUBYNSKIY	06	PR D74 094017	S. Dubynskiy, M. Voloshin
EICHTEN	06	PR D73 014014	E.J. Eichten, K. Lane, C. Quigg
HOGAASEN	06	PR D73 054013	H. Hogaasen <i>et al.</i>
HOU	06	PR D74 017504	W.-S. Hou
KARLINER	06	PL B638 221	M. Karliner, H.J. Lipkin
NAVARRA	06	PL B639 272	F.S. Navarra, M. Nielsen
ROSNER	06C	PR D74 076006	J.L. Rosner
SWANSON	06	PRPL 429 243	E.S. Swanson
VOLOSHIN	06	IJMP A21 1239	M. Voloshin
YUAN	06	PL B634 399	C.Z. Yuan, P. Wang, X.H. Mo
BIGI	05	PR D72 114016	I. Bigi <i>et al.</i>
BRAATEN	05	PR D72 014012	E. Braaten, M. Kusunoki
BRAATEN	05A	PR D72 054022	E. Braaten, M. Kusunoki
BRAATEN	05B	PR D71 074005	E. Braaten, M. Kusunoki
BUGG	05	PR D71 016006	D. Bugg
KALASHNIKOV	05A	PR D72 034010	Yu.S. Kalashnikova
KIM	05	PR D71 034025	T. Kim, P. Ko
LI	05	PL B605 306	B.A. Li
MAIANI	05	PR D71 014028	L. Maiani <i>et al.</i>
SETH	05	PL B612 1	K.K. Seth
SUZUKI	05	PR D72 114013	M. Suzuki
BARNES	04	PR D69 054008	T. Barnes, S. Godfrey
BRAATEN	04	PR D69 074005	E. Braaten <i>et al.</i>
BRAATEN	04A	PR D69 114012	E. Braaten, M. Kusunoki
BRAATEN	04B	PRL 93 162001	E. Braaten, M. Kusunoki, S. Nussinov
BUGG	04B	PL B598 8	D.V. Bugg
CLOSE	04	PL B578 119	F.E. Close, P.R. Page
EICHTEN	04	PR D69 094019	E. Eichten, K. Lane, C. Quigg
PAKVASA	04	PL B579 67	S. Pakvasa, M. Suzuki
ROSNER	04	PR D70 094023	J.L. Rosner
SWANSON	04A	PL B588 189	E. Swanson
SWANSON	04B	PL B598 197	E. Swanson
TORNQVIST	04	PL B590 209	N. Tornqvist
VOLOSHIN	04	PL B579 316	M.B. Voloshin
VOLOSHIN	04A	PL B604 69	M.B. Voloshin
WONG	04	PR C69 055202	C. Wong
BAI	98E	PR D57 3854	J.Z. Bai <i>et al.</i>

(BES Collab.)