

**$a_4(2040)$**  $I^G(J^{PC}) = 1^-(4^{++})$  **$a_4(2040)$  MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
<b><math>2001 \pm 10</math> OUR AVERAGE</b>					
1985 $\pm 10 \pm 13$	145k	LU	05	B852	$18 \pi^- p \rightarrow \omega \pi^- \pi^0 p$
1996 $\pm 25 \pm 43$		CHUNG	02	B852	$18.3 \pi^- p \rightarrow 3\pi p$
$2000 \pm 40^{+60}_{-20}$		IVANOV	01	B852	$18 \pi^- p \rightarrow \eta' \pi^- p$
1944 $\pm 8 \pm 50$		<sup>1</sup> AMELIN	99	VES	$37 \pi^- A \rightarrow \omega \pi^- \pi^0 A^*$
2005 $\pm 25$		ANISOVICH	99E	SPEC	
2010 $\pm 20$		<sup>2</sup> DONSKOV	96	GAM2 0	$38 \pi^- p \rightarrow \eta \pi^0 n$
2040 $\pm 30$		<sup>3</sup> CLELAND	82B	SPEC $\pm$	$50 \pi p \rightarrow K_S^0 K^\pm p$
2030 $\pm 50$		<sup>4</sup> CORDEN	78C	OMEG 0	$15 \pi^- p \rightarrow 3\pi n$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
2004 $\pm 6$	80k	<sup>5</sup> UMAN	06	E835	$5.2 \bar{p} p \rightarrow \eta \eta \pi^0$
$2005^{+25}_{-45}$		ANISOVICH	01F	SPEC	$2.0 \bar{p} p \rightarrow 3\pi^0, \pi^0 \eta, \pi^0 \eta'$
1903 $\pm 10$		<sup>6</sup> BALDI	78	SPEC -	$10 \pi^- p \rightarrow p K_S^0 K^-$

<sup>1</sup> May be a different state.<sup>2</sup> From a simultaneous fit to the  $G_+$  and  $G_0$  wave intensities.<sup>3</sup> From an amplitude analysis.<sup>4</sup>  $J^P = 4^+$  is favored, though  $J^P = 2^+$  cannot be excluded.<sup>5</sup> Statistical error only.<sup>6</sup> From a fit to the  $Y_8^0$  moment. Limited by phase space. **$a_4(2040)$  WIDTH**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
<b><math>313 \pm 31</math> OUR AVERAGE</b>					
231 $\pm 30 \pm 46$	145k	LU	05	B852	$18 \pi^- p \rightarrow \omega \pi^- \pi^0 p$
298 $\pm 81 \pm 85$		CHUNG	02	B852	$18.3 \pi^- p \rightarrow 3\pi p$
$350 \pm 100^{+70}_{-50}$		IVANOV	01	B852	$18 \pi^- p \rightarrow \eta' \pi^- p$
324 $\pm 26 \pm 75$		<sup>7</sup> AMELIN	99	VES	$37 \pi^- A \rightarrow \omega \pi^- \pi^0 A^*$
360 $\pm 80$		ANISOVICH	99E	SPEC	
370 $\pm 80$		<sup>8</sup> DONSKOV	96	GAM2 0	$38 \pi^- p \rightarrow \eta \pi^0 n$
380 $\pm 150$		<sup>9</sup> CLELAND	82B	SPEC $\pm$	$50 \pi p \rightarrow K_S^0 K^\pm p$
510 $\pm 200$		<sup>10</sup> CORDEN	78C	OMEG 0	$15 \pi^- p \rightarrow 3\pi n$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$401 \pm 16$	$80k$	<sup>11</sup> UMAN	$06$	E835	$5.2 \bar{p}p \rightarrow \eta\eta\pi^0$
$180 \pm 30$		ANISOVICH	$01F$	SPEC	$2.0 \bar{p}p \rightarrow 3\pi^0, \pi^0\eta, \pi^0\eta'$
$166 \pm 43$		<sup>12</sup> BALDI	$78$	SPEC	$- 10 \pi^- p \rightarrow \rho K_S^0 K^-$

<sup>7</sup> May be a different state.

<sup>8</sup> From a simultaneous fit to the  $G_+$  and  $G_0$  wave intensities.

<sup>9</sup> From an amplitude analysis.

<sup>10</sup>  $J^P = 4^+$  is favored, though  $J^P = 2^+$  cannot be excluded.

<sup>11</sup> Statistical error only.

<sup>12</sup> From a fit to the  $Y_8^0$  moment. Limited by phase space.

## a<sub>4</sub>(2040) DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 K\bar{K}$	seen
$\Gamma_2 \pi^+ \pi^- \pi^0$	seen
$\Gamma_3 \rho\pi$	seen
$\Gamma_4 f_2(1270)\pi$	seen
$\Gamma_5 \omega\pi^-\pi^0$	seen
$\Gamma_6 \omega\rho$	seen
$\Gamma_7 \eta\pi^0$	seen
$\Gamma_8 \eta'(958)\pi$	seen

## a<sub>4</sub>(2040) BRANCHING RATIOS

$\Gamma(K\bar{K})/\Gamma_{\text{total}}$	$\Gamma_1/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>CHG</u> <u>COMMENT</u>
<b>seen</b>	BALDI 78 SPEC ± $10 \pi^- p \rightarrow K_S^0 K^- p$

$\Gamma(\pi^+\pi^-\pi^0)/\Gamma_{\text{total}}$	$\Gamma_2/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>CHG</u> <u>COMMENT</u>
<b>seen</b>	CORDEN 78C OMEG 0 $15 \pi^- p \rightarrow 3\pi n$

$\Gamma(\rho\pi)/\Gamma(f_2(1270)\pi)$	$\Gamma_3/\Gamma_4$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
<b><math>1.1 \pm 0.2 \pm 0.2</math></b>	CHUNG 02 B852 $18.3 \pi^- p \rightarrow 3\pi p$

$\Gamma(\eta\pi^0)/\Gamma_{\text{total}}$	$\Gamma_7/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>CHG</u> <u>COMMENT</u>
<b>seen</b>	DONSKOV 96 GAM2 0 $38 \pi^- p \rightarrow \eta\pi^0 n$

$\Gamma(\omega\rho)/\Gamma_{\text{total}}$	$\Gamma_6/\Gamma$
<u>VALUE</u>	<u>EVTS</u> <u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
<b>seen</b>	145k LU 05 B852 $18 \pi^- p \rightarrow \omega\pi^-\pi^0 p$

## **a<sub>4</sub>(2040) REFERENCES**

UMAN	06	PR D73 052009	I. Uman <i>et al.</i>	(FNAL E835)
LU	05	PRL 94 032002	M. Lu <i>et al.</i>	(BNL E852 Collab.)
CHUNG	02	PR D65 072001	S.U. Chung <i>et al.</i>	(BNL E852 Collab.)
ANISOVICH	01F	PL B517 261	A.V. Anisovich <i>et al.</i>	
IVANOV	01	PRL 86 3977	E.I. Ivanov <i>et al.</i>	(BNL E852 Collab.)
AMELIN	99	PAN 62 445	D.V. Amelin <i>et al.</i>	(VES Collab.)
		Translated from YAF 62 487.		
ANISOVICH	99E	PL B452 187	A.V. Anisovich <i>et al.</i>	
DONSKOV	96	PAN 59 982	S.V. Donskov <i>et al.</i>	(GAMS Collab.) IGJPC
		Translated from YAF 59 1027.		
CLELAND	82B	NP B208 228	W.E. Cleland <i>et al.</i>	(DURH, GEVA, LAUS+)
BALDI	78	PL 74B 413	R. Baldi <i>et al.</i>	(GEVA) JP
CORDEN	78C	NP B136 77	M.J. Corden <i>et al.</i>	(BIRM, RHEL, TELA+) JP

---

## **OTHER RELATED PAPERS**

---

DZIERBA	06	PR D73 072001	A.R. Dzierba <i>et al.</i>	(BNL E852 Collab.)
DELFOSSE	81	NP B183 349	A. Delfosse <i>et al.</i>	(GEVA, LAUS)

---