

**$f_2(1270)$**  $I^G(J^{PC}) = 0^+(2^{++})$  **$f_2(1270)$  MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>1275.1 \pm 1.2</math> OUR AVERAGE</b>		Error includes scale factor of 1.1.		
1262	$\pm 1$	ABLIKIM	06V BES2	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma \pi^+ \pi^-$
1275	$\pm 15$	ABLIKIM	05 BES2	$J/\psi \rightarrow \phi \pi^+ \pi^-$
1283	$\pm 5$	ALDE	98 GAM4	$100 \pi^- p \rightarrow \pi^0 \pi^0 n$
1278	$\pm 5$	<sup>1</sup> BERTIN	97C OBLX	$0.0 \bar{p} p \rightarrow \pi^+ \pi^- \pi^0$
1272	$\pm 8$	PROKOSHKIN	200k 94 GAM2	$38 \pi^- p \rightarrow \pi^0 \pi^0 n$
1269.7	$\pm 5.2$	AUGUSTIN	5730 89 DM2	$e^+ e^- \rightarrow 5\pi$
1283	$\pm 8$	<sup>2</sup> ALDE	400 87 GAM4	$100 \pi^- p \rightarrow 4\pi^0 n$
1274	$\pm 5$	<sup>2</sup> AUGUSTIN	87 DM2	$J/\psi \rightarrow \gamma \pi^+ \pi^-$
1283	$\pm 6$	<sup>3</sup> LONGACRE	86 MPS	$22 \pi^- p \rightarrow n 2 K_S^0$
1276	$\pm 7$	COURAU	84 DLCO	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^-$
1273.3	$\pm 2.3$	<sup>4</sup> CHABAUD	83 ASPK	$17 \pi^- p$ polarized
1280	$\pm 4$	<sup>5</sup> CASON	82 STRC	$8 \pi^+ p \rightarrow \Delta^{++} \pi^0 \pi^0$
1281	$\pm 7$	GIDAL	11600 81 MRK2	$J/\psi$ decay
1282	$\pm 5$	<sup>6</sup> CORDEN	79 OMEG	$12\text{--}15 \pi^- p \rightarrow n 2 \pi$
1269	$\pm 4$	APEL	10k 75 NICE	$40 \pi^- p \rightarrow n 2 \pi^0$
1272	$\pm 4$	ENGLER	4600 74 DBC	$6 \pi^+ n \rightarrow \pi^+ \pi^- p$
1277	$\pm 4$	FLATTE	5300 71 HBC	$7.0 \pi^+ p$
1273	$\pm 8$	<sup>2</sup> STUNTEBECK	70 HBC	$8 \pi^- p, 5.4 \pi^+ d$
1265	$\pm 8$	BOESEBECK	68 HBC	$8 \pi^+ p$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
1277	$\pm 6$	<sup>7</sup> SCHEGELSKY	870 06A RVUE	$\gamma \gamma \rightarrow K_S^0 K_S^0$
1251	$\pm 10$	TIKHOMIROV	03 SPEC	$40.0 \pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$
1260	$\pm 10$	<sup>8</sup> ALDE	97 GAM2	$450 pp \rightarrow pp \pi^0 \pi^0$
1278	$\pm 6$	<sup>8</sup> GRYGOREV	96 SPEC	$40 \pi^- N \rightarrow K_S^0 K_S^0 X$
1262	$\pm 11$	AGUILAR....	91 EHS	$400 pp$
1275	$\pm 10$	AKER	91 CBAR	$0.0 \bar{p} p \rightarrow 3\pi^0$
1220	$\pm 10$	BREAKSTONE	90 SFM	$pp \rightarrow pp \pi^+ \pi^-$
1288	$\pm 12$	ABACHI	86B HRS	$e^+ e^- \rightarrow \pi^+ \pi^- X$
1284	$\pm 30$	BINON	83 GAM2	$38 \pi^- p \rightarrow n 2 \eta$
1280	$\pm 20$	APEL	3k 82 CNTR	$25 \pi^- p \rightarrow n 2 \pi^0$
1284	$\pm 10$	DEUTSCH...	16000 76 HBC	$16 \pi^+ p$
1258	$\pm 10$	TAKAHASHI	600 72 HBC	$8 \pi^- p \rightarrow n 2 \pi$
1275	$\pm 13$	ARMENISE	70 HBC	$9 \pi^+ n \rightarrow p \pi^+ \pi^-$
1261	$\pm 5$	<sup>2</sup> ARMENISE	1960 68 DBC	$5.1 \pi^+ n \rightarrow p \pi^+ MM^-$
1270	$\pm 10$	<sup>2</sup> ARMENISE	360 68 DBC	$5.1 \pi^+ n \rightarrow p \pi^0 MM$
1268	$\pm 6$	<sup>9</sup> JOHNSON	68 HBC	$3.7\text{--}4.2 \pi^- p$

<sup>1</sup> T-matrix pole.<sup>2</sup> Mass errors enlarged by us to  $\Gamma/\sqrt{N}$ ; see the note with the  $K^*(892)$  mass.<sup>3</sup> From a partial-wave analysis of data using a K-matrix formalism with 5 poles.<sup>4</sup> From an energy-independent partial-wave analysis.<sup>5</sup> From an amplitude analysis of the reaction  $\pi^+ \pi^- \rightarrow 2\pi^0$ .<sup>6</sup> From an amplitude analysis of  $\pi^+ \pi^- \rightarrow \pi^+ \pi^-$  scattering data.<sup>7</sup> From analysis of L3 data at 91 and 183–209 GeV.<sup>8</sup> Systematic uncertainties not estimated.<sup>9</sup> JOHNSON 68 includes BONDAR 63, LEE 64, DERADO 65, EISNER 67. **$f_2(1270)$  WIDTH**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>185.1^{+2.9}_{-2.4}</math> OUR FIT</b>				Error includes scale factor of 1.5.
<b><math>184.2^{+4.0}_{-2.4}</math> OUR AVERAGE</b>				Error includes scale factor of 1.5. See the ideogram below.
175 $^{+6}_{-4}$ $\pm 10$		ABLIKIM	06v BES2	$e^+ e^- \rightarrow J/\psi \rightarrow \gamma \pi^+ \pi^-$
190 $\pm 20$		ABLIKIM	05 BES2	$J/\psi \rightarrow \phi \pi^+ \pi^-$
171 $\pm 10$		ALDE	98 GAM4	$100 \pi^- p \rightarrow \pi^0 \pi^0 n$
204 $\pm 20$		<sup>10</sup> BERTIN	97c OBLX	$0.0 \bar{p} p \rightarrow \pi^+ \pi^- \pi^0$
192 $\pm 5$	200k	PROKOSHKIN	94 GAM2	$38 \pi^- p \rightarrow \pi^0 \pi^0 n$
180 $\pm 24$		AGUILAR....	91 EHS	$400 p p$
169 $\pm 9$	5730	<sup>11</sup> AUGUSTIN	89 DM2	$e^+ e^- \rightarrow 5\pi$
150 $\pm 30$	400	<sup>11</sup> ALDE	87 GAM4	$100 \pi^- p \rightarrow 4\pi^0 n$
186 $^{+9}_{-2}$		<sup>12</sup> LONGACRE	86 MPS	$22 \pi^- p \rightarrow n 2K_S^0$
179.2 $^{+6.9}_{-6.6}$		<sup>13</sup> CHABAUD	83 ASPK	$17 \pi^- p$ polarized
160 $\pm 11$		DENNEY	83 LASS	$10 \pi^+ N$
196 $\pm 10$	3k	APEL	82 CNTR	$25 \pi^- p \rightarrow n 2\pi^0$
152 $\pm 9$		<sup>14</sup> CASON	82 STRC	$8 \pi^+ p \rightarrow \Delta^{++} \pi^0 \pi^0$
186 $\pm 27$	11600	GIDAL	81 MRK2	$J/\psi$ decay
216 $\pm 13$		<sup>15</sup> CORDEN	79 OMEG	$12\text{--}15 \pi^- p \rightarrow n 2\pi$
190 $\pm 10$	10k	APEL	75 NICE	$40 \pi^- p \rightarrow n 2\pi^0$
192 $\pm 16$	4600	ENGLER	74 DBC	$6 \pi^+ n \rightarrow \pi^+ \pi^- p$
183 $\pm 15$	5300	FLATTE	71 HBC	$7 \pi^+ p \rightarrow \Delta^{++} f_2$
196 $\pm 30$		<sup>11</sup> STUNTEBECK	70 HBC	$8 \pi^- p$ , $5.4 \pi^+ d$
216 $\pm 20$	1960	<sup>11</sup> ARMENISE	68 DBC	$5.1 \pi^+ n \rightarrow p \pi^+ \text{MM}^-$
128 $\pm 27$		<sup>11</sup> BOESEBECK	68 HBC	$8 \pi^+ p$
176 $\pm 21$		<sup>11,16</sup> JOHNSON	68 HBC	$3.7\text{--}4.2 \pi^- p$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
195 $\pm 15$	870	<sup>17</sup> SCHEGELSKY	06A RVUE	$\gamma \gamma \rightarrow K_S^0 K_S^0$
121 $\pm 26$		TIKHOMIROV	03 SPEC	$40.0 \pi^- C \rightarrow K_S^0 K_S^0 K_L^0 X$
187 $\pm 20$		<sup>18</sup> ALDE	97 GAM2	$450 p p \rightarrow p p \pi^0 \pi^0$
184 $\pm 10$		<sup>18</sup> GRYGOREV	96 SPEC	$40 \pi^- N \rightarrow K_S^0 K_S^0 X$
200 $\pm 10$		AKER	91 CBAR	$0.0 \bar{p} p \rightarrow 3\pi^0$

240	$\pm 40$	3k	BINON	83	GAM2	38	$\pi^- p \rightarrow n 2\eta$
187	$\pm 30$	650	<sup>11</sup> ANTIPOV	77	CIBS	25	$\pi^- p \rightarrow p 3\pi$
225	$\pm 38$	16000	DEUTSCH...	76	HBC	16	$\pi^+ p$
166	$\pm 28$	600	<sup>11</sup> TAKAHASHI	72	HBC	8	$\pi^- p \rightarrow n 2\pi$
173	$\pm 53$		<sup>11</sup> ARMENISE	70	HBC	9	$\pi^+ n \rightarrow p \pi^+ \pi^-$

<sup>10</sup> T-matrix pole.

<sup>11</sup> Width errors enlarged by us to  $4\Gamma/\sqrt{N}$ ; see the note with the  $K^*(892)$  mass.

<sup>12</sup> From a partial-wave analysis of data using a K-matrix formalism with 5 poles.

<sup>13</sup> From an energy-independent partial-wave analysis.

<sup>14</sup> From an amplitude analysis of the reaction  $\pi^+ \pi^- \rightarrow 2\pi^0$ .


<sup>15</sup> From an amplitude analysis of  $\pi^+ \pi^- \rightarrow \pi^+ \pi^-$  scattering data.

<sup>16</sup> JOHNSON 68 includes BONDAR 63, LEE 64, DERADO 65, EISNER 67.

<sup>17</sup> From analysis of L3 data at 91 and 183–209 GeV.

<sup>18</sup> Systematic uncertainties not estimated.

WEIGHTED AVERAGE  
184.2+4.0-2.4 (Error scaled by 1.5)



**$f_2(1270)$  DECAY MODES**

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level
$\Gamma_1 \pi\pi$	(84.8 $^{+2.4}_{-1.2}$ ) %	S=1.2
$\Gamma_2 \pi^+\pi^-2\pi^0$	( 7.1 $^{+1.4}_{-2.7}$ ) %	S=1.3
$\Gamma_3 K\bar{K}$	( 4.6 $\pm 0.4$ ) %	S=2.8
$\Gamma_4 2\pi^+2\pi^-$	( 2.8 $\pm 0.4$ ) %	S=1.2
$\Gamma_5 \eta\eta$	( 4.0 $\pm 0.8$ ) $\times 10^{-3}$	S=2.1
$\Gamma_6 4\pi^0$	( 3.0 $\pm 1.0$ ) $\times 10^{-3}$	
$\Gamma_7 \gamma\gamma$	( 1.64 $\pm 0.19$ ) $\times 10^{-5}$	S=1.9
$\Gamma_8 \eta\pi\pi$	< 8 $\times 10^{-3}$	CL=95%
$\Gamma_9 K^0 K^- \pi^+ + \text{c.c.}$	< 3.4 $\times 10^{-3}$	CL=95%
$\Gamma_{10} e^+e^-$	< 6 $\times 10^{-10}$	CL=90%

**CONSTRAINED FIT INFORMATION**

An overall fit to the total width, 4 partial widths, a combination of partial widths obtained from integrated cross sections, and 6 branching ratios uses 44 measurements and one constraint to determine 8 parameters. The overall fit has a  $\chi^2 = 81.8$  for 37 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta p_i \delta p_j \rangle / (\delta p_i \cdot \delta p_j)$ , in percent, from the fit to parameters  $p_i$ , including the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

$x_2$	-91						
$x_3$	11	-39					
$x_4$	10	-37	1				
$x_5$	1	-6	0	0			
$x_6$	0	-7	0	0	0		
$x_7$	8	-5	-6	1	0	0	
$\Gamma$	-78	71	-11	-8	-1	0	-11
	$x_1$	$x_2$	$x_3$	$x_4$	$x_5$	$x_6$	$x_7$

Mode	Rate (MeV)	Scale factor
$\Gamma_1 \pi\pi$	156.9 $^{+4.0}_{-1.2}$	
$\Gamma_2 \pi^+\pi^-2\pi^0$	13.2 $^{+2.8}_{-5.0}$	1.3
$\Gamma_3 K\bar{K}$	8.5 $\pm 0.8$	2.9
$\Gamma_4 2\pi^+2\pi^-$	5.2 $\pm 0.7$	1.2
$\Gamma_5 \eta\eta$	0.74 $\pm 0.14$	2.1

$\Gamma_6$	$4\pi^0$	0.55	$\pm 0.18$	
$\Gamma_7$	$\gamma\gamma$	0.00303	$\pm 0.00035$	1.9

 **$f_2(1270)$  PARTIAL WIDTHS** **$\Gamma(\pi\pi)$** 

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

**156.9 $^{+4.0}_{-1.2}$  OUR FIT****157.0 $^{+6.0}_{-1.0}$**  19 LONGACRE 86 MPS  $22\pi^- p \rightarrow n2K_S^0$ 

• • • We do not use the following data for averages, fits, limits, etc. • • •

152  $\pm 8$  870 20 SCHEGELSKY 06A RVUE  $\gamma\gamma \rightarrow K_S^0 K_S^0$  **$\Gamma(K\bar{K})$** 

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

**8.5 $\pm 0.8$  OUR FIT** Error includes scale factor of 2.9.**9.0 $^{+0.7}_{-0.3}$**  19 LONGACRE 86 MPS  $22\pi^- p \rightarrow n2K_S^0$ 

• • • We do not use the following data for averages, fits, limits, etc. • • •

7.5 $\pm 2.0$  870 20 SCHEGELSKY 06A RVUE  $\gamma\gamma \rightarrow K_S^0 K_S^0$  **$\Gamma(\eta\eta)$** 

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

**0.74 $\pm 0.14$  OUR FIT** Error includes scale factor of 2.1.**1.0  $\pm 0.1$**  19 LONGACRE 86 MPS  $22\pi^- p \rightarrow n2K_S^0$ 

• • • We do not use the following data for averages, fits, limits, etc. • • •

1.8  $\pm 0.4$  870 20 SCHEGELSKY 06A RVUE  $\gamma\gamma \rightarrow K_S^0 K_S^0$  **$\Gamma(\gamma\gamma)$** 

The value of this width depends on the theoretical model used. Unitarised models with scalars give values clustering around  $\simeq 2.6$  keV; without an  $S$ -wave contribution, values are systematically higher (typically around 3 keV).

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

**3.03 $\pm 0.35$  OUR FIT** Error includes scale factor of 1.9.**3.14 $\pm 0.20$**  21 PENNINGTON 08 RVUE  $\gamma\gamma \rightarrow \pi^+\pi^-, \pi^0\pi^0$ 

• • • We do not use the following data for averages, fits, limits, etc. • • •

2.55 $\pm 0.15$	870	20 SCHEGELSKY 06A	RVUE	$\gamma\gamma \rightarrow K_S^0 K_S^0$
2.84 $\pm 0.35$		BOGLIONE 99	RVUE	$\gamma\gamma \rightarrow \pi^+\pi^-, \pi^0\pi^0$
2.93 $\pm 0.23 \pm 0.32$		22 YABUKI 95	VNS	
2.58 $\pm 0.13^{+0.36}_{-0.27}$		23 BEHREND 92	CELL	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-$
3.10 $\pm 0.35 \pm 0.35$		24 BLINOV 92	MD1	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-$
2.27 $\pm 0.47 \pm 0.11$		ADACHI 90D	TOPZ	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-$
3.15 $\pm 0.04 \pm 0.39$		BOYER 90	MRK2	$e^+e^- \rightarrow e^+e^-\pi^+\pi^-$
3.19 $\pm 0.16^{+0.29}_{-0.28}$		MARSISKE 90	CBAL	$e^+e^- \rightarrow e^+e^-\pi^0\pi^0$
2.35 $\pm 0.65$		25 MORGAN 90	RVUE	$\gamma\gamma \rightarrow \pi^+\pi^-, \pi^0\pi^0$
3.19 $\pm 0.09^{+0.22}_{-0.38}$	2177	OEST 90	JADE	$e^+e^- \rightarrow e^+e^-\pi^0\pi^0$

$3.2 \pm 0.1 \pm 0.4$	<sup>26</sup>	AIHARA	86B	TPC	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^-$
$2.5 \pm 0.1 \pm 0.5$		BEHREND	84B	CELL	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^-$
$2.85 \pm 0.25 \pm 0.5$	<sup>27</sup>	BERGER	84	PLUT	$e^+ e^- \rightarrow e^+ e^- 2\pi$
$2.70 \pm 0.05 \pm 0.20$		COURAU	84	DLCO	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^-$
$2.52 \pm 0.13 \pm 0.38$	<sup>28</sup>	SMITH	84C	MRK2	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^-$
$2.7 \pm 0.2 \pm 0.6$		EDWARDS	82F	CBAL	$e^+ e^- \rightarrow e^+ e^- 2\pi^0$
$2.9^{+0.6}_{-0.4} \pm 0.6$	<sup>29</sup>	EDWARDS	82F	CBAL	$e^+ e^- \rightarrow e^+ e^- 2\pi^0$
$3.2 \pm 0.2 \pm 0.6$		BRANDELIK	81B	TASS	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^-$
$3.6 \pm 0.3 \pm 0.5$		ROUSSARIE	81	MRK2	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^-$
$2.3 \pm 0.8$	<sup>30</sup>	BERGER	80B	PLUT	$e^+ e^-$

 $\Gamma(e^+ e^-)$  $\Gamma_{10}$ 

VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
<b>&lt;0.11</b>	90	ACHASOV	00K	$e^+ e^- \rightarrow \pi^0 \pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<1.7                    90                    VOROBYEV    88    ND                     $e^+ e^- \rightarrow \pi^0 \pi^0$

<sup>19</sup> From a partial-wave analysis of data using a K-matrix formalism with 5 poles.

<sup>20</sup> From analysis of L3 data at 91 and 183–209 GeV and using SU(3) relations.

<sup>21</sup> A preferred solution in the amplitude analysis of BOYER 90, MARSISKE 90, BEHREND 92, and MORI 07.

<sup>22</sup> With a narrow scalar state around 1220 MeV.

<sup>23</sup> Using a unitarized model with a 300 – 500 keV wide scalar at 1100 MeV.

<sup>24</sup> Using the unitarized model of LYTH 85.

<sup>25</sup> Error includes spread of different solutions. Data of MARK2 and CRYSTAL BALL used in the analysis. Authors report strong correlations with  $\gamma\gamma$  width of  $f_0(1370)$ :  $\Gamma(f_2) + 1/4 \Gamma(f^0) = 3.6 \pm 0.3$  KeV.

<sup>26</sup> Radiative corrections modify the partial widths; for instance the COURAU 84 value becomes  $2.66 \pm 0.21$  in the calculation of LANDRO 86.

<sup>27</sup> Using the MENNESSIER 83 model.

<sup>28</sup> Superseded by BOYER 90.

<sup>29</sup> If helicity = 2 assumption is not made.

<sup>30</sup> Using mass, width and  $B(f_2(1270) \rightarrow 2\pi)$  from PDG 78.

 $f_2(1270) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$  $\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$  $\Gamma_3\Gamma_7/\Gamma$ 

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

**0.139 ± 0.019 OUR FIT** Error includes scale factor of 1.9.

**0.091 ± 0.007 ± 0.027**                    31 ALBRECHT    90G ARG                     $e^+ e^- \rightarrow e^+ e^- K^+ K^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$0.104 \pm 0.007 \pm 0.072$                     32 ALBRECHT    90G ARG                     $e^+ e^- \rightarrow e^+ e^- K^+ K^-$

<sup>31</sup> Using an incoherent background.

<sup>32</sup> Using a coherent background.

**Helicity-0/Helicity-2 RATIO IN  $\gamma\gamma \rightarrow f_2(1270) \rightarrow \pi\pi$** 

<u>VALUE</u> (units $10^{-2}$ )	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>3.7 \pm 0.3^{+15.9}_{-2.9}</math></b>	UEHARA	08A BELL	$10.6 e^+ e^- \rightarrow e^+ e^- \pi^0 \pi^0$

• • • We do not use the following data for averages, fits, limits, etc. • • •

13	33 PENNINGTON 08	RVUE	$\gamma\gamma \rightarrow \pi^+ \pi^-, \pi^0 \pi^0$
----	------------------	------	---

33 A preferred solution in the amplitude analysis of BOYER 90, MARSISKE 90, BEHREND 92, and MORI 07.

 **$f_2(1270)$  BRANCHING RATIOS** **$\Gamma(\pi\pi)/\Gamma_{\text{total}}$**  **$\Gamma_1/\Gamma$** 

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>0.848^{+0.024}_{-0.012}</math> OUR FIT</b>				Error includes scale factor of 1.2.
<b><math>0.837 \pm 0.020</math> OUR AVERAGE</b>				
0.849 $\pm 0.025$		CHABAUD	83 ASPK	$17 \pi^- p$ polarized
0.85 $\pm 0.05$	250	BEAUPRE	71 HBC	$8 \pi^+ p \rightarrow \Delta^{++} f_2$
0.8 $\pm 0.04$	600	OH	70 HBC	$1.26 \pi^- p \rightarrow \pi^+ \pi^- n$

 **$\Gamma(\pi^+ \pi^- 2\pi^0)/\Gamma(\pi\pi)$**  **$\Gamma_2/\Gamma_1$** 

Should be twice  $\Gamma(2\pi^+ 2\pi^-)/\Gamma(\pi\pi)$  if decay is  $\rho\rho$ . (See ASCOLI 68D.)

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>0.084^{+0.018}_{-0.033}</math> OUR FIT</b>				Error includes scale factor of 1.3.
<b><math>0.15 \pm 0.06</math></b>	600	EISENBERG	74 HBC	$4.9 \pi^+ p \rightarrow \Delta^{++} f_2$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.07		EMMS	75D DBC	$4 \pi^+ n \rightarrow p f_2$

 **$\Gamma(K\bar{K})/\Gamma(\pi\pi)$**  **$\Gamma_3/\Gamma_1$** 

We average only experiments which either take into account  $f_2(1270)$ - $a_2(1320)$  interference explicitly or demonstrate that  $a_2(1320)$  production is negligible.

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b><math>0.054^{+0.005}_{-0.006}</math> OUR FIT</b>				Error includes scale factor of 2.8.
<b><math>0.041^{+0.004}_{-0.005}</math> OUR AVERAGE</b>				
0.045 $\pm 0.01$		34 BARGIOTTI	03 OBLX	$\bar{p}p$
0.037 $\pm 0.008$		ETKIN	82B MPS	$23 \pi^- p \rightarrow n 2K_S^0$
0.045 $\pm 0.009$		CHABAUD	81 ASPK	$17 \pi^- p$ polarized
0.039 $\pm 0.008$		LOVERRE	80 HBC	$4 \pi^- p \rightarrow K\bar{K}N$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.052 $\pm 0.025$		ABLIKIM	04E BES2	$J/\psi \rightarrow \omega K^+ K^-$
0.036 $\pm 0.005$		35 COSTA...	80 OMEG	$1-2.2 \pi^- p \rightarrow K^+ K^- n$
0.030 $\pm 0.005$		36 MARTIN	79 RVUE	
0.027 $\pm 0.009$		37 POLYCHRO...	79 STRC	$7 \pi^- p \rightarrow n 2K_S^0$
0.025 $\pm 0.015$		EMMS	75D DBC	$4 \pi^+ n \rightarrow p f_2$
0.031 $\pm 0.012$	20	ADERHOLZ	69 HBC	$8 \pi^+ p \rightarrow K^+ K^- \pi^+ p$

$\Gamma(2\pi^+ 2\pi^-)/\Gamma(\pi\pi)$  $\Gamma_4/\Gamma_1$ 

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.033±0.005 OUR FIT</b>	Error includes scale factor of 1.2.			
<b>0.033±0.004 OUR AVERAGE</b>	Error includes scale factor of 1.1.			
0.024±0.006	160	EMMS	75D DBC	$4 \pi^+ n \rightarrow p f_2$
0.051±0.025	70	EISENBERG	74 HBC	$4.9 \pi^+ p \rightarrow \Delta^{++} f_2$
$0.043^{+0.007}_{-0.011}$	285	LOUIE	74 HBC	$3.9 \pi^- p \rightarrow n f_2$
0.037±0.007	154	ANDERSON	73 DBC	$6 \pi^+ n \rightarrow p f_2$
0.047±0.013	OH		70 HBC	$1.26 \pi^- p \rightarrow \pi^+ \pi^- n$

 $\Gamma(\eta\eta)/\Gamma_{\text{total}}$  $\Gamma_5/\Gamma$ 

<u>VALUE (units <math>10^{-3}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>4.0±0.8 OUR FIT</b>	Error includes scale factor of 2.1.		
<b>2.9±0.5 OUR AVERAGE</b>			
2.7±0.7	BINON	05 GAMS	$33 \pi^- p \rightarrow \eta\eta n$
2.8±0.7	ALDE	86D GAM4	$100 \pi^- p \rightarrow 2\eta n$
5.2±1.7	BINON	83 GAM2	$38 \pi^- p \rightarrow 2\eta n$

 $\Gamma(\eta\eta)/\Gamma(\pi\pi)$  $\Gamma_5/\Gamma_1$ 

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.003±0.001</b>				BARBERIS 00E 450 $p p \rightarrow p_f \eta\eta p_s$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
<0.05	95	EDWARDS	82F CBAL	$e^+ e^- \rightarrow e^+ e^- 2\eta$
<0.016	95	EMMS	75D DBC	$4 \pi^+ n \rightarrow p f_2$
<0.09	95	EISENBERG	74 HBC	$4.9 \pi^+ p \rightarrow \Delta^{++} f_2$

 $\Gamma(4\pi^0)/\Gamma_{\text{total}}$  $\Gamma_6/\Gamma$ 

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.0030±0.0010 OUR FIT</b>				
<b>0.003 ±0.001</b>	$400 \pm 50$	ALDE	87 GAM4	$100 \pi^- p \rightarrow 4\pi^0 n$

 $\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$  $\Gamma_7/\Gamma$ 

<u>VALUE (units <math>10^{-5}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$1.57 \pm 0.01^{+1.39}_{-0.14}$	UEHARA	08A BELL	$10.6 e^+ e^- \rightarrow e^+ e^- \pi^0 \pi^0$	

 $\Gamma(\eta\pi\pi)/\Gamma(\pi\pi)$  $\Gamma_8/\Gamma_1$ 

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt;0.010</b>	95	EMMS	75D DBC	$4 \pi^+ n \rightarrow p f_2$

 $\Gamma(K^0 K^- \pi^+ + \text{c.c.})/\Gamma(\pi\pi)$  $\Gamma_9/\Gamma_1$ 

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt;0.004</b>	95	EMMS	75D DBC	$4 \pi^+ n \rightarrow p f_2$

$\Gamma(e^+ e^-)/\Gamma_{\text{total}}$  $\Gamma_{10}/\Gamma$ 

<u>VALUE (units <math>10^{-10}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt;6</b>	90	ACHASOV	00K SND	$e^+ e^- \rightarrow \pi^0 \pi^0$
34	Coupled channel analysis of $\pi^+ \pi^- \pi^0$ , $K^+ K^- \pi^0$ , and $K^\pm K_S^0 \pi^\mp$ .			
35	Re-evaluated by CHABAUD 83.			
36	Includes PAWICKI 77 data.			
37	Takes into account the $f_2(1270)$ - $f'_2(1525)$ interference.			

 **$f_2(1270)$  REFERENCES**

PENNINGTON 08	EPJ C56 1	M.R. Pennington <i>et al.</i>	
UEHARA 08A	PR D78 052004	S. Uehara <i>et al.</i>	(BELLE Collab.)
MORI 07	PR D75 051101R	T. Mori <i>et al.</i>	(BELLE Collab.)
ABLIKIM 06V	PL B642 441	M. Ablikim <i>et al.</i>	(BES Collab.)
SCHEGELSKY 06A	EPJ A27 207	V.A. Schegelsky <i>et al.</i>	
ABLIKIM 05	PL B607 243	M. Ablikim <i>et al.</i>	(BES Collab.)
BINON 05	PAN 68 960	F. Binon <i>et al.</i>	
	Translated from YAF 68 998.		
ABLIKIM 04E	PL B603 138	M. Ablikim <i>et al.</i>	(BES Collab.)
BARGIOTTI 03	EPJ C26 371	M. Bargiotti <i>et al.</i>	(OBELIX Collab.)
TIKHOMIROV 03	PAN 66 828	G.D. Tikhomirov <i>et al.</i>	
	Translated from YAF 66 860.		
ACHASOV 00K	PL B492 8	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
BARBERIS 00E	PL B479 59	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BOGLIONE 99	EPJ C9 11	M. Boglione, M.R. Pennington	
ALDE 98	EPJ A3 361	D. Alde <i>et al.</i>	(GAM4 Collab.)
Also	PAN 62 405	D. Alde <i>et al.</i>	(GAMS Collab.)
	Translated from YAF 62 446.		
ALDE 97	PL B397 350	D.M. Alde <i>et al.</i>	(GAMS Collab.)
BERTIN 97C	PL B408 476	A. Bertin <i>et al.</i>	(OBELIX Collab.)
GRYGOREV 96	PAN 59 2105	V.K. Grigoriev, O.N. Baloshin, B.P. Barkov	(ITEP)
	Translated from YAF 59 2187.		
YABUKI 95	JPSJ 64 435	F. Yabuki <i>et al.</i>	(VENUS Collab.)
PROKOSHKIN 94	SPD 39 420	Y.D. Prokoshkin, A.A. Kondashov	(SERP)
	Translated from DANS 336 613.		
BEHREND 92	ZPHY C56 381	H.J. Behrend	(CELLO Collab.)
BLINOV 92	ZPHY C53 33	A.E. Blinov <i>et al.</i>	(NOVO)
AGUILAR-...	ZPHY C50 405	M. Aguilar-Benitez <i>et al.</i>	(LEBC-EHS Collab.)
AKER 91	PL B260 249	E. Aker <i>et al.</i>	(Crystal Barrel Collab.)
ADACHI 90D	PL B234 185	I. Adachi <i>et al.</i>	(TOPAZ Collab.)
ALBRECHT 90G	ZPHY C48 183	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
BOYER 90	PR D42 1350	J. Boyer <i>et al.</i>	(Mark II Collab.)
BREAKSTONE 90	ZPHY C48 569	A.M. Breakstone <i>et al.</i>	(ISU, BGNA, CERN+)
MARSISKE 90	PR D41 3324	H. Marsiske <i>et al.</i>	(Crystal Ball Collab.)
MORGAN 90	ZPHY C48 623	D. Morgan, M.R. Pennington	(RAL, DURH)
OEST 90	ZPHY C47 343	T. Oest <i>et al.</i>	(JADE Collab.)
AUGUSTIN 89	NP B320 1	J.E. Augustin, G. Cosme	(DM2 Collab.)
VOROBYEV 88	SJNP 48 273	P.V. Vorobiev <i>et al.</i>	(NOVO)
	Translated from YAF 48 436.		
ALDE 87	PL B198 286	D.M. Alde <i>et al.</i>	(LANL, BRUX, SERP, LAPP)
AUGUSTIN 87	ZPHY C36 369	J.E. Augustin <i>et al.</i>	(LALO, CLER, FRAS+)
ABACHI 86B	PRL 57 1990	S. Abachi <i>et al.</i>	(PURD, ANL, IND, MICH+)
AIHARA 86B	PRL 57 404	H. Aihara <i>et al.</i>	(TPC-2 $\gamma$ Collab.)
ALDE 86D	NP B269 485	D.M. Alde <i>et al.</i>	(BELG, LAPP, SERP, CERN+)
LANDRO 86	PL B172 445	M. Landro, K.J. Mork, H.A. Olsen	(UTRO)
LONGACRE 86	PL B177 223	R.S. Longacre <i>et al.</i>	(BNL, BRAN, CUNY+)
LYTH 85	JPG 11 459	D.H. Lyth	
BEHREND 84B	ZPHY C23 223	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
BERGER 84	ZPHY C26 199	C. Berger <i>et al.</i>	(PLUTO Collab.)
COURAU 84	PL 147B 227	A. Courau <i>et al.</i>	(CIT, SLAC)
SMITH 84C	PR D30 851	J.R. Smith <i>et al.</i>	(SLAC, LBL, HARV)
BINON 83	NC 78A 313	F.G. Binon <i>et al.</i>	(BELG, LAPP, SERP+)
Also	SJNP 38 561	F.G. Binon <i>et al.</i>	(BELG, LAPP, SERP+)
	Translated from YAF 38 934.		

CHABAUD	83	NP B223 1	V. Chabaud <i>et al.</i>	(CERN, CRAC, MPIM)
DENNEY	83	PR D28 2726	D.L. Denney <i>et al.</i>	(IOWA, MICH)
MENNESSIER	83	ZPHY C16 241	G. Mennessier	(MONP)
APEL	82	NP B201 197	W.D. Apel <i>et al.</i>	(KARLK, KARLE, PISA, SERP+)
CASON	82	PRL 48 1316	N.M. Cason <i>et al.</i>	(NDAM, ANL)
EDWARDS	82F	PL 110B 82	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
ETKIN	82B	PR D25 1786	A. Etkin <i>et al.</i>	(BNL, CUNY, TUFTS, VAND)
BRANDELIK	81B	ZPHY C10 117	R. Brandelik <i>et al.</i>	(TASSO Collab.)
CHABAUD	81	APP B12 575	V. Chabaud <i>et al.</i>	(CERN, CRAC, MPIM)
GIDAL	81	PL 107B 153	G. Gidal <i>et al.</i>	(SLAC, LBL)
ROUSSARIE	81	PL 105B 304	A. Roussarie <i>et al.</i>	(SLAC, LBL)
BERGER	80B	PL 94B 254	C. Berger <i>et al.</i>	(PLUTO Collab.)
COSTA...	80	NP B175 402	G. Costa de Beauregard <i>et al.</i>	(BARI, BONN+)
LOVERRE	80	ZPHY C6 187	P.F. Loverre <i>et al.</i>	(CERN, CDEF, MADR+)
CORDEN	79	NP B157 250	M.J. Corden <i>et al.</i>	(BIRM, RHEL, TELA+)
MARTIN	79	NP B158 520	A.D. Martin, E.N. Ozmutlu	(DURH)
POLYCHRO...	79	PR D19 1317	V.A. Polychronakos <i>et al.</i>	(NDAM, ANL)
PDG	78	PL 75B 1	C. Bricman <i>et al.</i>	
ANTIPOV	77	NP B119 45	Y.M. Antipov <i>et al.</i>	(SERP, GEVA)
PAWLICKI	77	PR D15 3196	A.J. Pawlicki <i>et al.</i>	(ANL)
DEUTSCH...	76	NP B103 426	M. Deutschmann <i>et al.</i>	(AACH3, BERL, BONN+)
APEL	75	PL 57B 398	W.D. Apel <i>et al.</i>	(KARLK, KARLE, PISA, SERP+)
EMMS	75D	NP B96 155	M.J. Emms <i>et al.</i>	(BIRM, DURH, RHEL)
EISENBERG	74	PL 52B 239	Y. Eisenberg <i>et al.</i>	(REHO)
ENGLER	74	PR D10 2070	A. Engler <i>et al.</i>	(CMU, CASE)
LOUIE	74	PL 48B 385	J. Louie <i>et al.</i>	(SACL, CERN)
ANDERSON	73	PRL 31 562	J.C. Anderson <i>et al.</i>	(CMU, CASE)
TAKAHASHI	72	PR D6 1266	K. Takahashi <i>et al.</i>	(TOHOK, PENN, NDAM+)
BEAUPRE	71	NP B28 77	J.V. Beaupre <i>et al.</i>	(AACH, BERL, CERN)
FLATTE	71	PL 34B 551	S.M. Flatte <i>et al.</i>	(LBL)
ARMENISE	70	LNC 4 199	N. Armenise <i>et al.</i>	(BARI, BGNA, FIRZ)
OH	70	PR D1 2494	B.Y. Oh <i>et al.</i>	(WISC, TNTO) JP
STUNTEBECK	70	PL 32B 391	P.H. Stuntebeck <i>et al.</i>	(NDAM)
ADERHOLZ	69	NP B11 259	M. Aderholz <i>et al.</i>	(AACH3, BERL, CERN+)
ARMENISE	68	NC 54A 999	N. Armenise <i>et al.</i>	(BARI, BGNA, FIRZ+)
ASCOLI	68D	PRL 21 1712	G. Ascoli <i>et al.</i>	(ILL)
BOESEBECK	68	NP B4 501	K. Boesebeck <i>et al.</i>	(AACH, BERL, CERN)
JOHNSON	68	PR 176 1651	P.B. Johnson <i>et al.</i>	(NDAM, PURD, SLAC)
EISNER	67	PR 164 1699	R.L. Eisner <i>et al.</i>	(PURD)
DERADO	65	PRL 14 872	I. Derado <i>et al.</i>	(NDAM)
LEE	64	PRL 12 342	Y.Y. Lee <i>et al.</i>	(MICH)
BONDAR	63	PL 5 153	L. Bondar <i>et al.</i>	(AACH, BIRM, BONN, DESY+)

---

## OTHER RELATED PAPERS

---

ANISOVICH	05	JETPL 80 715 Translated from ZETFP 80 845.	V.V. Anisovich	
ABLIKIM	04A	PL B598 149	M. Ablikim <i>et al.</i>	(BES Collab.)
GARMASH	02	PR D65 092005	A. Garmash <i>et al.</i>	(BELLE Collab.)
LI	01	JPG 27 807	D.-M. Li, H. Yu, Q.-X. Shen	

---