$I(J^P) = 1(\frac{1}{2}^+)$ Status: ****

COURANT 63 and ALFF-STEINBERGER 65, using $\Sigma^0 \rightarrow \Lambda e^+ e^$ decays (Dalitz decays), determined the Σ^0 parity to be positive, given that J = 1/2 and that certain very reasonable assumptions about form factors are true. The results of experiments involving the Primakoff effect, from which the Σ^0 mean life and $\Sigma^0 \rightarrow \Lambda$ transition magnetic moment come (see below), strongly support J= 1/2.

Σ^0 MASS

The fit uses Σ^+ , Σ^0 , Σ^- , and Λ mass and mass-difference measurements.

VALUE (MeV)	EVTS	DOCUMENT	D	TECN	COMMENT
1192.642±0.024 OUR FI	т				
$\bullet~\bullet~\bullet$ We do not use the	following	data for average	s, fits, li	mits, etc	. • • •
$1192.65 \ \pm 0.020 \pm 0.014$	3327	¹ WANG	97	SPEC	$\Sigma^0 \rightarrow \Lambda \gamma \rightarrow$
					$(p\pi^{-})(e^{+}e^{-})$

¹ This WANG 97 result is redundant with the Σ^0 - Λ mass-difference measurement below.

$$m_{\Sigma^{-}} - m_{\Sigma^{0}}$$

VALU	E (MeV)	EVTS	DOCUMENT	- ID	TECN	COMMENT
4.807	′±0.035	OUR FIT Erro	r includes scale fa	ctor of 1.1		
4.86	±0.08	OUR AVERAGE	Error includes s	cale factor	of 1.2.	
4.87	± 0.12	37	DOSCH	65	HBC	
5.01	± 0.12	12	SCHMIDT	65	HBC	See note with Λ mass
4.75	± 0.1	18	BURNSTE	EIN 64	HBC	

$$m_{\Sigma^0} - m_\Lambda$$

VALUE (MeV)	EVTS	DOCUMENT ID		TECN	COMMENT
76.959 ± 0.023 OUR FIT					0
$76.966 \pm 0.020 \pm 0.013$	3327	WANG	97	SPEC	$\Sigma^{0} \rightarrow \Lambda \gamma \rightarrow$
• • • We do not use the	e following d	lata for averages	, fits,	limits, e	$(p\pi^-)(e^+e^-)$ tc. ••
76.23 ±0.55	109	COLAS	75	HLBC	$\Sigma^0 \rightarrow \Lambda \gamma$
76.63 ± 0.28	208	SCHMIDT	65	HBC	See note with Λ mass

HTTP://PDG.LBL.GOV

Σ^0 MEAN LIFE

These lifetimes are deduced from measurements of the cross sections for the Primakoff process $\Lambda \to \ \Sigma^0$ in nuclear Coulomb fields. An alternative expression of the same information is the Σ^0 - Λ transition magnetic moment given in the following section. The relation is $(\mu_{\Sigma \Lambda}/\mu_N)^2 \tau =$ 1.92951×10^{-19} s (see DEVLIN 86).

VALUE (10 ⁻²⁰ s)	DOCUMENT ID		TECN	COMMENT
7.4 \pm 0.7 OUR EVALUATION	Using $\mu_{\sum \Lambda}$ (see the	e abov	re note).	
$6.5^{+1.7}_{-1.1}$	² DEVLIN	86	SPEC	Primakoff effect
$7.6 \pm 0.5 \pm 0.7$	³ PETERSEN	86	SPEC	Primakoff effect
\bullet \bullet \bullet We do not use the follow	ving data for average	s, fits,	limits, e	etc. • • •
$5.8 {\pm} 1.3$	² DYDAK	77	SPEC	See DEVLIN 86
2 DEV/LIN 86 is a recalculation	on of the results of D		77 rom	oving a numerical approv

DEVLIN 86 is a recalculation of the results of DYDAK 77 removing a numerical approximation made in that work. 3 An additional uncertainty of the Primakoff formalism is estimated to be <5%.

$|\mu(\Sigma^0 \rightarrow \Lambda)|$ TRANSITION MAGNETIC MOMENT

See the note in the Σ^0 mean-life section above. Also, see the "Note on Baryon Magnetic Moments" in the Λ Listings.

VALUE (μ_N)	DOCUMENT ID		TECN	COMMENT			
1.61±0.08 OUR AVERAGE							
$1.72^{+0.17}_{-0.19}$	⁴ DEVLIN	86	SPEC	Primakoff effect			
$1.59\!\pm\!0.05\!\pm\!0.07$	⁵ PETERSEN	86	SPEC	Primakoff effect			
ullet $ullet$ $ullet$ We do not use the following data for averages, fits, limits, etc. $ullet$ $ullet$							
$1.82^{+0.25}_{-0.18}$	⁴ DYDAK	77	SPEC	See DEVLIN 86			

⁴ DEVLIN 86 is a recalculation of the results of DYDAK 77 removing a numerical approximation made in that work.

⁵ An additional uncertainty of the Primakoff formalism is estimated to be < 2.5%.

Σ^0 DECAY MODES

	Mode	Fraction (Γ_i/Γ)	Confidence level
Γ_1	$\Lambda\gamma$	100 %	
Γ2	$\Lambda\gamma\gamma$	< 3 %	90%
Γ ₃	$\Lambda e^+ e^-$	[a] 5×10^{-3}	

[a] A theoretical value using QED.

Σ^0 BRANCHING RATIOS

$\Gamma(\Lambda\gamma\gamma)/\Gamma_{\text{total}}$						Γ_2/Γ
VALUE	<u>CL%</u>	DOCUMENT ID		TECN		
<0.03	90	COLAS	75	HLBC		
HTTP://PDG.	LBL.GOV	Page 2		Created:	6/16/2011	12:05

Citation: K. Nakamura et al. (Particle Data Group), JP G 37, 075021 (2010) and 2011 partial update for the 2012 edition (URL: http://pdg.lbl.gov)

$\frac{\Gamma(\Lambda e^+ e^-)}{\Gamma_{\text{total}}} \qquad \qquad \Gamma_3/\Gamma$ See COURANT 63 and ALFF-STEINBERGER 65 for measurements of the invariantmass spectrum of the Dalitz pairs.

VALUE	DOCUMENT ID		COMMENT	
0.00545	FEINBERG	58	Theoretical QED calculation	

Σ^0 REFERENCES

WANG	97	PR D56 2544	M.H.L.S. Wang <i>et al.</i>	(BNL-E766 Collab.)
DEVLIN	86	PR D34 1626	T. Devlin, P.C. Petersen, A.	Beretvas (RUTG)
PETERSEN	86	PRL 57 949	P.C. Petersen et al.	(RUTG, WISC, ÀICH+)
DYDAK	77	NP B118 1	F. Dydak <i>et al.</i>	(CERN, DORT, HEIDH)
COLAS	75	NP B91 253	J. Colas <i>et al.</i>	` (ORSAY)
ALFF	65	PR 137 B1105	C. Alff-Steinberger et al.	(COLU, ŘUTG+) P
DOSCH	65	PL 14 239	H.C. Dosch <i>et al.</i>) (HEID)
SCHMIDT	65	PR 140B 1328	P. Schmidt	(COLU)
BURNSTEIN	64	PRL 13 66	R.A. Burnstein <i>et al.</i>	(UMD)
COURANT	63	PRL 10 409	H. Courant <i>et al.</i>	(CERN, ÙMD) P
FEINBERG	58	PR 109 1019	G. Feinberg) (BNL)

HTTP://PDG.LBL.GOV Page 3