

$N(1520) \ 3/2^-$ $I(J^P) = \frac{1}{2}(\frac{3}{2}^-)$ Status: ****

Most of the results published before 1975 were last included in our 1982 edition, Physics Letters **111B** 1 (1982). Some further obsolete results published before 1984 were last included in our 2006 edition, Journal of Physics, G **33** 1 (2006).

 $N(1520)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1515 to 1525 (≈ 1520) OUR ESTIMATE			
1517 ± 3	ANISOVICH	12A	DPWA Multichannel
1514.5 ± 0.2	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1524 ± 4	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$
1525 ± 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1519 ± 4	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1524 ± 4	ANISOVICH	10	DPWA Multichannel
1522 ± 8	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1520 ± 10	THOMA	08	DPWA Multichannel
1516.3 ± 0.8	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
1509 ± 1	PENNER	02C	DPWA Multichannel
1518 ± 3	VRANA	00	DPWA Multichannel
1516 ± 10	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
1515	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
1510	LI	93	IPWA $\gamma N \rightarrow \pi N$
1510	¹ LONGACRE	77	IPWA $\pi N \rightarrow N\pi\pi$
1520	² LONGACRE	75	IPWA $\pi N \rightarrow N\pi\pi$

 $N(1520)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
100 to 125 (≈ 115) OUR ESTIMATE			
114 ± 5	ANISOVICH	12A	DPWA Multichannel
103.6 ± 0.4	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
124 ± 8	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$
120 ± 15	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
114 ± 7	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
117 ± 6	ANISOVICH	10	DPWA Multichannel
132 ± 11	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
125 ± 15	THOMA	08	DPWA Multichannel
98.6 ± 2.6	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
100 ± 2	PENNER	02C	DPWA Multichannel
124 ± 4	VRANA	00	DPWA Multichannel

106 ± 4	ARNDT	96	IPWA	$\gamma N \rightarrow \pi N$
106	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
120	LI	93	IPWA	$\gamma N \rightarrow \pi N$
110	¹ LONGACRE	77	IPWA	$\pi N \rightarrow N\pi\pi$
150	² LONGACRE	75	IPWA	$\pi N \rightarrow N\pi\pi$

***N*(1520) POLE POSITION**

REAL PART

<i>VALUE</i> (MeV)	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
--------------------	--------------------	-------------	----------------

1505 to 1515 (\approx 1510) OUR ESTIMATE

1507±3	ANISOVICH	12A	DPWA	Multichannel
1515	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1510	³ HOEHLER	93	ARGD	$\pi N \rightarrow \pi N$
1510±5	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1512±3	ANISOVICH	10	DPWA	Multichannel
1506±9	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
1509±7	THOMA	08	DPWA	Multichannel
1514	ARNDT	04	DPWA	$\pi N \rightarrow \pi N, \eta N$
1504	VRANA	00	DPWA	Multichannel
1515	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
1511	ARNDT	91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90
1514 or 1511	⁴ LONGACRE	78	IPWA	$\pi N \rightarrow N\pi\pi$
1508 or 1505	¹ LONGACRE	77	IPWA	$\pi N \rightarrow N\pi\pi$

−2×IMAGINARY PART

<i>VALUE</i> (MeV)	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
--------------------	--------------------	-------------	----------------

105 to 120 (\approx 110) OUR ESTIMATE

111± 5	ANISOVICH	12A	DPWA	Multichannel
113	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
120	³ HOEHLER	93	ARGD	$\pi N \rightarrow \pi N$
114±10	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

110± 6	ANISOVICH	10	DPWA	Multichannel
122± 9	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
113±12	THOMA	08	DPWA	Multichannel
102	ARNDT	04	DPWA	$\pi N \rightarrow \pi N, \eta N$
112	VRANA	00	DPWA	Multichannel
110	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
108	ARNDT	91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90
146 or 137	⁴ LONGACRE	78	IPWA	$\pi N \rightarrow N\pi\pi$
109 or 107	¹ LONGACRE	77	IPWA	$\pi N \rightarrow N\pi\pi$

$N(1520)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
35 ± 3 OUR ESTIMATE			
36 \pm 3	ANISOVICH	12A	DPWA Multichannel
38	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
32	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
35 \pm 2	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
35	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
35	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
34	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
33	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90

PHASE θ

<u>VALUE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-10 ± 5 OUR ESTIMATE			
-14 ± 3	ANISOVICH	12A	DPWA Multichannel
-5	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
-8	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
-12 ± 5	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-7	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
-6	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
7	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
-10	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90

 $N(1520)$ INELASTIC POLE RESIDUE

The "normalized residue" is the residue divided by Γ_{pole} .

Normalized residue in $N\pi \rightarrow N(1520) \rightarrow \Delta\pi$, S-wave

<u>MODULUS (%)</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
33 ± 5	150 ± 20	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1520) \rightarrow \Delta\pi$, D-wave

<u>MODULUS (%)</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
25 ± 3	100 ± 20	ANISOVICH	12A	DPWA Multichannel

 $N(1520)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	55–65 %
Γ_2 $N\eta$	$(2.3 \pm 0.4) \times 10^{-3}$
Γ_3 $N\pi\pi$	20–30 %
Γ_4 $\Delta\pi$	15–25 %
Γ_5 $\Delta(1232)\pi$, S-wave	10–20 %

Γ_6	$\Delta(1232)\pi$, <i>D</i> -wave	10–15 %
Γ_7	$N\rho$	15–25 %
Γ_8	$N\rho$, $S=3/2$, <i>S</i> -wave	(9.0 ± 1.0) %
Γ_9	$N(\pi\pi)_{S\text{-wave}}^{I=0}$	<8 %
Γ_{10}	$p\gamma$	0.31–0.52 %
Γ_{11}	$p\gamma$, helicity=1/2	0.01–0.02 %
Γ_{12}	$p\gamma$, helicity=3/2	0.30–0.50 %
Γ_{13}	$n\gamma$	0.30–0.53 %
Γ_{14}	$n\gamma$, helicity=1/2	0.04–0.10 %
Γ_{15}	$n\gamma$, helicity=3/2	0.25–0.45 %

$N(1520)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$ Γ_1/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
55 to 65 OUR ESTIMATE			
62 ± 3	ANISOVICH	12A	DPWA Multichannel
63.2 ± 0.1	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
59 ± 3	MANLEY	92	IPWA $\pi N \rightarrow \pi N \& N\pi\pi$
58 ± 3	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
54 ± 3	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
57 ± 5	ANISOVICH	10	DPWA Multichannel
55 ± 5	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
58 ± 8	THOMA	08	DPWA Multichannel
64.0 ± 0.5	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
56 ± 1	PENNER	02C	DPWA Multichannel
63 ± 2	VRANA	00	DPWA Multichannel
61	ARNDT	95	DPWA $\pi N \rightarrow N\pi$

$\Gamma(N\eta)/\Gamma_{\text{total}}$ Γ_2/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.23± 0.04 OUR AVERAGE			
0.23 ± 0.04	PENNER	02C	DPWA Multichannel
0 ± 1	VRANA	00	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.1 ± 0.1	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
0.2 ± 0.1	THOMA	08	DPWA Multichannel
0.08 to 0.12	ARNDT	05	DPWA Multichannel
0.08 ± 0.01	TIATOR	99	DPWA $\gamma p \rightarrow p\eta$

Note: Signs of couplings from $\pi N \rightarrow N\pi\pi$ analyses were changed in the 1986 edition to agree with the baryon-first convention; the overall phase ambiguity is resolved by choosing a negative sign for the $\Delta(1620) S_{31}$ coupling to $\Delta(1232)\pi$.

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(1520) \rightarrow \Delta(1232)\pi$, S-wave				$(\Gamma_1 \Gamma_5)^{1/2} / \Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
−0.26 to −0.20 OUR ESTIMATE				
−0.18 ± 0.05	MANLEY	92	IPWA	$\pi N \rightarrow \pi N \ \& \ N\pi\pi$
−0.26	^{1,5} LONGACRE	77	IPWA	$\pi N \rightarrow N\pi\pi$
−0.24	² LONGACRE	75	IPWA	$\pi N \rightarrow N\pi\pi$

$\Gamma(\Delta(1232)\pi, \text{S-wave}) / \Gamma_{\text{total}}$				Γ_5 / Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
10 to 20 OUR ESTIMATE				
19 ± 4	ANISOVICH	12A	DPWA	Multichannel
15 ± 2	VRANA	00	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
12 ± 4	THOMA	08	DPWA	Multichannel

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(1520) \rightarrow \Delta(1232)\pi$, D-wave				$(\Gamma_1 \Gamma_6)^{1/2} / \Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
−0.28 to −0.24 OUR ESTIMATE				
−0.29 ± 0.03	MANLEY	92	IPWA	$\pi N \rightarrow \pi N \ \& \ N\pi\pi$
−0.21	^{1,5} LONGACRE	77	IPWA	$\pi N \rightarrow N\pi\pi$
−0.30	² LONGACRE	75	IPWA	$\pi N \rightarrow N\pi\pi$

$\Gamma(\Delta(1232)\pi, \text{D-wave}) / \Gamma_{\text{total}}$				Γ_6 / Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
10 to 15 OUR ESTIMATE				
9 ± 2	ANISOVICH	12A	DPWA	Multichannel
11 ± 2	VRANA	00	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
14 ± 5	THOMA	08	DPWA	Multichannel

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(1520) \rightarrow N\rho, S=3/2, \text{S-wave}$				$(\Gamma_1 \Gamma_8)^{1/2} / \Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
−0.35 to −0.31 OUR ESTIMATE				
−0.35 ± 0.03	MANLEY	92	IPWA	$\pi N \rightarrow \pi N \ \& \ N\pi\pi$
−0.35	^{1,5} LONGACRE	77	IPWA	$\pi N \rightarrow N\pi\pi$
−0.24	² LONGACRE	75	IPWA	$\pi N \rightarrow N\pi\pi$

$\Gamma(N\rho, S=3/2, \text{S-wave}) / \Gamma_{\text{total}}$				Γ_8 / Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
9 ± 1	VRANA	00	DPWA	Multichannel

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(1520) \rightarrow N(\pi\pi)_{S=0}^{\text{S-wave}}$				$(\Gamma_1 \Gamma_9)^{1/2} / \Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	
−0.22 to −0.06 OUR ESTIMATE				
−0.13	^{1,5} LONGACRE	77	IPWA	$\pi N \rightarrow N\pi\pi$
−0.17	² LONGACRE	75	IPWA	$\pi N \rightarrow N\pi\pi$

$\Gamma(N(\pi\pi)_{S\text{-wave}}^{I=0})/\Gamma_{\text{total}}$				Γ_9/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT	
1±1	VRANA	00	DPWA	Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
<4	THOMA	08	DPWA	Multichannel

$N(1520)$ PHOTON DECAY AMPLITUDES

Papers on γN amplitudes predating 1981 may be found in our 2006 edition, Journal of Physics, G **33** 1 (2006).

$N(1520) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.024±0.009 OUR ESTIMATE			
-0.022±0.004	ANISOVICH	12A	DPWA Multichannel
-0.028±0.002	DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
-0.038±0.003	AHRENS	02	DPWA $\gamma N \rightarrow \pi N$
-0.020±0.007	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
-0.028±0.014	CRAWFORD	83	IPWA $\gamma N \rightarrow \pi N$
-0.007±0.004	AWAJI	81	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-0.032±0.006	ANISOVICH	10	DPWA Multichannel
-0.027	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
-0.003	PENNER	02D	DPWA Multichannel
-0.052±0.010±0.007	⁶ MUKHOPAD...	98	$\gamma p \rightarrow \eta p$
-0.020±0.002	LI	93	IPWA $\gamma N \rightarrow \pi N$
-0.012	WADA	84	DPWA Compton scattering

$N(1520) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.150±0.015 OUR ESTIMATE			
0.131±0.010	ANISOVICH	12A	DPWA Multichannel
0.143±0.002	DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
0.147±0.010	AHRENS	02	DPWA $\gamma N \rightarrow \pi N$
0.167±0.005	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
0.156±0.022	CRAWFORD	83	IPWA $\gamma N \rightarrow \pi N$
0.168±0.013	AWAJI	81	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
0.138±0.008	ANISOVICH	10	DPWA Multichannel
0.161	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
0.151	PENNER	02D	DPWA Multichannel
0.130±0.020±0.015	⁶ MUKHOPAD...	98	$\gamma p \rightarrow \eta p$
0.167±0.002	LI	93	IPWA $\gamma N \rightarrow \pi N$
0.168	WADA	84	DPWA Compton scattering

$N(1520) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.059 ± 0.009 OUR ESTIMATE			
-0.048 ± 0.008	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
-0.066 ± 0.013	AWAJI	81	DPWA $\gamma N \rightarrow \pi N$
-0.067 ± 0.004	FUJII	81	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-0.077	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
-0.084	PENNER	02D	DPWA Multichannel
-0.058 ± 0.003	LI	93	IPWA $\gamma N \rightarrow \pi N$

 $N(1520) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.139 ± 0.011 OUR ESTIMATE			
-0.140 ± 0.010	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
-0.124 ± 0.009	AWAJI	81	DPWA $\gamma N \rightarrow \pi N$
-0.158 ± 0.003	FUJII	81	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-0.154	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
-0.159	PENNER	02D	DPWA Multichannel
-0.131 ± 0.003	LI	93	IPWA $\gamma N \rightarrow \pi N$

 $N(1520)$ FOOTNOTES

- ¹ LONGACRE 77 pole positions are from a search for poles in the unitarized T-matrix; the first (second) value uses, in addition to $\pi N \rightarrow N\pi\pi$ data, elastic amplitudes from a Saclay (CERN) partial-wave analysis. The other LONGACRE 77 values are from eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.
- ² From method II of LONGACRE 75: eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.
- ³ See HOEHLER 93 for a detailed discussion of the evidence for and the pole parameters of N and Δ resonances as determined from Argand diagrams of πN elastic partial-wave amplitudes and from plots of the speeds with which the amplitudes traverse the diagrams.
- ⁴ LONGACRE 78 values are from a search for poles in the unitarized T-matrix. The first (second) value uses, in addition to $\pi N \rightarrow N\pi\pi$ data, elastic amplitudes from a Saclay (CERN) partial-wave analysis.
- ⁵ LONGACRE 77 considers this coupling to be well determined.
- ⁶ MUKHOPADHYAY 98 uses an effective Lagrangian approach to analyze η photoproduction data. The *ratio* of the $A_{3/2}$ and $A_{1/2}$ amplitudes is determined, with less model dependence than the amplitudes themselves, to be $A_{3/2}/A_{1/2} = -2.5 \pm 0.5 \pm 0.4$.

 $N(1520)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982). For very early references, see Reviews of Modern Physics **37** 633 (1965).

ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
ANISOVICH	10	EPJ A44 203	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
THOMA	08	PL B659 87	U. Thoma <i>et al.</i>	(CB-ELSA Collab.)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(Jefferson Lab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PDG	06	JPG 33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)

ARNDT	05	PR C72 045202	R.A. Arndt <i>et al.</i>	(GWU, PNPI)
ARNDT	04	PR C69 035213	R.A. Arndt <i>et al.</i>	(GWU, TRIU)
AHRENS	02	PRL 88 232002	J. Ahrens <i>et al.</i>	(Mainz MAMI GDH/A2 Collab.)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman,, T.-S.H. Lee	(PITT+)
TIATOR	99	PR C60 035210	L. Tiator <i>et al.</i>	
MUKHOPAD...	98	PL B444 7	N.C. Mukhopadhyay, N. Mathur	
ARNDT	96	PR C53 430	R.A. Arndt, I.I. Strakovsky, R.L. Workman	(VPI)
ARNDT	95	PR C52 2120	R.A. Arndt <i>et al.</i>	(VPI, BRCO)
HOEHLER	93	π N Newsletter 9 1	G. Hohler	(KARL)
LI	93	PR C47 2759	Z.J. Li <i>et al.</i>	(VPI)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KENT) IJP
Also		PR D30 904	D.M. Manley <i>et al.</i>	(VPI)
ARNDT	91	PR D43 2131	R.A. Arndt <i>et al.</i>	(VPI, TELE) IJP
WADA	84	NP B247 313	Y. Wada <i>et al.</i>	(INUS)
CRAWFORD	83	NP B211 1	R.L. Crawford, W.T. Morton	(GLAS)
PDG	82	PL 111B 1	M. Roos <i>et al.</i>	(HELSE, CIT, CERN)
AWAJI	81	Bonn Conf. 352	N. Awaji, R. Kajikawa	(NAGO)
Also		NP B197 365	K. Fujii <i>et al.</i>	(NAGO)
FUJII	81	NP B187 53	K. Fujii <i>et al.</i>	(NAGO, OSAK)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
LONGACRE	78	PR D17 1795	R.S. Longacre <i>et al.</i>	(LBL, SLAC)
LONGACRE	77	NP B122 493	R.S. Longacre, J. Dolbeau	(SACL) IJP
Also		NP B108 365	J. Dolbeau <i>et al.</i>	(SACL) IJP
LONGACRE	75	PL 55B 415	R.S. Longacre <i>et al.</i>	(LBL, SLAC) IJP