

N(1675) 5/2⁻ $I(J^P) = \frac{1}{2}(\frac{5}{2}^-)$ Status: ***

Most of the results published before 1975 were last included in our 1982 edition, Physics Letters **111B** 1 (1982). Some further obsolete results published before 1984 were last included in our 2006 edition, Journal of Physics, G **33** 1 (2006).

***N(1675)* BREIT-WIGNER MASS**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1670 to 1680 (\approx 1675) OUR ESTIMATE			
1664 \pm 5	ANISOVICH	12A	DPWA Multichannel
1674.1 \pm 0.2	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1675 \pm 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1679 \pm 8	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1679 \pm 1	SHRESTHA	12A	DPWA Multichannel
1678 \pm 5	ANISOVICH	10	DPWA Multichannel
1679 \pm 9	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1678 \pm 15	THOMA	08	DPWA Multichannel
1676.2 \pm 0.6	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
1685 \pm 4	VRANA	00	DPWA Multichannel
1673 \pm 5	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
1673	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
1666	LI	93	IPWA $\gamma N \rightarrow \pi N$
1676 \pm 2	MANLEY	92	IPWA $\pi N \rightarrow \pi N & N\pi\pi$
1670	SAXON	80	DPWA $\pi^- p \rightarrow \Lambda K^0$
1650	¹ LONGACRE	77	IPWA $\pi N \rightarrow N\pi\pi$
1660	² LONGACRE	75	IPWA $\pi N \rightarrow N\pi\pi$

***N(1675)* BREIT-WIGNER WIDTH**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
130 to 165 (\approx 150) OUR ESTIMATE			
152 \pm 7	ANISOVICH	12A	DPWA Multichannel
146.5 \pm 1.0	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
160 \pm 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
120 \pm 15	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
145 \pm 4	SHRESTHA	12A	DPWA Multichannel
177 \pm 15	ANISOVICH	10	DPWA Multichannel
152 \pm 8	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
220 \pm 25	THOMA	08	DPWA Multichannel
151.8 \pm 3.0	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
131 \pm 10	VRANA	00	DPWA Multichannel
154 \pm 7	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$

154	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
136	LI	93	IPWA	$\gamma N \rightarrow \pi N$
159 ± 7	MANLEY	92	IPWA	$\pi N \rightarrow \pi N & N\pi\pi$
40	SAXON	80	DPWA	$\pi^- p \rightarrow \Lambda K^0$
130	¹ LONGACRE	77	IPWA	$\pi N \rightarrow N\pi\pi$
150	² LONGACRE	75	IPWA	$\pi N \rightarrow N\pi\pi$

N(1675) POLE POSITION

REAL PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

1655 to 1665 (\approx 1660) OUR ESTIMATE

1654 ± 4	ANISOVICH	12A	DPWA	Multichannel
1657	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1656	³ HOEHLER	93	ARGD	$\pi N \rightarrow \pi N$
1660 ± 10	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
• • •	We do not use the following data for averages, fits, limits, etc. • • •			
1656	SHRESTHA	12A	DPWA	Multichannel
1650 ± 5	ANISOVICH	10	DPWA	Multichannel
1658 ± 9	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
1639 ± 10	THOMA	08	DPWA	Multichannel
1659	ARNDT	04	DPWA	$\pi N \rightarrow \pi N, \eta N$
1674	VRANA	00	DPWA	Multichannel
1663	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
1655	ARNDT	91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90
1663 or 1668	⁴ LONGACRE	78	IPWA	$\pi N \rightarrow N\pi\pi$
1649 or 1650	¹ LONGACRE	77	IPWA	$\pi N \rightarrow N\pi\pi$

-2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

125 to 150 (\approx 135) OUR ESTIMATE

151 ± 5	ANISOVICH	12A	DPWA	Multichannel
139	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
126	³ HOEHLER	93	ARGD	$\pi N \rightarrow \pi N$
140 ± 10	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
• • •	We do not use the following data for averages, fits, limits, etc. • • •			
128	SHRESTHA	12A	DPWA	Multichannel
143 ± 7	ANISOVICH	10	DPWA	Multichannel
137 ± 7	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
180 ± 20	THOMA	08	DPWA	Multichannel
146	ARNDT	04	DPWA	$\pi N \rightarrow \pi N, \eta N$
120	VRANA	00	DPWA	Multichannel
152	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
124	ARNDT	91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90
146 or 171	⁴ LONGACRE	78	IPWA	$\pi N \rightarrow N\pi\pi$
127 or 127	¹ LONGACRE	77	IPWA	$\pi N \rightarrow N\pi\pi$

N(1675)* ELASTIC POLE RESIDUE*MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
27 ± 5 OUR ESTIMATE			
28 \pm 1	ANISOVICH	12A	DPWA Multichannel
27	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
23	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
31 \pm 5	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
25	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
29	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
29	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
28	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90

PHASE θ

VALUE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
-25 ± 6 OUR ESTIMATE			
-26 \pm 4	ANISOVICH	12A	DPWA Multichannel
-21	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
-22	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
-30 \pm 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-16	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
-22	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
-6	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
-17	ARNDT	91	DPWA $\pi N \rightarrow \pi N$ Soln SM90

***N(1675)* INELASTIC POLE RESIDUE**

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1675) \rightarrow \Delta\pi, D$ -wave

MODULUS (%)	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
33 ± 5	82 ± 10	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1675) \rightarrow N\sigma$

MODULUS (%)	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
15 ± 4	132 ± 18	ANISOVICH	12A	DPWA Multichannel

***N(1675)* DECAY MODES**

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	35–45 %
Γ_2 $N\eta$	(0.0 ± 1.0) %
Γ_3 ΛK	<1 %
Γ_4 ΣK	
Γ_5 $N\pi\pi$	50–60 %

Γ_6	$\Delta\pi$	50–60 %
Γ_7	$\Delta(1232)\pi$, <i>D</i> -wave	(50 \pm 15) %
Γ_8	$\Delta(1232)\pi$, <i>G</i> -wave	
Γ_9	$N\rho$	< 1–3 %
Γ_{10}	$N\rho$, $S=1/2$, <i>D</i> -wave	(0.0 \pm 1.0) %
Γ_{11}	$N\rho$, $S=3/2$, <i>D</i> -wave	(1.0 \pm 1.0) %
Γ_{12}	$N\rho$, $S=3/2$, <i>G</i> -wave	
Γ_{13}	$N(\pi\pi)_{S\text{-wave}}^{l=0}$	(7.0 \pm 3.0) %
Γ_{14}	$p\gamma$	0–0.02 %
Γ_{15}	$p\gamma$, helicity=1/2	0–0.01 %
Γ_{16}	$p\gamma$, helicity=3/2	0–0.01 %
Γ_{17}	$n\gamma$	0–0.15 %
Γ_{18}	$n\gamma$, helicity=1/2	0–0.05 %
Γ_{19}	$n\gamma$, helicity=3/2	0–0.10 %

$N(1675)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$

VALUE (%)

35 to 45 OUR ESTIMATE

		DOCUMENT ID	TECN	COMMENT	Γ_1/Γ
40 \pm 3		ANISOVICH	12A	DPWA Multichannel	
39.3 \pm 0.1		ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$	
38 \pm 5		CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$	
38 \pm 3		HOEHLER	79	IPWA $\pi N \rightarrow \pi N$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
38.6 \pm 0.6		SHRESTHA	12A	DPWA Multichannel	
37 \pm 5		ANISOVICH	10	DPWA Multichannel	
35 \pm 4		BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$	
30 \pm 8		THOMA	08	DPWA Multichannel	
40.0 \pm 0.2		ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$	
35 \pm 1		VRANA	00	DPWA Multichannel	
38		ARNDT	95	DPWA $\pi N \rightarrow N\pi$	
47 \pm 2		MANLEY	92	IPWA $\pi N \rightarrow \pi N & N\pi\pi$	

$\Gamma(N\eta)/\Gamma_{\text{total}}$

VALUE (%)

0 \pm 1**• • • We do not use the following data for averages, fits, limits, etc. • • •**

		DOCUMENT ID	TECN	COMMENT	Γ_2/Γ
<1		SHRESTHA	12A	DPWA Multichannel	
0.1 \pm 0.1		BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$	
3 \pm 3		THOMA	08	DPWA Multichannel	

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(1675) \rightarrow \Lambda K$		$(\Gamma_1 \Gamma_3)^{1/2} / \Gamma$	
VALUE	DOCUMENT ID	TECN	COMMENT
±0.04 to ±0.08 OUR ESTIMATE			
-0.01	BELL	83	DPWA $\pi^- p \rightarrow \Lambda K^0$
+0.036	⁵ SAXON	80	DPWA $\pi^- p \rightarrow \Lambda K^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.03 ± 0.01	SHRESTHA	12A	DPWA Multichannel

Note: Signs of couplings from $\pi N \rightarrow N\pi\pi$ analyses were changed in the 1986 edition to agree with the baryon-first convention; the overall phase ambiguity is resolved by choosing a negative sign for the $\Delta(1620)$ S_{31} coupling to $\Delta(1232)\pi$.

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(1675) \rightarrow \Delta(1232)\pi$, D-wave		$(\Gamma_1 \Gamma_7)^{1/2} / \Gamma$	
VALUE	DOCUMENT ID	TECN	COMMENT
+0.46 to +0.50 OUR ESTIMATE			
+0.46	^{1,6} LONGACRE	77	IPWA $\pi N \rightarrow N\pi\pi$
+0.50	² LONGACRE	75	IPWA $\pi N \rightarrow N\pi\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
+0.496 ± 0.003	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$

$\Gamma(\Delta(1232)\pi, \text{D-wave}) / \Gamma_{\text{total}}$		Γ_7 / Γ	
VALUE (%)	DOCUMENT ID	TECN	COMMENT
50 ± 15 OUR ESTIMATE			
33 ± 8	ANISOVICH	12A	DPWA Multichannel
63 ± 2	VRANA	00	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
46 ± 1	SHRESTHA	12A	DPWA Multichannel
24 ± 8	THOMA	08	DPWA Multichannel

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(1675) \rightarrow N\rho$, $S=1/2$, D-wave		$(\Gamma_1 \Gamma_{10})^{1/2} / \Gamma$	
VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
+0.04 ± 0.02	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$

$\Gamma(N\rho, S=1/2, \text{D-wave}) / \Gamma_{\text{total}}$		Γ_{10} / Γ	
VALUE (%)	DOCUMENT ID	TECN	COMMENT
0 ± 1			
0 ± 1	VRANA	00	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
<1	SHRESTHA	12A	DPWA Multichannel

$(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(1675) \rightarrow N\rho$, $S=3/2$, D-wave		$(\Gamma_1 \Gamma_{11})^{1/2} / \Gamma$	
VALUE	DOCUMENT ID	TECN	COMMENT
-0.12 to -0.06 OUR ESTIMATE			
-0.15	^{1,6} LONGACRE	77	IPWA $\pi N \rightarrow N\pi\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.03 ± 0.02	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$

$\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$ Γ_{11}/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
1±1	VRANA 00	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
<1	SHRESTHA 12A	DPWA	Multichannel

 $(\Gamma_i \Gamma_f)^{1/2} / \Gamma_{\text{total}}$ in $N\pi \rightarrow N(1675) \rightarrow N(\pi\pi)_{S\text{-wave}}^{I=0}$ $(\Gamma_1 \Gamma_{13})^{1/2} / \Gamma$

VALUE	DOCUMENT ID	TECN	COMMENT
+0.03	1,6 LONGACRE 77	IPWA	$\pi N \rightarrow N\pi\pi$

 $\Gamma(N(\pi\pi)_{S\text{-wave}}^{I=0})/\Gamma_{\text{total}}$ Γ_{13}/Γ

VALUE (%)	DOCUMENT ID	TECN	COMMENT
7±3	ANISOVICH 12A	DPWA	Multichannel

N(1675) PHOTON DECAY AMPLITUDES

Papers on γN amplitudes predating 1981 may be found in our 2006 edition,
Journal of Physics, G **33** 1 (2006).

$N(1675) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
+0.019±0.008 OUR ESTIMATE			
0.024±0.003	ANISOVICH 12A	DPWA	Multichannel
0.013±0.001	WORKMAN 12A	DPWA	$\gamma N \rightarrow N\pi$
0.018±0.002	DUGGER 07	DPWA	$\gamma N \rightarrow \pi N$
0.021±0.011	CRAWFORD 83	IPWA	$\gamma N \rightarrow \pi N$
0.034±0.005	AWAJI 81	DPWA	$\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.011±0.001	SHRESTHA 12A	DPWA	Multichannel
0.021±0.004	ANISOVICH 10	DPWA	Multichannel
0.015	DRECHSEL 07	DPWA	$\gamma N \rightarrow \pi N$
0.015±0.010	ARNDT 96	IPWA	$\gamma N \rightarrow \pi N$
0.012±0.002	LI 93	IPWA	$\gamma N \rightarrow \pi N$

$N(1675) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
+0.015±0.009 OUR ESTIMATE			
0.025±0.007	ANISOVICH 12A	DPWA	Multichannel
0.016±0.001	WORKMAN 12A	DPWA	$\gamma N \rightarrow N\pi$
0.021±0.001	DUGGER 07	DPWA	$\gamma N \rightarrow \pi N$
0.015±0.009	CRAWFORD 83	IPWA	$\gamma N \rightarrow \pi N$
0.024±0.008	AWAJI 81	DPWA	$\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.020±0.001	SHRESTHA 12A	DPWA	Multichannel
0.024±0.008	ANISOVICH 10	DPWA	Multichannel
0.022	DRECHSEL 07	DPWA	$\gamma N \rightarrow \pi N$
0.010±0.007	ARNDT 96	IPWA	$\gamma N \rightarrow \pi N$
0.021±0.002	LI 93	IPWA	$\gamma N \rightarrow \pi N$

$N(1675) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.043±0.012 OUR ESTIMATE			
-0.058±0.002	CHEN	12A	DPWA $\gamma N \rightarrow \pi N$
-0.057±0.024	AWAJI	81	DPWA $\gamma N \rightarrow \pi N$
-0.033±0.004	FUJII	81	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.040±0.004	SHRESTHA	12A	DPWA Multichannel
-0.062	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
-0.049±0.010	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
-0.060±0.003	LI	93	IPWA $\gamma N \rightarrow \pi N$

 $N(1675) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.058±0.013 OUR ESTIMATE			
-0.080±0.005	CHEN	12A	DPWA $\gamma N \rightarrow \pi N$
-0.077±0.018	AWAJI	81	DPWA $\gamma N \rightarrow \pi N$
-0.069±0.004	FUJII	81	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.068±0.004	SHRESTHA	12A	DPWA Multichannel
-0.084	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
-0.051±0.010	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
-0.074±0.003	LI	93	IPWA $\gamma N \rightarrow \pi N$

 $N(1675)$ FOOTNOTES

¹ LONGACRE 77 pole positions are from a search for poles in the unitarized T-matrix; the first (second) value uses, in addition to $\pi N \rightarrow N\pi\pi$ data, elastic amplitudes from a Saclay (CERN) partial-wave analysis. The other LONGACRE 77 values are from eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.

² From method II of LONGACRE 75: eyeball fits with Breit-Wigner circles to the T-matrix amplitudes.

³ See HOEHLER 93 for a detailed discussion of the evidence for and the pole parameters of N and Δ resonances as determined from Argand diagrams of πN elastic partial-wave amplitudes and from plots of the speeds with which the amplitudes traverse the diagrams.

⁴ LONGACRE 78 values are from a search for poles in the unitarized T-matrix. The first (second) value uses, in addition to $\pi N \rightarrow N\pi\pi$ data, elastic amplitudes from a Saclay (CERN) partial-wave analysis.

⁵ SAXON 80 finds the coupling phase is near 90°.

⁶ LONGACRE 77 considers this coupling to be well determined.

 $N(1675)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
CHEN	12A	PR C86 015206	W. Chen <i>et al.</i>	(DUKE, GWU, MSST, ITEP+)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
ANISOVICH	10	EPJ A44 203	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
THOMA	08	PL B659 87	U. Thoma <i>et al.</i>	(CB-ELSA Collab.)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(Jefferson Lab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)

PDG	06	JPG 33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
ARNDT	04	PR C69 035213	R.A. Arndt <i>et al.</i>	(GWU, TRIU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman,, T.-S.H. Lee	(PITT+)
ARNDT	96	PR C53 430	R.A. Arndt, I.I. Strakovsky, R.L. Workman	(VPI)
ARNDT	95	PR C52 2120	R.A. Arndt <i>et al.</i>	(VPI, BRCO)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
LI	93	PR C47 2759	Z.J. Li <i>et al.</i>	(VPI)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KSA) IJP
Also		PR D30 904	D.M. Manley <i>et al.</i>	(VPI)
ARNDT	91	PR D43 2131	R.A. Arndt <i>et al.</i>	(VPI, TELE) IJP
BELL	83	NP B222 389	K.W. Bell <i>et al.</i>	(RL) IJP
CRAWFORD	83	NP B211 1	R.L. Crawford, W.T. Morton	(GLAS)
PDG	82	PL 111B 1	M. Roos <i>et al.</i>	(HELS, CIT, CERN)
AWAJI	81	Bonn Conf. 352	N. Awaji, R. Kajikawa	(NAGO)
Also		NP B197 365	K. Fujii <i>et al.</i>	(NAGO)
FUJII	81	NP B187 53	K. Fujii <i>et al.</i>	(NAGO, OSAK)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
SAXON	80	NP B162 522	D.H. Saxon <i>et al.</i>	(RHEL, BRIS) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
LONGACRE	78	PR D17 1795	R.S. Longacre <i>et al.</i>	(LBL, SLAC)
LONGACRE	77	NP B122 493	R.S. Longacre, J. Dolbeau	(SACL) IJP
Also		NP B108 365	J. Dolbeau <i>et al.</i>	(SACL) IJP
LONGACRE	75	PL 55B 415	R.S. Longacre <i>et al.</i>	(LBL, SLAC) IJP