

$N(1900) 3/2^+$

$I(J^P) = \frac{1}{2}(3/2^+)$ Status: ***

The latest GWU analysis (ARNDT 06) finds no evidence for this resonance.

$N(1900)$ BREIT-WIGNER MASS

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|--|
| ≈ 1900 OUR ESTIMATE | | | |
| 1905 ± 30 | ANISOVICH | 12A | DPWA Multichannel |
| 1915 ± 60 | NIKONOV | 08 | DPWA Multichannel |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 1900 ± 8 | SHRESTHA | 12A | DPWA Multichannel |
| 1951 ± 53 | PENNER | 02C | DPWA Multichannel |
| 1879 ± 17 | MANLEY | 92 | IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ |

$N(1900)$ BREIT-WIGNER WIDTH

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|--|
| ~ 250 OUR ESTIMATE | | | |
| 250^{+120}_{-50} | ANISOVICH | 12A | DPWA Multichannel |
| 180 ± 40 | NIKONOV | 08 | DPWA Multichannel |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 101 ± 15 | SHRESTHA | 12A | DPWA Multichannel |
| 622 ± 42 | PENNER | 02C | DPWA Multichannel |
| 498 ± 78 | MANLEY | 92 | IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ |

$N(1900)$ POLE POSITION

REAL PART

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|-------------------|
| 1900 ± 30 | | | |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 1895 | SHRESTHA | 12A | DPWA Multichannel |

$-2 \times$ IMAGINARY PART

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|-------------------|
| 200^{+100}_{-60} | | | |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| 100 | SHRESTHA | 12A | DPWA Multichannel |

$N(1900)$ ELASTIC POLE RESIDUE

MODULUS $|r|$

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------------|--------------------|-------------|-------------------|
| 3 ± 2 | ANISOVICH | 12A | DPWA Multichannel |

PHASE θ

| <u>VALUE (°)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|------------------|--------------------|-------------|-------------------|
| 10 ± 35 | ANISOVICH | 12A | DPWA Multichannel |

N(1900) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow N\eta$

| <u>MODULUS (%)</u> | <u>PHASE (°)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------------|------------------|--------------------|-------------|-------------------|
| 5 ± 2 | 70 ± 60 | ANISOVICH | 12A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow \Lambda K$

| <u>MODULUS (%)</u> | <u>PHASE (°)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------------|------------------|--------------------|-------------|-------------------|
| 7 ± 3 | 135 ± 25 | ANISOVICH | 12A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1900) \rightarrow \Sigma K$

| <u>MODULUS (%)</u> | <u>PHASE (°)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|--------------------|------------------|--------------------|-------------|-------------------|
| 4 ± 2 | 110 ± 30 | ANISOVICH | 12A | DPWA Multichannel |

N(1900) DECAY MODES

| Mode | Fraction (Γ_i/Γ) |
|---|--------------------------------|
| Γ_1 $N\pi$ | ~ 10 % |
| Γ_2 $N\pi\pi$ | |
| Γ_3 $N\rho, S=1/2, P$ -wave | |
| Γ_4 $N\eta$ | ~ 12 % |
| Γ_5 $N\omega$ | (39 ± 9) % |
| Γ_6 ΛK | 0-10 % |
| Γ_7 ΣK | (5.0 ± 2.0) % |
| Γ_8 $p\gamma$ | |
| Γ_9 $p\gamma, \text{ helicity}=1/2$ | |
| Γ_{10} $p\gamma, \text{ helicity}=3/2$ | |
| Γ_{11} $n\gamma$ | |
| Γ_{12} $n\gamma, \text{ helicity}=1/2$ | |
| Γ_{13} $n\gamma, \text{ helicity}=3/2$ | |

N(1900) BRANCHING RATIOS

| <u>$\Gamma(N\pi)/\Gamma_{total}$</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> | <u>Γ_1/Γ</u> |
|---|--------------------|-------------|--|-------------------------------------|
| ~ 10 OUR ESTIMATE | | | | |
| 3 ± 2 | ANISOVICH | 12A | DPWA Multichannel | |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 7 ± 4 | SHRESTHA | 12A | DPWA Multichannel | |
| 2 to 9 | NIKONOV | 08 | DPWA Multichannel | |
| 16 ± 2 | PENNER | 02C | DPWA Multichannel | |
| 26 ± 6 | MANLEY | 92 | IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ | |

$\Gamma(N\eta)/\Gamma_{\text{total}}$ Γ_4/Γ

| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|-------------------|
| ~ 12 OUR ESTIMATE | | | |
| 10±4 | ANISOVICH | 12A | DPWA Multichannel |
| 14±5 | PENNER | 02C | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| < 1 | SHRESTHA | 12A | DPWA Multichannel |

$\Gamma(N\omega)/\Gamma_{\text{total}}$ Γ_5/Γ

| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|------------------|--------------------|-------------|-------------------|
| 39±9 | PENNER | 02C | DPWA Multichannel |

$(\Gamma_i\Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\pi \rightarrow N(1900) \rightarrow N\rho, S=1/2, P\text{-wave}$ $(\Gamma_1\Gamma_3)^{1/2}/\Gamma$

| <u>VALUE</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|--|
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 0.21±0.08 | SHRESTHA | 12A | DPWA Multichannel |
| -0.34±0.03 | MANLEY | 92 | IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$ |

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$ Γ_6/Γ

| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|-------------------|
| 0 to 10 OUR ESTIMATE | | | |
| 16 ±5 | ANISOVICH | 12A | DPWA Multichannel |
| 2.4±0.3 | SHKLYAR | 05 | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 14 ±5 | SHRESTHA | 12A | DPWA Multichannel |
| 5 to 15 | NIKONOV | 08 | DPWA Multichannel |
| 0.1±0.1 | PENNER | 02C | DPWA Multichannel |

$\Gamma(\Sigma K)/\Gamma_{\text{total}}$ Γ_7/Γ

| <u>VALUE (%)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|-------------------|
| 5±2 | ANISOVICH | 12A | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 1±1 | PENNER | 02C | DPWA Multichannel |

$N(1900)$ PHOTON DECAY AMPLITUDES

Papers on γN amplitudes predating 1981 may be found in our 2006 edition, Journal of Physics, G **33** 1 (2006).

$N(1900) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

| <u>VALUE (GeV^{-1/2})</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|-------------------|
| 0.026±0.015 | ANISOVICH | 12A | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 0.041±0.008 | SHRESTHA | 12A | DPWA Multichannel |
| -0.017 | PENNER | 02D | DPWA Multichannel |

$N(1900) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

| <u>VALUE (GeV^{-1/2})</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|-------------------|
| -0.065 ± 0.030 | ANISOVICH | 12A | DPWA Multichannel |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| -0.004 ± 0.006 | SHRESTHA | 12A | DPWA Multichannel |
| 0.031 | PENNER | 02D | DPWA Multichannel |

$N(1900) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

| <u>VALUE (GeV^{-1/2})</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|-------------------|
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| -0.010 ± 0.004 | SHRESTHA | 12A | DPWA Multichannel |
| -0.016 | PENNER | 02D | DPWA Multichannel |

$N(1900) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

| <u>VALUE (GeV^{-1/2})</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------------|-------------|-------------------|
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | |
| -0.011 ± 0.007 | SHRESTHA | 12A | DPWA Multichannel |
| -0.002 | PENNER | 02D | DPWA Multichannel |

$N(1900)$ REFERENCES

| | | | | |
|-----------|-----|---------------|---------------------------------|------------------|
| ANISOVICH | 12A | EPJ A48 15 | A.V. Anisovich <i>et al.</i> | (BONN, PNPI) |
| SHRESTHA | 12A | PR C86 055203 | M. Shrestha, D.M. Manley | (KSU) |
| NIKONOV | 08 | PL B662 245 | V.A. Nikonov <i>et al.</i> | (Bonn, Gatchina) |
| ARNDT | 06 | PR C74 045205 | R.A. Arndt <i>et al.</i> | (GWU) |
| PDG | 06 | JPG 33 1 | W.-M. Yao <i>et al.</i> | (PDG Collab.) |
| SHKLYAR | 05 | PR C72 015210 | V. Shklyar, H. Lenske, U. Mosel | (GIES) |
| PENNER | 02C | PR C66 055211 | G. Penner, U. Mosel | (GIES) |
| PENNER | 02D | PR C66 055212 | G. Penner, U. Mosel | (GIES) |
| MANLEY | 92 | PR D45 4002 | D.M. Manley, E.M. Saleski | (KSA) |
| Also | | PR D30 904 | D.M. Manley <i>et al.</i> | (VPI) |