

**$a_2(1320)$**  $I^G(J^{PC}) = 1^-(2^{++})$  **$a_2(1320)$  MASS**VALUE (MeV)DOCUMENT ID**1318.3<sup>+0.5</sup><sub>-0.6</sub>** OUR AVERAGE Includes data from the 4 datablocks that follow this one.

Error includes scale factor of 1.2.

 **$3\pi$  MODE**VALUE (MeV)EVTSDOCUMENT IDTECNCHGCOMMENT


The data in this block is included in the average printed for a previous datablock.

**1319.0<sup>+ 1.0</sup><sub>- 1.3</sub>** OUR AVERAGE Error includes scale factor of 1.4. See the ideogram below.

1321	$\pm 1$	$^{+0}_{-7}$	420k	ALEKSEEV	10	COMP	$190 \pi^- Pb \rightarrow \pi^- \pi^- \pi^+ Pb'$
1326	$\pm 2$	$\pm 2$		CHUNG	02	B852	$18.3 \pi^- p \rightarrow \pi^+ \pi^- \pi^- p$
1317	$\pm 3$			BARBERIS	98B		$450 pp \rightarrow p_f \pi^+ \pi^- \pi^0 p_s$
1323	$\pm 4$	$\pm 3$		ACCIARRI	97T	L3	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
1320	$\pm 7$			ALBRECHT	97B	ARG	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
1311.3 $\pm 1.6 \pm 3.0$	72.4k			AMELIN	96	VES	$36 \pi^- p \rightarrow \pi^+ \pi^- \pi^0 n$
1310	$\pm 5$			ARMSTRONG	90	OMEG 0	$300.0 pp \rightarrow pp \pi^+ \pi^- \pi^0$
1323.8 $\pm 2.3$	4022			AUGUSTIN	89	DM2	$\pm J/\psi \rightarrow \rho^\pm a_2^\mp$
1320.6 $\pm 3.1$	3562			AUGUSTIN	89	DM2	$0 J/\psi \rightarrow \rho^0 a_2^0$
1317	$\pm 2$	25k	<sup>1</sup> DAUM		80C	SPEC	$- 63.94 \pi^- p \rightarrow 3\pi p$
1320	$\pm 10$	1097	<sup>1</sup> BALTAY		78B	HBC	$+0 15 \pi^+ p \rightarrow p 4\pi$
1306	$\pm 8$		FERRERSORIA	78	OMEG	-	$9 \pi^- p \rightarrow p 3\pi$
1318	$\pm 7$	1.6k	<sup>1</sup> EMMS		75	DBC	$0 4 \pi^+ n \rightarrow p (3\pi)^0$
1315	$\pm 5$		<sup>1</sup> ANTIPOV		73C	CNTR	$- 25.40 \pi^- p \rightarrow p \eta \pi^-$
1306	$\pm 9$	1580	CHALOUPKA	73	HBC	-	$3.9 \pi^- p$
• • • We do not use the following data for averages, fits, limits, etc. • • •							
1300	$\pm 2$	$\pm 4$	18k	<sup>2</sup> SCHEGELSKY	06	RVUE 0	$\gamma\gamma \rightarrow \pi^+ \pi^- \pi^0$
1305	$\pm 14$			COND0	93	SHF	$\gamma p \rightarrow n \pi^+ \pi^+ \pi^-$
1310	$\pm 2$		<sup>1</sup> EVANGELIS...	81	OMEG	-	$12 \pi^- p \rightarrow 3\pi p$
1343	$\pm 11$	490	BALTAY		78B	HBC	$0 15 \pi^+ p \rightarrow \Delta 3\pi$
1309	$\pm 5$	5k	BINNIE		71	MMS	$- \pi^- p \text{ near } a_2 \text{ thresh-old}$
1299	$\pm 6$	28k	BOWEN		71	MMS	$- 5 \pi^- p$
1300	$\pm 6$	24k	BOWEN		71	MMS	$+ 5 \pi^+ p$
1309	$\pm 4$	17k	BOWEN		71	MMS	$- 7 \pi^- p$
1306	$\pm 4$	941	ALSTON-...		70	HBC	$+ 7.0 \pi^+ p \rightarrow 3\pi p$

<sup>1</sup> From a fit to  $J^P = 2^+$   $\rho\pi$  partial wave.

<sup>2</sup> From analysis of L3 data at 183–209 GeV.



## $K\bar{K}$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

### 1318.1± 0.7 OUR AVERAGE

1319	± 5	4700	<sup>3,4</sup> CLELAND	82B	SPEC	+	$50 \pi^+ p \rightarrow K_S^0 K^+ p$
1324	± 6	5200	<sup>3,4</sup> CLELAND	82B	SPEC	-	$50 \pi^- p \rightarrow K_S^0 K^- p$
1320	± 2	4000	CHABAUD	80	SPEC	-	$17 \pi^- A \rightarrow K_S^0 K^- A$
1312	± 4	11000	CHABAUD	78	SPEC	-	$9.8 \pi^- p \rightarrow K^- K_S^0 p$
1316	± 2	4730	CHABAUD	78	SPEC	-	$18.8 \pi^- p \rightarrow K^- K_S^0 p$
1318	± 1		<sup>3,5</sup> MARTIN	78D	SPEC	-	$10 \pi^- p \rightarrow K_S^0 K^- p$
1320	± 2	2724	MARGULIE	76	SPEC	-	$23 \pi^- p \rightarrow K^- K_S^0 p$
1313	± 4	730	FOLEY	72	CNTR	-	$20.3 \pi^- p \rightarrow K^- K_S^0 p$
1319	± 3	1500	<sup>5</sup> GRAYER	71	ASPK	-	$17.2 \pi^- p \rightarrow K^- K_S^0 p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1304	± 10	870	<sup>6</sup> SCHEGELSKY	06A	RVUE	0	$\gamma\gamma \rightarrow K_S^0 K_S^0$
1330	± 11	1000	<sup>3,4</sup> CLELAND	82B	SPEC	+	$30 \pi^+ p \rightarrow K_S^0 K^+ p$
1324	± 5	350	HYAMS	78	ASPK	+	$12.7 \pi^+ p \rightarrow K^+ K_S^0 p$

<sup>3</sup> From a fit to  $J^P = 2^+$  partial wave.

<sup>4</sup> Number of events evaluated by us.

<sup>5</sup> Systematic error in mass scale subtracted.

<sup>6</sup> From analysis of L3 data at 91 and 183–209 GeV.

**$\eta\pi$  MODE**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
The data in this block is included in the average printed for a previous datablock.					

**1317.7±1.4 OUR AVERAGE**

1308	$\pm 9$	BARBERIS	00H	450	$p p \rightarrow p_f \eta \pi^0 p_s$
1316	$\pm 9$	BARBERIS	00H	450	$p p \rightarrow \Delta_f^{++} \eta \pi^- p_s$
1317	$\pm 1$ $\pm 2$	THOMPSON	97	MPS	$18 \pi^- p \rightarrow \eta \pi^- p$
1315	$\pm 5$ $\pm 2$	AMSLER	94D	CBAR	$0.0 \bar{p} p \rightarrow \pi^0 \pi^0 \eta$
1325.1±5.1		AOYAGI	93	BKEI	$\pi^- p \rightarrow \eta \pi^- p$
1317.7±1.4±2.0		BELADIDZE	93	VES	$37\pi^- N \rightarrow \eta \pi^- N$
1323	$\pm 8$	1000	8	KEY	$73$ OSPK   —
					$6 \pi^- p \rightarrow p \pi^- \eta$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1309	$\pm 4$	ANISOVICH	09	RVUE	$\bar{p} p, \pi N$
1324	$\pm 5$	ARMSTRONG	93C	E760	$0 \bar{p} p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
1336.2±1.7	2561	DELFOSSE	81	SPEC	$+$ $\pi^\pm p \rightarrow p \pi^\pm \eta$
1330.7±2.4	1653	DELFOSSE	81	SPEC	$-$ $\pi^\pm p \rightarrow p \pi^\pm \eta$
1324	$\pm 8$	6200	8,9	CONFORTO	$73$ OSPK   —
					$6 \pi^- p \rightarrow p \text{MM}^-$

<sup>7</sup> The systematic error of 2 MeV corresponds to the spread of solutions.<sup>8</sup> Error includes 5 MeV systematic mass-scale error.<sup>9</sup> Missing mass with enriched MMS =  $\eta \pi^-$ ,  $\eta = 2\gamma$ . **$\eta'\pi$  MODE**

VALUE (MeV)		DOCUMENT ID	TECN	COMMENT
The data in this block is included in the average printed for a previous datablock.				

**1322 ± 7 OUR AVERAGE**

1318	$\pm 8$	$+3$	IVANOV	01	B852	$18 \pi^- p \rightarrow \eta' \pi^- p$
1327.0	$\pm 10.7$		BELADIDZE	93	VES	$37\pi^- N \rightarrow \eta' \pi^- N$

 **$a_2(1320)$  WIDTH** **$3\pi$  MODE**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
<b>105.0<math>^{+ 1.6}_{- 1.9}</math> OUR AVERAGE</b>					

110	$\pm 2$	$+2$	$-15$	420k	ALEKSEEV	10	COMP	$190 \pi^- Pb \rightarrow \pi^- \pi^- \pi^+ Pb'$
108	$\pm 3$	$\pm 15$			CHUNG	02	B852	$18.3 \pi^- p \rightarrow \pi^+ \pi^- \pi^- p$
120	$\pm 10$				BARBERIS	98B		$450 p p \rightarrow p_f \pi^+ \pi^- \pi^0 p_s$
105	$\pm 10$	$\pm 11$			ACCIARRI	97T	L3	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
120	$\pm 10$				ALBRECHT	97B	ARG	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
103.0 $\pm 6.0$ $\pm 3.3$	72.4k				AMELIN	96	VES	$36 \pi^- p \rightarrow \pi^+ \pi^- \pi^0 n$
120	$\pm 10$				ARMSTRONG	90	OMEG	$300.0 p p \rightarrow p p \pi^+ \pi^- \pi^0$

107.0 $\pm$ 9.7	4022	AUGUSTIN	89	DM2	$\pm$	$J/\psi \rightarrow \rho^{\pm} a_2^{\mp}$
118.5 $\pm$ 12.5	3562	AUGUSTIN	89	DM2	0	$J/\psi \rightarrow \rho^0 a_2^0$
97 $\pm$ 5	10	EVANGELIS...	81	OMEG	-	$12 \pi^- p \rightarrow 3\pi p$
96 $\pm$ 9	25k	10 DAUM	80C	SPEC	-	$63.94 \pi^- p \rightarrow 3\pi p$
110 $\pm$ 15	1097	10 BALTAY	78B	HBC	+0	$15 \pi^+ p \rightarrow p 4\pi$
112 $\pm$ 18	1.6k	10 EMMS	75	DBC	0	$4 \pi^+ n \rightarrow p(3\pi)^0$
122 $\pm$ 14	1.2k	10,11 WAGNER	75	HBC	0	$7 \pi^+ p \rightarrow \Delta^{++}(3\pi)^0$
115 $\pm$ 15		10 ANTIPOV	73C	CNTR	-	$25.40 \pi^- p \rightarrow p \eta \pi^-$
99 $\pm$ 15	1580	CHALOUPKA	73	HBC	-	$3.9 \pi^- p$
105 $\pm$ 5	28k	BOWEN	71	MMS	-	$5 \pi^- p$
99 $\pm$ 5	24k	BOWEN	71	MMS	+	$5 \pi^+ p$
103 $\pm$ 5	17k	BOWEN	71	MMS	-	$7 \pi^- p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

117 $\pm$ 6 $\pm$ 20	18k	12 SCHEGELSKY	06	RVUE	0	$\gamma\gamma \rightarrow \pi^+ \pi^- \pi^0$
120 $\pm$ 40		CONDО	93	SHF		$\gamma p \rightarrow n \pi^+ \pi^+ \pi^-$
115 $\pm$ 14	490	BALTAY	78B	HBC	0	$15 \pi^+ p \rightarrow \Delta 3\pi$
72 $\pm$ 16	5k	BINNIE	71	MMS	-	$\pi^- p$ near $a_2$ thresh-old
79 $\pm$ 12	941	ALSTON...	70	HBC	+	$7.0 \pi^+ p \rightarrow 3\pi p$

10 From a fit to  $J^P = 2^+$   $\rho\pi$  partial wave.

11 Width errors enlarged by us to  $4\Gamma/\sqrt{N}$ ; see the note with the  $K^*(892)$  mass.

12 From analysis of L3 data at 183–209 GeV.

## $K\bar{K}$ AND $\eta\pi$ MODES

VALUE (MeV)	DOCUMENT ID
-------------	-------------

### 107 $\pm$ 5 OUR ESTIMATE

110.4  $\pm$  1.7 OUR AVERAGE Includes data from the 2 datablocks that follow this one.

## $K\bar{K}$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

### 109.8 $\pm$ 2.4 OUR AVERAGE

112 $\pm$ 20	4700	13,14 CLELAND	82B	SPEC	+	$50 \pi^+ p \rightarrow K_S^0 K^+ p$
120 $\pm$ 25	5200	13,14 CLELAND	82B	SPEC	-	$50 \pi^- p \rightarrow K_S^0 K^- p$
106 $\pm$ 4	4000	CHABAUD	80	SPEC	-	$17 \pi^- A \rightarrow K_S^0 K^- A$
126 $\pm$ 11	11000	CHABAUD	78	SPEC	-	$9.8 \pi^- p \rightarrow K^- K_S^0 p$
101 $\pm$ 8	4730	CHABAUD	78	SPEC	-	$18.8 \pi^- p \rightarrow K^- K_S^0 p$
113 $\pm$ 4		13,15 MARTIN	78D	SPEC	-	$10 \pi^- p \rightarrow K_S^0 K^- p$
105 $\pm$ 8	2724	15 MARGULIE	76	SPEC	-	$23 \pi^- p \rightarrow K^- K_S^0 p$
113 $\pm$ 19	730	FOLEY	72	CNTR	-	$20.3 \pi^- p \rightarrow K^- K_S^0 p$
123 $\pm$ 13	1500	15 GRAYER	71	ASPK	-	$17.2 \pi^- p \rightarrow K^- K_S^0 p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

120 $\pm$ 15	870	16 SCHEGELSKY	06A	RVUE	0	$\gamma\gamma \rightarrow K_S^0 K_S^0$
121 $\pm$ 51	1000	13,14 CLELAND	82B	SPEC	+	$30 \pi^+ p \rightarrow K_S^0 K^+ p$
110 $\pm$ 18	350	HYAMS	78	ASPK	+	$12.7 \pi^+ p \rightarrow K^+ K_S^0 p$

<sup>13</sup> From a fit to  $J^P = 2^+$  partial wave.

<sup>14</sup> Number of events evaluated by us.

<sup>15</sup> Width errors enlarged by us to  $4\Gamma/\sqrt{N}$ ; see the note with the  $K^*(892)$  mass.

<sup>16</sup> From analysis of L3 data at 91 and 183–209 GeV.

## $\eta\pi$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
The data in this block is included in the average printed for a previous datablock.					

### **111.1± 2.4 OUR AVERAGE**

115 ± 20	BARBERIS	00H	450	$p p \rightarrow p_f \eta \pi^0 p_s$
112 ± 14	BARBERIS	00H	450	$p p \rightarrow \Delta_f^{++} \eta \pi^- p_s$
112 ± 3 ± 2	17 AMSLER	94D CBAR	0.0	$\bar{p} p \rightarrow \pi^0 \pi^0 \eta$
103 ± 6 ± 3	BELADIDZE	93 VES	37	$\pi^- N \rightarrow \eta \pi^- N$
112.2± 5.7	2561 DELFOSSE	81 SPEC +	$\pi^\pm p \rightarrow p \pi^\pm \eta$	
116.6± 7.7	1653 DELFOSSE	81 SPEC -	$\pi^\pm p \rightarrow p \pi^\pm \eta$	
108 ± 9	1000 KEY	73 OSPK -	6	$\pi^- p \rightarrow p \pi^- \eta$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
110 ± 4	ANISOVICH	09 RVUE		$\bar{p} p, \pi N$
127 ± 2 ± 2	18 THOMPSON	97 MPS	18	$\pi^- p \rightarrow \eta \pi^- p$
118 ± 10	ARMSTRONG	93C E760 0		$\bar{p} p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
104 ± 9	6200 CONFORTO	73 OSPK -	6	$\pi^- p \rightarrow p \text{MM}^-$

<sup>17</sup> The systematic error of 2 MeV corresponds to the spread of solutions.

<sup>18</sup> Resolution is not unfolded.

<sup>19</sup> Missing mass with enriched MMS =  $\eta \pi^-$ ,  $\eta = 2\gamma$ .

## $\eta'\pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>119±25 OUR AVERAGE</b>			
140±35±20	IVANOV	01 B852	$18 \pi^- p \rightarrow \eta' \pi^- p$
106±32	BELADIDZE	93 VES	$37 \pi^- N \rightarrow \eta' \pi^- N$

## $a_2(1320)$ DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )	Scale factor/ Confidence level
$\Gamma_1$ $3\pi$	(70.1 ± 2.7 ) %	S=1.2
$\Gamma_2$ $\rho(770)\pi$		
$\Gamma_3$ $f_2(1270)\pi$		
$\Gamma_4$ $\rho(1450)\pi$		
$\Gamma_5$ $\eta\pi$	(14.5 ± 1.2 ) %	
$\Gamma_6$ $\omega\pi\pi$	(10.6 ± 3.2 ) %	S=1.3
$\Gamma_7$ $K\bar{K}$	( 4.9 ± 0.8 ) %	
$\Gamma_8$ $\eta'(958)\pi$	( 5.3 ± 0.9 ) × 10 <sup>-3</sup>	
$\Gamma_9$ $\pi^\pm\gamma$	( 2.68 ± 0.31 ) × 10 <sup>-3</sup>	
$\Gamma_{10}$ $\gamma\gamma$	( 9.4 ± 0.7 ) × 10 <sup>-6</sup>	
$\Gamma_{11}$ $e^+ e^-$	< 5 × 10 <sup>-9</sup>	CL=90%

## CONSTRAINED FIT INFORMATION

An overall fit to 5 branching ratios uses 18 measurements and one constraint to determine 4 parameters. The overall fit has a  $\chi^2 = 9.3$  for 15 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients  $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$ , in percent, from the fit to the branching fractions,  $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$ . The fit constrains the  $x_i$  whose labels appear in this array to sum to one.

$x_5$	10				
$x_6$	-89	-46			
$x_7$	-1	-2	-24		
	$x_1$	$x_5$	$x_6$		

### $a_2(1320)$ PARTIAL WIDTHS

#### $\Gamma(\eta\pi)$

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	$\Gamma_5$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$						
18.5 $\pm$ 3.0	870	<sup>20</sup> SCHEGELSKY 06A	RVUE	0	$\gamma\gamma \rightarrow K_S^0 K_S^0$	
20 From analysis of L3 data at 91 and 183–209 GeV, using $\Gamma(a_2(1320) \rightarrow \gamma\gamma) = 0.91$ keV and SU(3) relations.						

#### $\Gamma(K\bar{K})$

<u>VALUE (MeV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	$\Gamma_7$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$						
7.0 $^{+2.0}_{-1.5}$	870	<sup>21</sup> SCHEGELSKY 06A	RVUE	0	$\gamma\gamma \rightarrow K_S^0 K_S^0$	
21 From analysis of L3 data at 91 and 183–209 GeV, using $\Gamma(a_2(1320) \rightarrow \gamma\gamma) = 0.91$ keV and SU(3) relations.						

#### $\Gamma(\pi^\pm\gamma)$

<u>VALUE (keV)</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>	$\Gamma_9$
<b>287 <math>\pm</math> 30 OUR AVERAGE</b>						
284 $\pm$ 25	25 $\pm$ 25	7100	MOLCHANOV 01	SELX	$600 \pi^- A \rightarrow \pi^+ \pi^- \pi^- A$	
295 $\pm$ 60		CIHANGIR 82	SPEC	+	200 $\pi^+ A$	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$						
461 $\pm$ 110		<sup>22</sup> MAY	77	SPEC	$\pm$ 9.7 $\gamma A$	

<sup>22</sup> Assuming one-pion exchange.

$\Gamma(\gamma\gamma)$		$\Gamma_{10}$			
VALUE (keV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
<b>1.00±0.06 OUR AVERAGE</b>					
0.98±0.05±0.09		ACCIARRI	97T L3		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
0.96±0.03±0.13		ALBRECHT	97B ARG		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
1.26±0.26±0.18	36	BARU	90 MD1		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
1.00±0.07±0.15	415	BEHREND	90C CELL 0		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
1.03±0.13±0.21		BUTLER	90 MRK2		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
1.01±0.14±0.22	85	OEST	90 JADE		$e^+ e^- \rightarrow e^+ e^- \pi^0 \eta$
0.90±0.27±0.15	56	<sup>23</sup> ALTHOFF	86 TASS 0		$e^+ e^- \rightarrow e^+ e^- 3\pi$
1.14±0.20±0.26		<sup>24</sup> ANTREASYAN	86 CBAL 0		$e^+ e^- \rightarrow e^+ e^- \pi^0 \eta$
1.06±0.18±0.19		BERGER	84C PLUT 0		$e^+ e^- \rightarrow e^+ e^- 3\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.81±0.19 <sup>+0.42</sup> <sub>-0.11</sub>	35	<sup>23</sup> BEHREND	83B CELL 0		$e^+ e^- \rightarrow e^+ e^- 3\pi$
0.77±0.18±0.27	22	<sup>24</sup> EDWARDS	82F CBAL 0		$e^+ e^- \rightarrow e^+ e^- \pi^0 \eta$

<sup>23</sup> From  $\rho\pi$  decay mode.  
<sup>24</sup> From  $\eta\pi^0$  decay mode.

$\Gamma(e^+ e^-)$		$\Gamma_{11}$			
VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT	
< 0.56	90	ACHASOV 00K	SND	$e^+ e^- \rightarrow \pi^0 \pi^0$	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<25	90	VOROBYEV 88	ND	$e^+ e^- \rightarrow \pi^0 \eta$	

### $a_2(1320) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(3\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$		$\Gamma_1\Gamma_{10}/\Gamma$			
VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.65±0.02±0.02	18k	<sup>25</sup> SCHEGELSKY 06	RVUE	$\gamma\gamma \rightarrow \pi^+ \pi^- \pi^0$	
<sup>25</sup> From analysis of L3 data at 183–209 GeV.					

$\Gamma(\eta\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$		$\Gamma_5\Gamma_{10}/\Gamma$			
VALUE (keV)	DOCUMENT ID	TECN	COMMENT		
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.145 <sup>+0.097</sup> <sub>-0.034</sub>	<sup>26</sup> UEHARA 09A	BELL	$e^+ e^- \rightarrow e^+ e^- \eta\pi^0$		
<sup>26</sup> From the $D_2$ -wave. The fraction of the $D_0$ -wave is $3.4^{+2.3}_{-1.1}\%$ .					


$\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$	$\Gamma_7\Gamma_{10}/\Gamma$
<u>VALUE (keV)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
<b>0.126±0.007±0.028</b>	27 ALBRECHT    90G ARG $e^+e^- \rightarrow e^+e^- K^+K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •	
0.081±0.006±0.027	28 ALBRECHT    90G ARG $e^+e^- \rightarrow e^+e^- K^+K^-$
27 Using an incoherent background.	
28 Using a coherent background.	

 **$a_2(1320)$  BRANCHING RATIOS**

$[\Gamma(f_2(1270)\pi) + \Gamma(\rho(1450)\pi)]/\Gamma(\rho(770)\pi)$	$(\Gamma_3+\Gamma_4)/\Gamma_2$
<u>VALUE</u>	<u>CL%</u>
<b>&lt;0.12</b>	90
ABRAMOVI...	70B
HBC	—
3.93 $\pi^- p$	
$\Gamma(\eta\pi)/\Gamma(3\pi)$	$\Gamma_5/\Gamma_1$
<u>VALUE</u>	<u>EVTS</u>
<b>0.207±0.018 OUR FIT</b>	
<b>0.213±0.020 OUR AVERAGE</b>	
0.18 ± 0.05	
FORINO	76
HBC	—
11 $\pi^- p$	
0.22 ± 0.05	52
ANTIPOV	73
CNTR	—
40 $\pi^- p$	
0.211±0.044	149
CHALOUPKA	73
HBC	—
3.9 $\pi^- p$	
0.246±0.042	167
ALSTON-...	71
HBC	+
7.0 $\pi^+ p$	
0.25 ± 0.09	15
BOECKMANN	70
HBC	+
5.0 $\pi^+ p$	
0.23 ± 0.08	22
ASCOLI	68
HBC	—
5 $\pi^- p$	
0.12 ± 0.08	
CHUNG	68
HBC	—
3.2 $\pi^- p$	
0.22 ± 0.09	
CONTE	67
HBC	—
11.0 $\pi^- p$	

$\Gamma(\omega\pi\pi)/\Gamma(3\pi)$	$\Gamma_6/\Gamma_1$
<u>VALUE</u>	<u>EVTS</u>
<b>0.15±0.05 OUR FIT</b>	Error includes scale factor of 1.3.
<b>0.15±0.05 OUR AVERAGE</b>	Error includes scale factor of 1.3. See the ideogram below.
0.28±0.09	60
DIAZ	74
DBC	0
6 $\pi^+ n$	
0.18±0.08	29
KARSHON	74
HBC	
Avg. of above two	
0.10±0.05	279
CHALOUPKA	73
HBC	—
3.9 $\pi^- p$	
• • • We do not use the following data for averages, fits, limits, etc. • • •	
0.29±0.08	140
29 KARSHON	74
HBC	0
4.9 $\pi^+ p$	
0.10±0.04	60
29 KARSHON	74
HBC	+
4.9 $\pi^+ p$	
0.19±0.08	
DEFOIX	73
HBC	0
0.7 $\bar{p}p$	

<sup>29</sup> KARSHON 74 suggest an additional  $I = 0$  state strongly coupled to  $\omega\pi\pi$  which could explain discrepancies in branching ratios and masses. We use a central value and a systematic spread.



### $\Gamma(K\bar{K})/\Gamma(3\pi)$

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT	$\Gamma_7/\Gamma_1$
<b>0.070±0.012 OUR FIT</b>						
<b>0.078±0.017</b>		CHABAUD	78	RVUE		
• • • We do not use the following data for averages, fits, limits, etc. • • •						
0.011±0.003	30	BERTIN	98B	OBLX	0.0 $\bar{p}p \rightarrow K^\pm K_s \pi^\mp$	
0.056±0.014	50	31 CHALOUPKA	73	HBC	—	3.9 $\pi^- p$
0.097±0.018	113	31 ALSTON-...	71	HBC	+	7.0 $\pi^+ p$
0.06 ± 0.03	31	ABRAMOVI...	70B	HBC	—	3.93 $\pi^- p$
0.054±0.022	31	CHUNG	68	HBC	—	3.2 $\pi^- p$

30 Using  $4\pi$  data from BERTIN 97D.

31 Included in CHABAUD 78 review.

### $\Gamma(K\bar{K})/\Gamma(\eta\pi)$

VALUE	DOCUMENT ID	TECN	COMMENT	$\Gamma_7/\Gamma_5$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.08±0.02	32 BERTIN	98B OBLX	0.0 $\bar{p}p \rightarrow K^\pm K_s \pi^\mp$	

32 Using  $\eta\pi\pi$  data from AMSLER 94D.

### $\Gamma(\eta\pi)/[\Gamma(3\pi) + \Gamma(\eta\pi) + \Gamma(K\bar{K})]$

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT	$\Gamma_5/(\Gamma_1+\Gamma_5+\Gamma_7)$
<b>0.162±0.012 OUR FIT</b>						
<b>0.140±0.028 OUR AVERAGE</b>						
0.13 ± 0.04		ESPIGAT	72	HBC	±	0.0 $\bar{p}p$
0.15 ± 0.04	34	BARNHAM	71	HBC	+	3.7 $\pi^+ p$

$\Gamma(K\bar{K})/\left[\Gamma(3\pi) + \Gamma(\eta\pi) + \Gamma(K\bar{K})\right]$ 

<u>VALUE</u>	<u>EVTS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<b>0.054±0.009 OUR FIT</b>					
<b>0.048±0.012 OUR AVERAGE</b>					
0.05 ± 0.02		TOET	73	HBC	+ 5 $\pi^+ p$
0.09 ± 0.04		TOET	73	HBC	0 5 $\pi^+ p$
0.03 ± 0.02	8	DAMERI	72	HBC	- 11 $\pi^- p$
0.06 ± 0.03	17	BARNHAM	71	HBC	+ 3.7 $\pi^+ p$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>					
0.020±0.004		<sup>33</sup> ESPIGAT	72	HBC	± 0.0 $\bar{p}p$

<sup>33</sup> Not averaged because of discrepancy between masses from  $K\bar{K}$  and  $\rho\pi$  modes.

 $\Gamma(\eta'(958)\pi)/\Gamma_{\text{total}}$ 

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>					
<0.006	95	ALDE	92B	GAM2	38,100 $\pi^- p \rightarrow \eta' \pi^0 n$
<0.02	97	BARNHAM	71	HBC	+ 3.7 $\pi^+ p$
0.004±0.004		BOESEBECK	68	HBC	+ 8 $\pi^+ p$

 $\Gamma(\eta'(958)\pi)/\Gamma(3\pi)$ 

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>CHG</u>	<u>COMMENT</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>					
<0.011	90	EISENSTEIN	73	HBC	- 5 $\pi^- p$
<0.04		ALSTON...	71	HBC	+ 7.0 $\pi^+ p$
0.04 <sup>+0.03</sup> -0.04		BOECKMANN	70	HBC	0 5.0 $\pi^+ p$

 $\Gamma(\eta'(958)\pi)/\Gamma(\eta\pi)$ 

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.037±0.006 OUR AVERAGE</b>			
0.032±0.009	ABELE	97C	CBAR 0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \eta'$
0.047±0.010±0.004	<sup>34</sup> BELADIDZE	93	VES $37\pi^- N \rightarrow a_2^- N$
0.034±0.008±0.005	BELADIDZE	92	VES $36\pi^- C \rightarrow a_2^- C$

<sup>34</sup> Using  $B(\eta' \rightarrow \pi^+ \pi^- \eta) = 0.441$ ,  $B(\eta \rightarrow \gamma\gamma) = 0.389$  and  $B(\eta \rightarrow \pi^+ \pi^- \pi^0) = 0.236$ .

 $\Gamma(\pi^\pm\gamma)/\Gamma_{\text{total}}$ 

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
0.005 <sup>+0.005</sup> -0.003	<sup>35</sup> EISENBERG	72	HBC 4.3,5.25,7.5 $\gamma p$

<sup>35</sup> Pion-exchange model used in this estimation.

 $\Gamma(e^+e^-)/\Gamma_{\text{total}}$ 

<u>VALUE (units <math>10^{-9}</math>)</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
<6	90	ACHASOV	00K	SND $e^+ e^- \rightarrow \pi^0 \pi^0$

## $a_2(1320)$ REFERENCES

ALEKSEEV	10	PRL 104 241803	M.G. Alekseev <i>et al.</i>	(COMPASS Collab.)
ANISOVICH	09	IJMP A24 2481	V.V. Anisovich, A.V. Sarantsev	
UEHARA	09A	PR D80 032001	S. Uehara <i>et al.</i>	(BELLE Collab.)
SCHEGELSKY	06	EPJ A27 199	V.A. Schegelsky <i>et al.</i>	
SCHEGELSKY	06A	EPJ A27 207	V.A. Schegelsky <i>et al.</i>	
CHUNG	02	PR D65 072001	S.U. Chung <i>et al.</i>	(BNL E852 Collab.)
IVANOV	01	PRL 86 3977	E.I. Ivanov <i>et al.</i>	(BNL E852 Collab.)
MOLCHANOV	01	PL B521 171	V.V. Molchanov <i>et al.</i>	(FNAL SELEX Collab.)
ACHASOV	00K	PL B492 8	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
BARBERIS	00H	PL B488 225	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	98B	PL B422 399	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BERTIN	98B	PL B434 180	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE	97C	PL B404 179	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ACCIARRI	97T	PL B413 147	M. Acciarri <i>et al.</i>	(L3 Collab.)
ALBRECHT	97B	ZPHY C74 469	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
THOMPSON	97	PRL 79 1630	D.R. Thompson <i>et al.</i>	(BNL E852 Collab.)
AMELIN	96	ZPHY C70 71	D.V. Amelin <i>et al.</i>	(SERP, TBIL)
AMSLER	94D	PL B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AOYAGI	93	PL B314 246	H. Aoyagi <i>et al.</i>	(BKEI Collab.)
ARMSTRONG	93C	PL B307 394	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
BELADIDZE	93	PL B313 276	G.M. Beladidze <i>et al.</i>	(VES Collab.)
CONDO	93	PR D48 3045	G.T. Condo <i>et al.</i>	(SLAC Hybrid Collab.)
ALDE	92B	ZPHY C54 549	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP+)
BELADIDZE	92	ZPHY C54 235	G.M. Beladidze <i>et al.</i>	(VES Collab.)
ALBRECHT	90G	ZPHY C48 183	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ARMSTRONG	90	ZPHY C48 213	T.A. Armstrong, M. Benayoun, W. Beusch	(WA76 Coll.)
BARU	90	ZPHY C48 581	S.E. Baru <i>et al.</i>	(MD-1 Collab.)
BEHREND	90C	ZPHY C46 583	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
BUTLER	90	PR D42 1368	F. Butler <i>et al.</i>	(Mark II Collab.)
OEST	90	ZPHY C47 343	T. Oest <i>et al.</i>	(JADE Collab.)
AUGUSTIN	89	NP B320 1	J.E. Augustin, G. Cosme	(DM2 Collab.)
VOROBYEV	88	SJNP 48 273	P.V. Vorobiev <i>et al.</i>	(NOVO)
		Translated from YAF 48 436.		
ALTHOFF	86	ZPHY C31 537	M. Althoff <i>et al.</i>	(TASSO Collab.)
ANTREASYAN	86	PR D33 1847	D. Antreasyan <i>et al.</i>	(Crystal Ball Collab.)
BERGER	84C	PL 149B 427	C. Berger <i>et al.</i>	(PLUTO Collab.)
BEHREND	83B	PL 125B 518 (erratum)	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
CIHANGIR	82	PL 117B 123	S. Cihangir <i>et al.</i>	(FNAL, MINN, ROCH)
CLELAND	82B	NP B208 228	W.E. Cleland <i>et al.</i>	(DURH, GEVA, LAUS+)
EDWARDS	82F	PL 110B 82	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
DELFOSSÉ	81	NP B183 349	A. Delfosse <i>et al.</i>	(GEVA, LAUS)
EVANGELIS...	81	NP B178 197	C. Evangelista <i>et al.</i>	(BARI, BONN, CERN+)
CHABAUD	80	NP B175 189	V. Chabaud <i>et al.</i>	(CERN, MPIM, AMST)
DAUM	80C	PL 89B 276	C. Daum <i>et al.</i>	(AMST, CERN, CRAC, MPIM+) JP
BALTAY	78B	PR D17 62	C. Baltay <i>et al.</i>	(COLU, BING)
CHABAUD	78	NP B145 349	V. Chabaud <i>et al.</i>	(CERN, MPIM)
FERRERSORIA	78	PL 74B 287	A. Ferrer Soria <i>et al.</i>	(ORSAY, CERN, CDEF+)
HYAMS	78	NP B146 303	B.D. Hyams <i>et al.</i>	(CERN, MPIM, ATEN)
MARTIN	78D	PL 74B 417	A.D. Martin <i>et al.</i>	(DURH, GEVA) JP
MAY	77	PR D16 1983	E.N. May <i>et al.</i>	(ROCH, CORN)
FORINO	76	NC 35A 465	A. Forino <i>et al.</i>	(BGNA, FIRZ, GENO, MILA+)
MARGULIE	76	PR D14 667	M. Margulies <i>et al.</i>	(BNL, CUNY)
EMMS	75	PL 58B 117	M.J. Emms <i>et al.</i>	(BIRM, DURH, RHEL) JP
WAGNER	75	PL 58B 201	F. Wagner, M. Tabak, D.M. Chew	(LBL) JP
DIAZ	74	PRL 32 260	J. Diaz <i>et al.</i>	(CASE, CMU)
KARSHON	74	PRL 32 852	U. Karshon <i>et al.</i>	(REHO)
ANTIPOV	73	NP B63 175	Y.M. Antipov <i>et al.</i>	(CERN, SERP) JP
ANTIPOV	73C	NP B63 153	Y.M. Antipov <i>et al.</i>	(CERN, SERP) JP
CHALOUPKA	73	PL 44B 211	V. Chaloupka <i>et al.</i>	(CERN)
CONFORTO	73	PL 45B 154	G. Conforto <i>et al.</i>	(EFI, FNAL, TNTO+)
DEFOIX	73	PL 43B 141	C. Defoix <i>et al.</i>	(CDEF)
EISENSTEIN	73	PR D7 278	L. Eisenstein <i>et al.</i>	(ILL)
KEY	73	PRL 30 503	A.W. Key <i>et al.</i>	(TNTO, EFI, FNAL, WISC)
TOET	73	NP B63 248	D.Z. Toet <i>et al.</i>	(NIJM, BONN, DURH, TORI)
DAMERI	72	NC 9A 1	M. Dameri <i>et al.</i>	(GENO, MILA, SACL)
EISENBERG	72	PR D5 15	Y. Eisenberg <i>et al.</i>	(REHO, SLAC, TELA)
ESPIGAT	72	NP B36 93	P. Espigat <i>et al.</i>	(CERN, CDEF)
FOLEY	72	PR D6 747	K.J. Foley <i>et al.</i>	(BNL, CUNY)

ALSTON-...	71	PL 34B 156	M. Alston-Garnjost <i>et al.</i>	(LRL)
BARNHAM	71	PRL 26 1494	K.W.J. Barnham <i>et al.</i>	(LBL)
BINNIE	71	PL 36B 257	D.M. Binnie <i>et al.</i>	(LOIC, SHMP)
BOWEN	71	PRL 26 1663	D.R. Bowen <i>et al.</i>	(NEAS, STON)
GRAYER	71	PL 34B 333	G. Grayer <i>et al.</i>	(CERN, MPIM)
ABRAMOVI...	70B	NP B23 466	M. Abramovich <i>et al.</i>	(CERN) JP
ALSTON-...	70	PL 33B 607	M. Alston-Garnjost <i>et al.</i>	(LRL)
BOECKMANN	70	NP B16 221	K. Boeckmann <i>et al.</i>	(BONN, DURH, NIJHM+)
ASCOLI	68	PRL 20 1321	G. Ascoli <i>et al.</i>	(ILL) JP
BOESEBECK	68	NP B4 501	K. Boesebeck <i>et al.</i>	(AACH, BERL, CERN)
CHUNG	68	PR 165 1491	S.U. Chung <i>et al.</i>	(LRL)
CONTE	67	NC 51A 175	F. Conte <i>et al.</i>	(GENO, HAMB, MILA, SACL)