

$\Sigma(1660) 1/2^+$

$I(J^P) = 1(\frac{1}{2}^+)$ Status: ***

For results published before 1974 (they are now obsolete), see our 1982 edition Physics Letters **111B** 1 (1982).

$\Sigma(1660)$ MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1630 to 1690 (≈ 1660) OUR ESTIMATE			
1633 ± 3	GAO	12	DPWA $\bar{K}N \rightarrow \Lambda\pi$
1665.1 ± 11.2	¹ KOISO	85	DPWA $K^-p \rightarrow \Sigma\pi$
1670 ± 10	GOPAL	80	DPWA $\bar{K}N \rightarrow \bar{K}N$
1679 ± 10	ALSTON-...	78	DPWA $\bar{K}N \rightarrow \bar{K}N$
1676 ± 15	GOPAL	77	DPWA $\bar{K}N$ multichannel
1668 ± 25	VANHORN	75	DPWA $K^-p \rightarrow \Lambda\pi^0$
1670 ± 20	KANE	74	DPWA $K^-p \rightarrow \Sigma\pi$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1565 or 1597	² MARTIN	77	DPWA $\bar{K}N$ multichannel
1660 ± 30	³ BAILLON	75	IPWA $\bar{K}N \rightarrow \Lambda\pi$
1671 ± 2	⁴ PONTE	75	DPWA $K^-p \rightarrow \Lambda\pi^0$

$\Sigma(1660)$ WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
40 to 200 (≈ 100) OUR ESTIMATE			
121 $\begin{matrix} + 4 \\ - 7 \end{matrix}$	GAO	12	DPWA $\bar{K}N \rightarrow \Lambda\pi$
81.5 ± 22.2	¹ KOISO	85	DPWA $K^-p \rightarrow \Sigma\pi$
152 ± 20	GOPAL	80	DPWA $\bar{K}N \rightarrow \bar{K}N$
38 ± 10	ALSTON-...	78	DPWA $\bar{K}N \rightarrow \bar{K}N$
120 ± 20	GOPAL	77	DPWA $\bar{K}N$ multichannel
230 $\begin{matrix} +165 \\ - 60 \end{matrix}$	VANHORN	75	DPWA $K^-p \rightarrow \Lambda\pi^0$
250 ± 110	KANE	74	DPWA $K^-p \rightarrow \Sigma\pi$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
202 or 217	² MARTIN	77	DPWA $\bar{K}N$ multichannel
80 ± 40	³ BAILLON	75	IPWA $\bar{K}N \rightarrow \Lambda\pi$
81 ± 10	⁴ PONTE	75	DPWA $K^-p \rightarrow \Lambda\pi^0$

$\Sigma(1660)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\bar{K}$	10–30 %
Γ_2 $\Lambda\pi$	seen
Γ_3 $\Sigma\pi$	seen

$\Sigma(1660)$ BRANCHING RATIOS

See “Sign conventions for resonance couplings” in the Note on Λ and Σ Resonances.

$\Gamma(N\bar{K})/\Gamma_{\text{total}}$	Γ_1/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
0.1 to 0.3 OUR ESTIMATE	
0.12 ± 0.03	GOPAL 80 DPWA $\bar{K}N \rightarrow \bar{K}N$
0.10 ± 0.05	ALSTON-... 78 DPWA $\bar{K}N \rightarrow \bar{K}N$
• • • We do not use the following data for averages, fits, limits, etc. • • •	
< 0.04	GOPAL 77 DPWA See GOPAL 80
0.27 or 0.29	² MARTIN 77 DPWA $\bar{K}N$ multichannel

$(\Gamma_i \Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1660) \rightarrow \Lambda\pi$	$(\Gamma_1 \Gamma_2)^{1/2}/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
$-0.064^{+0.005}_{-0.003}$	GAO 12 DPWA $\bar{K}N \rightarrow \Lambda\pi$
< 0.04	GOPAL 77 DPWA $\bar{K}N$ multichannel
$0.12^{+0.12}_{-0.04}$	VANHORN 75 DPWA $K^- p \rightarrow \Lambda\pi^0$
• • • We do not use the following data for averages, fits, limits, etc. • • •	
-0.10 or -0.11	² MARTIN 77 DPWA $\bar{K}N$ multichannel
-0.04 ± 0.02	³ BAILLON 75 IPWA $\bar{K}N \rightarrow \Lambda\pi$
$+0.16 \pm 0.01$	⁴ PONTE 75 DPWA $K^- p \rightarrow \Lambda\pi^0$

$(\Gamma_i \Gamma_f)^{1/2}/\Gamma_{\text{total}}$ in $N\bar{K} \rightarrow \Sigma(1660) \rightarrow \Sigma\pi$	$(\Gamma_1 \Gamma_3)^{1/2}/\Gamma$
<u>VALUE</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
-0.13 ± 0.04	¹ KOISO 85 DPWA $K^- p \rightarrow \Sigma\pi$
-0.16 ± 0.03	GOPAL 77 DPWA $\bar{K}N$ multichannel
-0.11 ± 0.01	KANE 74 DPWA $K^- p \rightarrow \Sigma\pi$
• • • We do not use the following data for averages, fits, limits, etc. • • •	
-0.34 or -0.37	² MARTIN 77 DPWA $\bar{K}N$ multichannel
not seen	HEPP 76B DPWA $K^- N \rightarrow \Sigma\pi$

$\Sigma(1660)$ FOOTNOTES

- ¹ The evidence of KOISO 85 is weak.
- ² The two MARTIN 77 values are from a T-matrix pole and from a Breit-Wigner fit.
- ³ From solution 1 of BAILLON 75; not present in solution 2.
- ⁴ From solution 2 of PONTE 75; not present in solution 1.

$\Sigma(1660)$ REFERENCES

GOPAL 12 PR C86 025201	P. Gao, J. Shi, B.S. Zou (BHEP, BEIJT)
Also NP A867 41	P. Gao, B.S. Zou, A. Sibirtsev (BHEP, BEIJT+)
KOISO 85 NP A433 619	H. Koiso <i>et al.</i> (TOKY, MASA)
PDG 82 PL 111B 1	M. Roos <i>et al.</i> (HELSE, CIT, CERN)
GOPAL 80 Toronto Conf. 159	G.P. Gopal (RHEL) IJP
ALSTON-... 78 PR D18 182	M. Alston-Garnjost <i>et al.</i> (LBL, MTHO+) IJP
Also PRL 38 1007	M. Alston-Garnjost <i>et al.</i> (LBL, MTHO+) IJP
GOPAL 77 NP B119 362	G.P. Gopal <i>et al.</i> (LOIC, RHEL) IJP

MARTIN	77	NP B127 349	B.R. Martin, M.K. Pidcock, R.G. Moorhouse	(LOUC+) IJP
Also		NP B126 266	B.R. Martin, M.K. Pidcock	(LOUC)
Also		NP B126 285	B.R. Martin, M.K. Pidcock	(LOUC) IJP
HEPP	76B	PL 65B 487	V. Hepp <i>et al.</i>	(CERN, HEIDH, MPIM) IJP
BAILLON	75	NP B94 39	P.H. Baillon, P.J. Litchfield	(CERN, RHEL) IJP
PONTE	75	PR D12 2597	R.A. Ponte <i>et al.</i>	(MASA, TENN, UCR) IJP
VANHORN	75	NP B87 145	A.J. van Horn	(LBL) IJP
Also		NP B87 157	A.J. van Horn	(LBL) IJP
KANE	74	LBL-2452	D.F. Kane	(LBL) IJP
