

$N(1880) \ 1/2^+$ $I(J^P) = \frac{1}{2}(\frac{1}{2}^+)$ Status: **

OMITTED FROM SUMMARY TABLE

 $N(1880)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1875 ± 40	GUTZ	14	DPWA Multichannel
1870 ± 35	ANISOVICH	12A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1900 ± 36	SHRESTHA	12A	DPWA Multichannel
1885 ± 30	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$

 $N(1880)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
230 ± 50	GUTZ	14	DPWA Multichannel
235 ± 65	ANISOVICH	12A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
485 ± 142	SHRESTHA	12A	DPWA Multichannel
113 ± 44	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$

 $N(1880)$ POLE POSITION**REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1870 ± 40	GUTZ	14	DPWA Multichannel
1860 ± 35	ANISOVICH	12A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1801	SHRESTHA	12A	DPWA Multichannel

−2×IMAGINARY PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
220 ± 50	GUTZ	14	DPWA Multichannel
250 ± 70	ANISOVICH	12A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
383	SHRESTHA	12A	DPWA Multichannel

 $N(1880)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
6 ± 4	GUTZ	14	DPWA Multichannel
6 ± 4	ANISOVICH	12A	DPWA Multichannel

PHASE θ

VALUE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
70 ± 60	GUTZ	14	DPWA Multichannel
80 ± 65	ANISOVICH	12A	DPWA Multichannel

$N(1880)$ INELASTIC POLE RESIDUE

The "normalized residue" is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1880) \rightarrow N\eta$

MODULUS (%)	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
11 ± 7	-75 ± 55	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1880) \rightarrow \Lambda K$

MODULUS (%)	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
3 ± 2	40 ± 40	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1880) \rightarrow \Sigma K$

MODULUS (%)	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
11 ± 6	95 ± 40	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1880) \rightarrow \Delta\pi, P\text{-wave}$

MODULUS (%)	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
20 ± 8	-150 ± 50	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1880) \rightarrow N(1535)\pi$

MODULUS (%)	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
9 ± 5	130 ± 60	GUTZ	14	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1880) \rightarrow N a_0(980)$

MODULUS (%)	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
4 ± 3	40 ± 65	GUTZ	14	DPWA Multichannel

$N(1880)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	
Γ_2 $N\eta$	
Γ_3 ΛK	
Γ_4 ΣK	
Γ_5 $\Delta(1232)\pi$	
Γ_6 $N(1535)\pi$	$(8 \pm 4) \%$
Γ_7 $N a_0(980)$	$(3.0 \pm 2.0) \%$
Γ_8 $N\rho, S=1/2$	
Γ_9 $N(\pi\pi)_{S\text{-wave}}^{I=0}$	
Γ_{10} $p\gamma$	
Γ_{11} $n\gamma$	

$N(1880)$ BRANCHING RATIOS **$\Gamma(N\pi)/\Gamma_{\text{total}}$ Γ_1/Γ**

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
6 ± 3	GUTZ	14	DPWA Multichannel
5 ± 3	ANISOVICH	12A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
15 ± 5	SHRESTHA	12A	DPWA Multichannel
15 ± 6	MANLEY	92	IPWA $\pi N \rightarrow \pi N$ & $N\pi\pi$

 $\Gamma(N\eta)/\Gamma_{\text{total}}$ Γ_2/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
25^{+30}_{-20}	ANISOVICH	12A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
16 ± 7	SHRESTHA	12A	DPWA Multichannel

 $\Gamma(\Lambda K)/\Gamma_{\text{total}}$ Γ_3/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2 ± 1	ANISOVICH	12A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
32 ± 10	SHRESTHA	12A	DPWA Multichannel

 $\Gamma(\Sigma K)/\Gamma_{\text{total}}$ Γ_4/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
17 ± 7	ANISOVICH	12A	DPWA Multichannel

 $\Gamma(\Delta(1232)\pi)/\Gamma_{\text{total}}$ Γ_5/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
29 ± 12	ANISOVICH	12A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
< 2	SHRESTHA	12A	DPWA Multichannel

 $\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$ Γ_6/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8 ± 4	GUTZ	14	DPWA Multichannel

 $\Gamma(N a_0(980))/\Gamma_{\text{total}}$ Γ_7/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
3 ± 2	GUTZ	14	DPWA Multichannel

 $\Gamma(N\rho, S=1/2)/\Gamma_{\text{total}}$ Γ_8/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
< 1	SHRESTHA	12A	DPWA Multichannel

$\Gamma(N(\pi\pi)_{S=0}^{I=0})/\Gamma_{\text{total}}$				Γ_9/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT	
8±5	SHRESTHA	12A	DPWA	Multichannel

$N(1880)$ PHOTON DECAY AMPLITUDES

$N(1880) \rightarrow \rho\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.014±0.003	¹ ANISOVICH	12A	DPWA Phase = $(-130 \pm 60)^\circ$
0.021±0.006	SHRESTHA	12A	DPWA Multichannel

$N(1880) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.060±0.050	ANISOVICH	13B	DPWA Multichannel
0.014±0.007	SHRESTHA	12A	DPWA Multichannel

$N(1880)$ FOOTNOTES

¹ This ANISOVICH 12A value is the complex helicity amplitude at the pole position.

$N(1880)$ REFERENCES

GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KSA)
Also		PR D30 904	D.M. Manley <i>et al.</i>	(VPI)