

X(4430)[±]

$$I(J^P) = ?(1^+)$$

First seen by CHOI 08 in $B \rightarrow K \pi^+ \psi(2S)$ decays, confirmed by AAIJ 14AG. Also seen by CHILIKIN 14 in $B \rightarrow K^+ \pi J/\psi$ decays. J^P was determined by CHILIKIN 13 and AAIJ 14AG.

X(4430)[±] MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
4478⁺¹⁵₋₁₈ OUR AVERAGE			
4475 ± 7 ⁺¹⁵ ₋₂₅	¹ AAIJ	14AG LHCb	$B^0 \rightarrow K^+ \pi^- \psi(2S)$
4485 ± 22 ⁺²⁸ ₋₁₁	¹ CHILIKIN	13 BELL	$B^0 \rightarrow K^+ \pi^- \psi(2S)$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
4443 ⁺¹⁵⁺¹⁹ ₋₁₂₋₁₃	² MIZUK	09 BELL	$B \rightarrow K \pi^+ \psi(2S)$
4433 ± 4 ± 2	³ CHOI	08 BELL	$B \rightarrow K \pi^+ \psi(2S)$

¹ From a four-dimensional amplitude analysis.

² From a Dalitz plot analysis. Superseded by CHILIKIN 13.

³ Superseded by MIZUK 09 and CHILIKIN 13.

X(4430)[±] WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
181 ± 31 OUR AVERAGE			
172 ± 13 ⁺³⁷ ₋₃₄	⁴ AAIJ	14AG LHCb	$B^0 \rightarrow K^+ \pi^- \psi(2S)$
200 ⁺⁴¹⁺²⁶ ₋₄₆₋₃₅	⁴ CHILIKIN	13 BELL	$B^0 \rightarrow K^+ \pi^- \psi(2S)$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
107 ⁺⁸⁶⁺⁷⁴ ₋₄₃₋₅₆	⁵ MIZUK	09 BELL	$B \rightarrow K \pi^+ \psi(2S)$
45 ⁺¹⁸⁺³⁰ ₋₁₃₋₁₃	⁶ CHOI	08 BELL	$B \rightarrow K \pi^+ \psi(2S)$

⁴ From a four-dimensional amplitude analysis.

⁵ From a Dalitz plot analysis. Superseded by CHILIKIN 13.

⁶ Superseded by MIZUK 09 and CHILIKIN 13.

X(4430)[±] DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \quad \pi^+ \psi(2S)$	seen
$\Gamma_2 \quad \pi^+ J/\psi$	not seen

$X(4430)^\pm$ BRANCHING RATIOS

$\Gamma(\pi^+ \psi(2S))/\Gamma_{\text{total}}$ Γ_1/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
seen	7 AAIJ	14AG LHCB	$B^0 \rightarrow K^+ \pi^- \psi(2S)$
seen	8 CHILIKIN	13 BELL	$B^0 \rightarrow K^+ \pi^- \psi(2S)$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
not seen	9 AUBERT	09AA BABR	$B \rightarrow K \pi^+ \psi(2S)$
seen	10 MIZUK	09 BELL	$B \rightarrow K \pi^+ \psi(2S)$

⁷ From a four-dimensional amplitude analysis. No product of branching fractions quoted.

⁸ From a four-dimensional amplitude analysis. Measured a product of branching fractions $B(B^0 \rightarrow X(4430)^- K^+) \times B(X(4430)^- \rightarrow \psi(2S) \pi^-) = (6.0^{+1.7+2.5}_{-2.0-1.4}) \times 10^{-5}$.

⁹ AUBERT 09AA quotes $B(B^+ \rightarrow \bar{K}^0 X(4430)^+) \times B(X(4430)^+ \rightarrow \pi^+ \psi(2S)) < 4.7 \times 10^{-5}$ and $B(\bar{B}^0 \rightarrow K^- X(4430)^+) \times B(X(4430)^+ \rightarrow \pi^+ \psi(2S)) < 3.1 \times 10^{-5}$ at 95% CL.

¹⁰ Measured a product of branching fractions $B(\bar{B}^0 \rightarrow K^- X(4430)^+) \times B(X(4430)^+ \rightarrow \pi^+ \psi(2S)) = (3.2^{+1.8+5.3}_{-0.9-1.6}) \times 10^{-5}$. Superseded by CHILIKIN 13.

$\Gamma(\pi^+ J/\psi)/\Gamma_{\text{total}}$ Γ_2/Γ

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
not seen	11 AUBERT	09AA BABR	$B \rightarrow K \pi^+ J/\psi$

¹¹ AUBERT 09AA quotes $B(B^+ \rightarrow \bar{K}^0 X(4430)^+) \times B(X(4430)^+ \rightarrow \pi^+ J/\psi) < 1.5 \times 10^{-5}$ and $B(\bar{B}^0 \rightarrow K^- X(4430)^+) \times B(X(4430)^+ \rightarrow \pi^+ J/\psi) < 0.4 \times 10^{-5}$ at 95% CL.

$X(4430)^\pm$ REFERENCES

AAIJ	14AG PRL 112 222002	R. Aaij <i>et al.</i>	(LHCb Collab.) JP
CHILIKIN	14 PR D90 112009	K. Chilikin <i>et al.</i>	(BELLE Collab.)
CHILIKIN	13 PR D88 074026	K. Chilikin <i>et al.</i>	(BELLE Collab.) JP
AUBERT	09AA PR D79 112001	B. Aubert <i>et al.</i>	(BABAR Collab.)
MIZUK	09 PR D80 031104	R. Mizuk <i>et al.</i>	(BELLE Collab.)
CHOI	08 PRL 100 142001	S.-K. Choi <i>et al.</i>	(BELLE Collab.)