

$N(1520) \ 3/2^-$ $I(J^P) = \frac{1}{2}(\frac{3}{2}^-)$ Status: ****Older and obsolete values are listed and referenced in the 2014 edition, *Chinese Physics C* **38** 070001 (2014). **$N(1520)$ POLE POSITION****REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1505 to 1515 (≈ 1510) OUR ESTIMATE			
1507 \pm 2	SOKHOYAN	15A	DPWA Multichannel
1506 \pm 1 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
1515	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1510	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
1510 \pm 5	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1492	SHKLYAR	13	DPWA Multichannel
1507 \pm 3	ANISOVICH	12A	DPWA Multichannel
1501	SHRESTHA	12A	DPWA Multichannel
1506 \pm 9	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1504	VRANA	00	DPWA Multichannel

-2×IMAGINARY PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
105 to 120 (≈ 110) OUR ESTIMATE			
111 \pm 3	SOKHOYAN	15A	DPWA Multichannel
115 \pm 2 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
113	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
120	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
114 \pm 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
94	SHKLYAR	13	DPWA Multichannel
111 \pm 5	ANISOVICH	12A	DPWA Multichannel
112	SHRESTHA	12A	DPWA Multichannel
122 \pm 9	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
112	VRANA	00	DPWA Multichannel

 $N(1520)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
35\pm3 OUR ESTIMATE			
36 \pm 2	SOKHOYAN	15A	DPWA Multichannel
33 \pm 1 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
38	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
32	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
35 \pm 2	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
27	SHKLYAR	13	DPWA Multichannel
36 \pm 3	ANISOVICH	12A	DPWA Multichannel
35	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

PHASE θ

<u>VALUE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
–10\pm5 OUR ESTIMATE			
–14 \pm 3	SOKHOYAN	15A	DPWA Multichannel
–15 \pm 1 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
– 5	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
– 8	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
–12 \pm 5	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
–35	SHKLYAR	13	DPWA Multichannel
–14 \pm 3	ANISOVICH	12A	DPWA Multichannel
– 7	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

 $N(1520)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1520) \rightarrow \Delta\pi$, S-wave

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.33 \pm 0.04	155 \pm 15	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.33 \pm 0.05	150 \pm 20	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1520) \rightarrow \Delta\pi$, D-wave

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.25 \pm 0.03	105 \pm 18	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.25 \pm 0.03	100 \pm 20	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1520) \rightarrow N\sigma$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.08 \pm 0.03	–45 \pm 25	SOKHOYAN	15A	DPWA Multichannel

 $N(1520)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1510 to 1520 (\approx 1515) OUR ESTIMATE			
1516 \pm 2	SOKHOYAN	15A	DPWA Multichannel
1505 \pm 4	SHKLYAR	13	DPWA Multichannel
1514.5 \pm 0.2	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1525 \pm 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1519 \pm 4	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1517 \pm 3	ANISOVICH	12A	DPWA Multichannel
1512.6 \pm 0.5	SHRESTHA	12A	DPWA Multichannel
1522 \pm 8	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1509 \pm 1	PENNER	02C	DPWA Multichannel
1518 \pm 3	VRANA	00	DPWA Multichannel

$N(1520)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
100 to 125 (≈ 115) OUR ESTIMATE			
113 \pm 4	SOKHOYAN	15A	DPWA Multichannel
100 \pm 2	SHKLYAR	13	DPWA Multichannel
103.6 \pm 0.4	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
120 \pm 15	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
114 \pm 7	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
114 \pm 5	ANISOVICH	12A	DPWA Multichannel
117 \pm 1	SHRESTHA	12A	DPWA Multichannel
132 \pm 11	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
100 \pm 2	PENNER	02C	DPWA Multichannel
124 \pm 4	VRANA	00	DPWA Multichannel

 $N(1520)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	55–65 %
Γ_2 $N\eta$	< 1 %
Γ_3 $N\pi\pi$	25–35 %
Γ_4 $\Delta(1232)\pi$	22–34 %
Γ_5 $\Delta(1232)\pi$, S -wave	15–23 %
Γ_6 $\Delta(1232)\pi$, D -wave	7–11 %
Γ_7 $N\sigma$	< 2 %
Γ_8 $p\gamma$	0.31–0.52 %
Γ_9 $p\gamma$, helicity=1/2	0.01–0.02 %
Γ_{10} $p\gamma$, helicity=3/2	0.30–0.50 %
Γ_{11} $n\gamma$	0.30–0.53 %
Γ_{12} $n\gamma$, helicity=1/2	0.04–0.10 %
Γ_{13} $n\gamma$, helicity=3/2	0.25–0.45 %

 $N(1520)$ BRANCHING RATIOS

<u>$\Gamma(N\pi)/\Gamma_{\text{total}}$</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	Γ_1/Γ
55 to 65 OUR ESTIMATE				
61 \pm 2	SOKHOYAN	15A	DPWA Multichannel	
57 \pm 2	SHKLYAR	13	DPWA Multichannel	
63.2 \pm 0.1	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$	
58 \pm 3	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$	
54 \pm 3	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
62 \pm 3	ANISOVICH	12A	DPWA Multichannel	
62.7 \pm 0.5	SHRESTHA	12A	DPWA Multichannel	
55 \pm 5	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$	
56 \pm 1	PENNER	02C	DPWA Multichannel	
63 \pm 2	VRANA	00	DPWA Multichannel	

$\Gamma(N\eta)/\Gamma_{\text{total}}$					Γ_2/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
0 ± 1	SHKLYAR	13	DPWA	Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.1 ± 0.1	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$	
0.2 ± 0.1	THOMA	08	DPWA	Multichannel	
0.08 to 0.12	ARNDT	05	DPWA	Multichannel	
0.23 ± 0.04	PENNER	02C	DPWA	Multichannel	
0 ± 1	VRANA	00	DPWA	Multichannel	
0.08 ± 0.01	TIATOR	99	DPWA	$\gamma p \rightarrow p\eta$	

$\Gamma(\Delta(1232)\pi, S\text{-wave})/\Gamma_{\text{total}}$					Γ_5/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
19 ± 4	SOKHOYAN	15A	DPWA	Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
19 ± 4	ANISOVICH	12A	DPWA	Multichannel	
9.3 ± 0.7	SHRESTHA	12A	DPWA	Multichannel	
15 ± 2	VRANA	00	DPWA	Multichannel	

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$					Γ_6/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
9 ± 2	SOKHOYAN	15A	DPWA	Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
9 ± 2	ANISOVICH	12A	DPWA	Multichannel	
6.3 ± 0.5	SHRESTHA	12A	DPWA	Multichannel	
11 ± 2	VRANA	00	DPWA	Multichannel	

$\Gamma(N\sigma)/\Gamma_{\text{total}}$					Γ_7/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
< 2	SOKHOYAN	15A	DPWA	Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
< 1	SHRESTHA	12A	DPWA	Multichannel	
< 4	THOMA	08	DPWA	Multichannel	
1 ± 1	VRANA	00	DPWA	Multichannel	

$N(1520)$ PHOTON DECAY AMPLITUDES AT THE POLE

$N(1520) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
-0.023 ± 0.004	-6 ± 5	SOKHOYAN	15A	DPWA Multichannel

$N(1520) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
0.131 ± 0.006	4 ± 4	SOKHOYAN	15A	DPWA Multichannel

$N(1520)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES **$N(1520) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.020±0.005 OUR ESTIMATE			
-0.024±0.004	SOKHOYAN	15A	DPWA Multichannel
-0.019±0.002	WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
-0.028±0.002	DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
-0.038±0.003	AHRENS	02	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.015±0.001	SHKLYAR	13	DPWA Multichannel
-0.022±0.004	ANISOVICH	12A	DPWA Multichannel
-0.034±0.001	SHRESTHA	12A	DPWA Multichannel
-0.027	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
-0.003	PENNER	02D	DPWA Multichannel
-0.052±0.010±0.007	² MUKHOPAD...	98	$\gamma p \rightarrow \eta p$

 $N(1520) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.140±0.010 OUR ESTIMATE			
0.130±0.006	SOKHOYAN	15A	DPWA Multichannel
0.141±0.002	WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
0.143±0.002	DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
0.147±0.010	AHRENS	02	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.146±0.001	SHKLYAR	13	DPWA Multichannel
0.131±0.010	ANISOVICH	12A	DPWA Multichannel
0.127±0.003	SHRESTHA	12A	DPWA Multichannel
0.161	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
0.151	PENNER	02D	DPWA Multichannel
0.130±0.020±0.015	² MUKHOPAD...	98	$\gamma p \rightarrow \eta p$

 $N(1520) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.050±0.010 OUR ESTIMATE			
-0.049±0.008	ANISOVICH	13B	DPWA Multichannel
-0.046±0.006	CHEN	12A	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.038±0.003	SHRESTHA	12A	DPWA Multichannel
-0.077	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
-0.084	PENNER	02D	DPWA Multichannel

 $N(1520) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.115±0.010 OUR ESTIMATE			
-0.113±0.012	ANISOVICH	13B	DPWA Multichannel
-0.115±0.005	CHEN	12A	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.101±0.004	SHRESTHA	12A	DPWA Multichannel
-0.154	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
-0.159	PENNER	02D	DPWA Multichannel

$N(1520)$ FOOTNOTES¹ Fit to the amplitudes of HOEHLER 79.² MUKHOPADHYAY 98 uses an effective Lagrangian approach to analyze η photoproduction data. The *ratio* of the $A_{3/2}$ and $A_{1/2}$ amplitudes is determined, with less model dependence than the amplitudes themselves, to be $A_{3/2}/A_{1/2} = -2.5 \pm 0.5 \pm 0.4$. **$N(1520)$ REFERENCES**For early references, see *Physics Letters* **111B** 1 (1982). For very early references, see *Reviews of Modern Physics* **37** 633 (1965).

SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CPC 38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
CHEN	12A	PR C86 015206	W. Chen <i>et al.</i>	(DUKE, GWU, MSST, ITEP+)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
THOMA	08	PL B659 87	U. Thoma <i>et al.</i>	(CB-ELSA Collab.)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
ARNDT	05	PR C72 045202	R.A. Arndt <i>et al.</i>	(GWU, PNPI)
AHRENS	02	PRL 88 232002	J. Ahrens <i>et al.</i>	(Mainz MAMI GDH/A2 Collab.)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
TIATOR	99	PR C60 035210	L. Tiator <i>et al.</i>	
MUKHOPAD...	98	PL B444 7	N.C. Mukhopadhyay, N. Mathur	
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP