

$N(1875) \ 3/2^-$ $I(J^P) = \frac{1}{2}(\frac{3}{2}^-)$ Status: ***

Before the 2012 Review, all the evidence for a $J^P = 3/2^-$ state with a mass above 1800 MeV was filed under a two-star $N(2080)$.

There is now evidence from ANISOVICH 12A for two $3/2^-$ states in this region, so we have split the older data (according to mass) between a three-star $N(1875)$ and a two-star $N(2120)$.

 $N(1875)$ POLE POSITION**REAL PART**

VALUE (MeV)

1800 to 1950 OUR ESTIMATE

	DOCUMENT ID	TECN	COMMENT
1870 ± 20	SOKHOYAN 15A	DPWA	Multichannel
$2094 \pm 7 \pm 11$	SVARC 14	L+P	$\pi N \rightarrow \pi N$
1880 ± 100	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$ (lower m)
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1810	SHKLYAR 13	DPWA	Multichannel
1860 ± 25	ANISOVICH 12A	DPWA	Multichannel
1975	SHRESTHA 12A	DPWA	Multichannel
1957 ± 49	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$
1824	VRANA 00	DPWA	Multichannel

-2×IMAGINARY PART

VALUE (MeV)

150 to 250 OUR ESTIMATE

	DOCUMENT ID	TECN	COMMENT
200 ± 15	SOKHOYAN 15A	DPWA	Multichannel
$296 \pm 15 \pm 4$	SVARC 14	L+P	$\pi N \rightarrow \pi N$
160 ± 80	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$ (lower m)
• • • We do not use the following data for averages, fits, limits, etc. • • •			
98	SHKLYAR 13	DPWA	Multichannel
200 ± 20	ANISOVICH 12A	DPWA	Multichannel
495	SHRESTHA 12A	DPWA	Multichannel
467 ± 106	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$
614	VRANA 00	DPWA	Multichannel

 $N(1875)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

VALUE (MeV)

2 to 10 OUR ESTIMATE

	DOCUMENT ID	TECN	COMMENT
3 ± 1.5	SOKHOYAN 15A	DPWA	Multichannel
13 $\pm 1 \pm 1$	SVARC 14	L+P	$\pi N \rightarrow \pi N$
10 ± 5	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$ (lower m)
• • • We do not use the following data for averages, fits, limits, etc. • • •			
3	SHKLYAR 13	DPWA	Multichannel
2.5 ± 1.0	ANISOVICH 12A	DPWA	Multichannel
53	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$

PHASE θ

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
160 ± 50	SOKHOYAN	15A	DPWA Multichannel
- 2 ± 4 ± 9	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
100 ± 80	² CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$ (lower m)
• • • We do not use the following data for averages, fits, limits, etc. • • •			
- 76	SHKLYAR	13	DPWA Multichannel
- 65	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

N(1875) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1875) \rightarrow \Lambda K$

<u>MODULUS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.015 ± 0.005	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1875) \rightarrow \Sigma K$

<u>MODULUS</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.04 ± 0.02	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1875) \rightarrow N\sigma$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.09 ± 0.03	-175 ± 45	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.08 ± 0.03	-170 ± 65	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1875) \rightarrow \Delta(1232)\pi, S\text{-wave}$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.05 ± 0.03	undefined	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1875) \rightarrow \Delta(1232)\pi, D\text{-wave}$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.04 ± 0.02	undefined	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1875) \rightarrow N(1440)\pi$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.03 ± 0.02	undefined	SOKHOYAN	15A	DPWA Multichannel

N(1875) BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1820 to 1920 (≈ 1875) OUR ESTIMATE			
1875 ± 20	SOKHOYAN	15A	DPWA Multichannel
1934 ± 10	SHKLYAR	13	DPWA Multichannel
1880 ± 100	² CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1880 ± 20	ANISOVICH	12A	DPWA Multichannel
1951 ± 27	SHRESTHA	12A	DPWA Multichannel

2048± 65	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
1946± 1	PENNER	02C	DPWA	Multichannel
1895	MART	00	DPWA	$\gamma p \rightarrow \Lambda K^+$
2003± 18	VRANA	00	DPWA	Multichannel

N(1875) BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
250± 70 OUR ESTIMATE			
200± 25	SOKHOYAN	15A	DPWA Multichannel
857±100	SHKLYAR	13	DPWA Multichannel
180± 60	² CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$ (lower m)
• • • We do not use the following data for averages, fits, limits, etc. • • •			
200± 25	ANISOVICH	12A	DPWA Multichannel
500± 45	SHRESTHA	12A	DPWA Multichannel
529±128	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
859± 7	PENNER	02C	DPWA Multichannel
372	MART	00	DPWA $\gamma p \rightarrow \Lambda K^+$
1070±858	VRANA	00	DPWA Multichannel

N(1875) DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\pi$	2–14 %
$\Gamma_2 N\eta$	<1 %
$\Gamma_3 N\omega$	15–25 %
$\Gamma_4 \Lambda K$	seen
$\Gamma_5 \Sigma K$	seen
$\Gamma_6 N\pi\pi$	
$\Gamma_7 \Delta(1232)\pi$	10–35 %
$\Gamma_8 \Delta(1232)\pi$, S-wave	7–21 %
$\Gamma_9 \Delta(1232)\pi$, D-wave	2–12 %
$\Gamma_{10} N\rho$, $S=3/2$, S-wave	seen
$\Gamma_{11} N\sigma$	30–60 %
$\Gamma_{12} N(1440)\pi$	2–8 %
$\Gamma_{13} N(1520)\pi$	<2 %
$\Gamma_{14} p\gamma$	0.001–0.025 %
$\Gamma_{15} p\gamma$, helicity=1/2	0.001–0.021 %
$\Gamma_{16} p\gamma$, helicity=3/2	<0.003 %
$\Gamma_{17} n\gamma$	<0.040 %
$\Gamma_{18} n\gamma$, helicity=1/2	<0.007 %
$\Gamma_{19} n\gamma$, helicity=3/2	<0.033 %

N(1875) BRANCHING RATIOS **$\Gamma(N\pi)/\Gamma_{\text{total}}$** **VALUE (%)****7±6 OUR ESTIMATE**

	DOCUMENT ID	TECN	COMMENT	Γ_1/Γ
4±2	SOKHOYAN	15A	DPWA Multichannel	
11±1	SHKLYAR	13	DPWA Multichannel	
10±4	² CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$ (lower m)	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
3±2	ANISOVICH	12A	DPWA Multichannel	
7±2	SHRESTHA	12A	DPWA Multichannel	
17±7	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$	
12±2	PENNER	02C	DPWA Multichannel	
13±3	VRANA	00	DPWA Multichannel	

 $\Gamma(N\eta)/\Gamma_{\text{total}}$ **VALUE (%)**

	DOCUMENT ID	TECN	COMMENT	Γ_2/Γ
0±1	SHKLYAR	13	DPWA Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
8±3	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$	
7±2	PENNER	02C	DPWA Multichannel	
0±2	VRANA	00	DPWA Multichannel	

 $\Gamma(N\omega)/\Gamma_{\text{total}}$ **VALUE (%)**

	DOCUMENT ID	TECN	COMMENT	Γ_3/Γ
20±5	SHKLYAR	13	DPWA Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •				

21±7 PENNER 02C DPWA Multichannel

 $\Gamma(\Lambda K)/\Gamma_{\text{total}}$ **VALUE (%)**

	DOCUMENT ID	TECN	COMMENT	Γ_4/Γ
• • • We do not use the following data for averages, fits, limits, etc. • • •				

0.2±0.2 PENNER 02C DPWA Multichannel

 $\Gamma(\Sigma K)/\Gamma_{\text{total}}$ **VALUE (%)**

	DOCUMENT ID	TECN	COMMENT	Γ_5/Γ
0.7±0.4	PENNER	02C	DPWA Multichannel	

 $\Gamma(\Delta(1232)\pi, S\text{-wave})/\Gamma_{\text{total}}$ **VALUE (%)**

	DOCUMENT ID	TECN	COMMENT	Γ_8/Γ
14± 7	SOKHOYAN	15A	DPWA Multichannel	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
87± 3 SHRESTHA 12A DPWA Multichannel				
40±10 VRANA 00 DPWA Multichannel				

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$ Γ_9/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
7 \pm 5	SOKHOYAN	15A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
< 6	SHRESTHA	12A	DPWA Multichannel
17 \pm 10	VRANA	00	DPWA Multichannel

 $\Gamma(N\rho, S=3/2, S\text{-wave})/\Gamma_{\text{total}}$ Γ_{10}/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
< 5	SHRESTHA	12A	DPWA Multichannel
6 \pm 6	VRANA	00	DPWA Multichannel

 $\Gamma(N\sigma)/\Gamma_{\text{total}}$ Γ_{11}/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
45 \pm 15	SOKHOYAN	15A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
< 4	SHRESTHA	12A	DPWA Multichannel
24 \pm 24	VRANA	00	DPWA Multichannel

 $\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$ Γ_{12}/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
5 \pm 3	SOKHOYAN	15A	DPWA Multichannel

 $\Gamma(N(1520)\pi)/\Gamma_{\text{total}}$ Γ_{13}/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
< 2	SOKHOYAN	15A	DPWA Multichannel

N(1875) PHOTON DECAY AMPLITUDES AT THE POLE **$N(1875) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

<u>MODULUS (GeV$^{-1/2}$)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.017 \pm 0.009	-110 \pm 40	SOKHOYAN	15A	DPWA Multichannel

 $N(1875) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>MODULUS (GeV$^{-1/2}$)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.008 \pm 0.004	180 \pm 40	SOKHOYAN	15A	DPWA Multichannel

N(1875) BREIT-WIGNER PHOTON DECAY AMPLITUDES **$N(1875) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

<u>VALUE (GeV$^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.018 \pm 0.010	ANISOVICH	12A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
0.011 \pm 0.001	SHKLYAR	13	DPWA Multichannel
0.007 \pm 0.008	SHRESTHA	12A	DPWA Multichannel
0.012	PENNER	02D	DPWA Multichannel

N(1875) → pγ, helicity-3/2 amplitude A_{3/2}

VALUE (GeV ^{-1/2})	DOCUMENT ID	TECN	COMMENT
-0.007±0.004	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.026±0.001	SHKLYAR	13	DPWA Multichannel
-0.009±0.005	ANISOVICH	12A	DPWA Multichannel
0.043±0.022	SHRESTHA	12A	DPWA Multichannel
-0.010	PENNER	02D	DPWA Multichannel

N(1875) → nγ, helicity-1/2 amplitude A_{1/2}

VALUE (GeV ^{-1/2})	DOCUMENT ID	TECN	COMMENT
0.010±0.006	ANISOVICH	13B	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.055±0.021	SHRESTHA	12A	DPWA Multichannel
0.023	PENNER	02D	DPWA Multichannel

N(1875) → nγ, helicity-3/2 amplitude A_{3/2}

VALUE (GeV ^{-1/2})	DOCUMENT ID	TECN	COMMENT
-0.020±0.015	ANISOVICH	13B	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.085±0.031	SHRESTHA	12A	DPWA Multichannel
-0.009	PENNER	02D	DPWA Multichannel

N(1875) FOOTNOTES

¹ Fit to the amplitudes of HOEHLER 79.

² CUTKOSKY 80 finds a lower mass D_{13} resonance, as well as one in this region. Both are listed here.

N(1875) REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
MART	00	PR C61 012201	T. Mart, C. Bennhold	
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP