

$$\Delta(1232) \ 3/2^+$$

$$I(J^P) = \frac{3}{2}(\frac{3}{2}^+) \text{ Status: } ****$$

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

$\Delta(1232)$ POLE POSITIONS

REAL PART, MIXED CHARGES

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1209 to 1211 (≈ 1210) OUR ESTIMATE			
1211 $\pm 1 \pm 1$	¹ SVARC	14 L+P	$\pi N \rightarrow \pi N$
1210.5 ± 1.0	ANISOVICH	12A DPWA	Multichannel
1211	ARNDT	06 DPWA	$\pi N \rightarrow \pi N, \eta N$
1209	² HOEHLER	93 ARGD	$\pi N \rightarrow \pi N$
1210 ± 1	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1212	SHRESTHA	12A DPWA	Multichannel
1211 ± 1	ANISOVICH	10 DPWA	Multichannel
1210	ARNDT	04 DPWA	$\pi N \rightarrow \pi N, \eta N$
1217	VRANA	00 DPWA	Multichannel
1211	ARNDT	95 DPWA	$\pi N \rightarrow N\pi$
1210	ARNDT	91 DPWA	$\pi N \rightarrow \pi N$ Soln SM90

−2×IMAGINARY PART, MIXED CHARGES

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
98 to 102 (≈ 100) OUR ESTIMATE			
98 $\pm 2 \pm 1$	¹ SVARC	14 L+P	$\pi N \rightarrow \pi N$
99 ± 2	ANISOVICH	12A DPWA	Multichannel
99	ARNDT	06 DPWA	$\pi N \rightarrow \pi N, \eta N$
100	² HOEHLER	93 ARGD	$\pi N \rightarrow \pi N$
100 ± 2	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
98	SHRESTHA	12A DPWA	Multichannel
100 ± 2	ANISOVICH	10 DPWA	Multichannel
100	ARNDT	04 DPWA	$\pi N \rightarrow \pi N, \eta N$
96	VRANA	00 DPWA	Multichannel
100	ARNDT	95 DPWA	$\pi N \rightarrow N\pi$
100	ARNDT	91 DPWA	$\pi N \rightarrow \pi N$ Soln SM90

REAL PART, $\Delta(1232)^{++}$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●		
1212.50 ± 0.24	BERNICHIA	96 Fit to PEDRONI 78

−2×IMAGINARY PART, $\Delta(1232)^{++}$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●		
97.37 ± 0.42	BERNICHIA	96 Fit to PEDRONI 78

REAL PART, $\Delta(1232)^+$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1211 ± 1 to 1212 ± 1	HANSTEIN 96	DPWA	$\gamma N \rightarrow \pi N$
1206.9 ± 0.9 to 1210.5 ± 1.8	MIROSHNIC... 79		Fit photoproduction

–2×IMAGINARY PART, $\Delta(1232)^+$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
102 ± 2 to 99 ± 2	³ HANSTEIN 96	DPWA	$\gamma N \rightarrow \pi N$
111.2 ± 2.0 to 116.6 ± 2.2	MIROSHNIC... 79		Fit photoproduction

REAL PART, $\Delta(1232)^0$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●		
1213.20 ± 0.66	BERNICHA 96	Fit to PEDRONI 78

–2×IMAGINARY PART, $\Delta(1232)^0$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●		
104.10 ± 1.01	BERNICHA 96	Fit to PEDRONI 78

¹ Fit to the amplitudes of HOEHLER 79.² See HOEHLER 93 for a detailed discussion of the evidence for and the pole parameters of N and Δ resonances as determined from Argand diagrams of πN elastic partial-wave amplitudes and from plots of the speeds with which the amplitudes traverse the diagrams.³ The second (lower) value of HANSTEIN 96 here goes with the second (higher) value of the real part in the preceding data block. **$\Delta(1232)$ ELASTIC POLE RESIDUES****ABSOLUTE VALUE, MIXED CHARGES**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
50 $\pm 1 \pm 1$	⁴ SVARC 14	L+P	$\pi N \rightarrow \pi N$
51.6 ± 0.6	ANISOVICH 12A	DPWA	Multichannel
52	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
50	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$
53 ± 2	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
53	ARNDT 04	DPWA	$\pi N \rightarrow \pi N, \eta N$
38	⁵ ARNDT 95	DPWA	$\pi N \rightarrow N\pi$
52	ARNDT 91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90

PHASE, MIXED CHARGES

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
–46 $\pm 1 \pm 1$	⁴ SVARC 14	L+P	$\pi N \rightarrow \pi N$
–46 ± 1	ANISOVICH 12A	DPWA	Multichannel
–47	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
–48	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$
–47 ± 1	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

–47	ARNDT	04	DPWA	$\pi N \rightarrow \pi N, \eta N$
–22	⁵ ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
–31	ARNDT	91	DPWA	$\pi N \rightarrow \pi N$ Soln SM90

⁴ Fit to the amplitudes of HOEHLER 79.

⁵ This ARNDT 95 value is in error, as pointed out by HOHLER 01. The corrected value is in line with the ARNDT 91 value (R.A. Arndt, private communication).

$\Delta(1232)$ BREIT-WIGNER MASSES

MIXED CHARGES

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	--------------------	-------------	----------------

1230 to 1234 (≈ 1232) OUR ESTIMATE

1228 ± 2	ANISOVICH	12A	DPWA	Multichannel
1233.4 ± 0.4	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1232 ± 3	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
1233 ± 2	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1231.1 ± 0.2	SHRESTHA	12A	DPWA	Multichannel
1230 ± 2	ANISOVICH	10	DPWA	Multichannel
1232.9 ± 1.2	ARNDT	04	DPWA	$\pi N \rightarrow \pi N, \eta N$
1228 ± 1	PENNER	02C	DPWA	Multichannel
1234 ± 5	VRANA	00	DPWA	Multichannel
1233	ARNDT	95	DPWA	$\pi N \rightarrow N\pi$
1231 ± 1	MANLEY	92	IPWA	$\pi N \rightarrow \pi N$ & $N\pi\pi$

$\Delta(1232)^{++}$ MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	--------------------	-------------	----------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

1230.55 ± 0.20	GRIDNEV	06	DPWA	$\pi N \rightarrow \pi N$
1231.88 ± 0.29	BERNICHIA	96		Fit to PEDRONI 78
1230.5 ± 0.2	ABAEV	95	IPWA	$\pi N \rightarrow \pi N$
1230.9 ± 0.3	KOCH	80B	IPWA	$\pi N \rightarrow \pi N$
1231.1 ± 0.2	PEDRONI	78		$\pi N \rightarrow \pi N$ 70–370 MeV

$\Delta(1232)^+$ MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>COMMENT</u>
--------------------	--------------------	----------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

1234.9 ± 1.4	MIROSHNIC...	79	Fit photoproduction
------------------	--------------	----	---------------------

$\Delta(1232)^0$ MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	--------------------	-------------	----------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

1231.3 ± 0.6	BREITSCHOP..	06	CNTR	Using new CHEX data
1233.40 ± 0.22	GRIDNEV	06	DPWA	$\pi N \rightarrow \pi N$
1234.35 ± 0.75	BERNICHIA	96		Fit to PEDRONI 78
1233.1 ± 0.3	ABAEV	95	IPWA	$\pi N \rightarrow \pi N$
1233.6 ± 0.5	KOCH	80B	IPWA	$\pi N \rightarrow \pi N$
1233.8 ± 0.2	PEDRONI	78		$\pi N \rightarrow \pi N$ 70–370 MeV

$m_{\Delta^0} - m_{\Delta^{++}}$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
2.86 ± 0.30	GRIDNEV	06	DPWA $\pi N \rightarrow \pi N$
2.25 ± 0.68	BERNICHA	96	Fit to PEDRONI 78
2.6 ± 0.4	ABAEV	95	IPWA $\pi N \rightarrow \pi N$
2.7 ± 0.3	⁶ PEDRONI	78	See the masses
⁶ Using $\pi^\pm d$ as well, PEDRONI 78 determine $(M^- - M^{++}) + (M^0 - M^+)/3 = 4.6 \pm 0.2$ MeV.			

 $\Delta(1232)$ BREIT-WIGNER WIDTHS

MIXED CHARGES

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
114 to 120 (≈ 117) OUR ESTIMATE			
110 ± 3	ANISOVICH	12A	DPWA Multichannel
118.7 ± 0.6	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
120 ± 5	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
116 ± 5	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
113.0 ± 0.5	SHRESTHA	12A	DPWA Multichannel
112 ± 4	ANISOVICH	10	DPWA Multichannel
118.0 ± 2.2	ARNDT	04	DPWA $\pi N \rightarrow \pi N, \eta N$
106 ± 1	PENNER	02C	DPWA Multichannel
112 ± 18	VRANA	00	DPWA Multichannel
114	ARNDT	95	DPWA $\pi N \rightarrow N\pi$
118 ± 4	MANLEY	92	IPWA $\pi N \rightarrow \pi N \& N\pi\pi$

 $\Delta(1232)^{++}$ WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
112.2 ± 0.7	GRIDNEV	06	DPWA $\pi N \rightarrow \pi N$
109.07 ± 0.48	BERNICHA	96	Fit to PEDRONI 78
111.0 ± 1.0	KOCH	80B	IPWA $\pi N \rightarrow \pi N$
111.3 ± 0.5	PEDRONI	78	$\pi N \rightarrow \pi N$ 70–370 MeV

 $\Delta(1232)^+$ WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●		
131.1 ± 2.4	MIROSHNIC...	79 Fit photoproduction

$\Delta(1232)^0$ WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
112.5 ± 1.9	BREITSCHOP..06	CNTR	Using new CHEX data
116.9 ± 0.7	GRIDNEV	06 DPWA	$\pi N \rightarrow \pi N$
117.58 ± 1.16	BERNICHIA	96	Fit to PEDRONI 78
113.0 ± 1.5	KOCH	80B IPWA	$\pi N \rightarrow \pi N$
117.9 ± 0.9	PEDRONI	78	$\pi N \rightarrow \pi N$ 70–370 MeV

Δ^0 - Δ^{++} WIDTH DIFFERENCE

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
4.66 ± 1.0	GRIDNEV	06 DPWA	$\pi N \rightarrow \pi N$
8.45 ± 1.11	BERNICHIA	96	Fit to PEDRONI 78
5.1 ± 1.0	ABAEV	95 IPWA	$\pi N \rightarrow \pi N$
6.6 ± 1.0	PEDRONI	78	See the widths

$\Delta(1232)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	99.4 %
Γ_2 $N\gamma$	0.55–0.65 %
Γ_3 $N\gamma$, helicity=1/2	0.11–0.13 %
Γ_4 $N\gamma$, helicity=3/2	0.44–0.52 %

$\Delta(1232)$ BRANCHING RATIOS

<u>$\Gamma(N\pi)/\Gamma_{\text{total}}$</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	<u>Γ_1/Γ</u>
0.994 OUR ESTIMATE				
1.00	ARNDT	06 DPWA	$\pi N \rightarrow \pi N, \eta N$	
1.0	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$	
1.0	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.994	SHRESTHA	12A DPWA	Multichannel	
1.0	ANISOVICH	10 DPWA	Multichannel	
1.000	ARNDT	04 DPWA	$\pi N \rightarrow \pi N, \eta N$	
1.00	PENNER	02C DPWA	Multichannel	
1.00 ± 0.01	VRANA	00 DPWA	Multichannel	
1.0	ARNDT	95 DPWA	$\pi N \rightarrow N\pi$	
1.0	MANLEY	92 IPWA	$\pi N \rightarrow \pi N \ \& \ N\pi\pi$	

$\Delta(1232)$ PHOTON DECAY AMPLITUDES AT THE POLE

$\Delta(1232) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>MODULUS ($\text{GeV}^{-1/2}$)</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
$-0.114^{+0.010}_{-0.003}$	-9^{+4}_{-2}	ROENCHEN 14	DPWA

$\Delta(1232) \rightarrow N\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>MODULUS ($\text{GeV}^{-1/2}$)</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
$-0.229^{+0.003}_{-0.004}$	$3^{+0.3}_{-0.4}$	ROENCHEN 14	DPWA

$\Delta(1232)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

Papers on γN amplitudes predating 1981 may be found in our 2006 edition, *Journal of Physics G33* 1 (2006).

$\Delta(1232) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE ($\text{GeV}^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.135 ± 0.006 OUR ESTIMATE			
-0.131 ± 0.004	ANISOVICH 12A	DPWA	Multichannel
-0.139 ± 0.002	WORKMAN 12A	DPWA	$\gamma N \rightarrow N\pi$
-0.139 ± 0.004	DUGGER 07	DPWA	$\gamma N \rightarrow \pi N$
-0.137 ± 0.005	AHRENS 04A	DPWA	$\vec{\gamma}\vec{p} \rightarrow N\pi$
$-0.1357 \pm 0.0013 \pm 0.0037$	BLANPIED 01	LEGS	$\gamma p \rightarrow p\gamma, p\pi^0, n\pi^+$
-0.131 ± 0.001	BECK 00	IPWA	$\vec{\gamma}p \rightarrow p\pi^0, n\pi^+$
-0.140 ± 0.005	KAMALOV 99	DPWA	$\gamma N \rightarrow \pi N$
-0.1294 ± 0.0013	HANSTEIN 98	IPWA	$\gamma N \rightarrow \pi N$
-0.1278 ± 0.0012	DAVIDSON 97	DPWA	$\gamma N \rightarrow \pi N$
-0.135 ± 0.016	DAVIDSON 91B	FIT	$\gamma N \rightarrow \pi N$
-0.145 ± 0.015	CRAWFORD 83	IPWA	$\gamma N \rightarrow \pi N$
-0.138 ± 0.004	AWAJI 81	DPWA	$\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-0.137 ± 0.001	SHRESTHA 12A	DPWA	Multichannel
-0.136 ± 0.005	ANISOVICH 10	DPWA	Multichannel
-0.140	DRECHSEL 07	DPWA	$\gamma N \rightarrow \pi N$
-0.129 ± 0.001	ARNDT 02	DPWA	$\gamma p \rightarrow N\pi$
-0.128	PENNER 02D	DPWA	Multichannel
-0.1312	HANSTEIN 98	DPWA	$\gamma N \rightarrow \pi N$
-0.135 ± 0.005	ARNDT 97	IPWA	$\gamma N \rightarrow \pi N$
-0.141 ± 0.005	ARNDT 96	IPWA	$\gamma N \rightarrow \pi N$
-0.143 ± 0.004	LI 93	IPWA	$\gamma N \rightarrow \pi N$
-0.140 ± 0.007	DAVIDSON 90	FIT	See DAVIDSON 91B

$\Delta(1232) \rightarrow N\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE (GeV ^{-1/2})	DOCUMENT ID	TECN	COMMENT
-0.255 ±0.005 OUR ESTIMATE			
-0.254 ±0.005	ANISOVICH	12A	DPWA Multichannel
-0.262 ±0.003	WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
-0.258 ±0.005	DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
-0.256 ±0.003	AHRENS	04A	DPWA $\vec{\gamma}\vec{p} \rightarrow N\pi$
-0.2669 ±0.0016 ±0.0078	BLANPIED	01	LEGS $\gamma p \rightarrow p\gamma, p\pi^0, n\pi^+$
-0.251 ±0.001	BECK	00	IPWA $\vec{\gamma}p \rightarrow p\pi^0, n\pi^+$
-0.258 ±0.006	KAMALOV	99	DPWA $\gamma N \rightarrow \pi N$
-0.2466 ±0.0013	HANSTEIN	98	IPWA $\gamma N \rightarrow \pi N$
-0.2524 ±0.0013	DAVIDSON	97	DPWA $\gamma N \rightarrow \pi N$
-0.251 ±0.033	DAVIDSON	91B	FIT $\gamma N \rightarrow \pi N$
-0.263 ±0.026	CRAWFORD	83	IPWA $\gamma N \rightarrow \pi N$
-0.259 ±0.006	AWAJI	81	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-0.251 ±0.001	SHRESTHA	12A	DPWA Multichannel
-0.267 ±0.008	ANISOVICH	10	DPWA Multichannel
-0.265	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
-0.243 ±0.001	ARNDT	02	DPWA $\gamma p \rightarrow N\pi$
-0.247	PENNER	02D	DPWA Multichannel
-0.2522	HANSTEIN	98	DPWA $\gamma N \rightarrow \pi N$
-0.250 ±0.008	ARNDT	97	IPWA $\gamma N \rightarrow \pi N$
-0.261 ±0.005	ARNDT	96	IPWA $\gamma N \rightarrow \pi N$
-0.262 ±0.004	LI	93	IPWA $\gamma N \rightarrow \pi N$
-0.254 ±0.011	DAVIDSON	90	FIT See DAVIDSON 91B

 $\Delta(1232) \rightarrow N\gamma$, E_2/M_1 ratio

VALUE	DOCUMENT ID	TECN	COMMENT
-0.025 ±0.005 OUR ESTIMATE			
-0.0274 ±0.0003 ±0.0030	AHRENS	04A	DPWA $\vec{\gamma}\vec{p} \rightarrow N\pi$
-0.020 ±0.002	ARNDT	02	DPWA $\gamma p \rightarrow N\pi$
-0.0307 ±0.0026 ±0.0024	BLANPIED	01	LEGS $\gamma p \rightarrow p\gamma, p\pi^0, n\pi^+$
-0.016 ±0.004 ±0.002	GALLER	01	DPWA $\gamma p \rightarrow \gamma p$
-0.025 ±0.001 ±0.002	BECK	00	IPWA $\vec{\gamma}p \rightarrow p\pi^0, n\pi^+$
-0.0233 ±0.0017	HANSTEIN	98	IPWA $\gamma N \rightarrow \pi N$
-0.015 ±0.005	⁷ ARNDT	97	IPWA $\gamma N \rightarrow \pi N$
-0.0319 ±0.0024	DAVIDSON	97	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
-0.022	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
-0.026	PENNER	02D	DPWA Multichannel
-0.0254 ±0.0010	HANSTEIN	98	DPWA $\gamma N \rightarrow \pi N$
-0.025 ±0.002 ±0.002	BECK	97	IPWA $\gamma N \rightarrow \pi N$
-0.030 ±0.003 ±0.002	BLANPIED	97	DPWA $\gamma N \rightarrow \pi N, \gamma N$
-0.027 ±0.003 ±0.001	KHANDAKER	95	DPWA $\gamma N \rightarrow \pi N$
-0.015 ±0.005	WORKMAN	92	IPWA $\gamma N \rightarrow \pi N$
-0.0157 ±0.0072	DAVIDSON	91B	FIT $\gamma N \rightarrow \pi N$
-0.0107 ±0.0037	DAVIDSON	90	FIT $\gamma N \rightarrow \pi N$
-0.015 ±0.002	DAVIDSON	86	FIT $\gamma N \rightarrow \pi N$
+0.037 ±0.004	TANABE	85	FIT $\gamma N \rightarrow \pi N$

$\Delta(1232) \rightarrow N\gamma$, absolute value of E_2/M_1 ratio at pole

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.065 ± 0.007	ARNDT	97	DPWA $\gamma N \rightarrow \pi N$
0.058	HANSTEIN	96	DPWA $\gamma N \rightarrow \pi N$

 $\Delta(1232) \rightarrow N\gamma$, phase of E_2/M_1 ratio at pole

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-122 ± 5	ARNDT	97	DPWA $\gamma N \rightarrow \pi N$
-127.2	HANSTEIN	96	DPWA $\gamma N \rightarrow \pi N$

⁷ This ARNDT 97 value is very sensitive to the database being fitted. The result is from a fit to the full pion photoproduction database, apart from the BLANPIED 97 cross-section measurements.

 $\Delta(1232)$ MAGNETIC MOMENTS **$\Delta(1232)^{++}$ MAGNETIC MOMENT**

The values are extracted from UCLA and SIN data on $\pi^+ p$ bremsstrahlung using a variety of different theoretical approximations and methods. Our estimate is *only* a rough guess of the range we expect the moment to lie within.

<u>VALUE (μ_N)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-----------------------------------	--------------------	-------------	----------------

3.7 to 7.5 OUR ESTIMATE

• • • We do not use the following data for averages, fits, limits, etc. • • •			
6.14 ± 0.51	LOPEZCAST...01	DPWA	$\pi^+ p \rightarrow \pi^+ p \gamma$
$4.52 \pm 0.50 \pm 0.45$	BOSSHARD	91	$\pi^+ p \rightarrow \pi^+ p \gamma$ (SIN data)
3.7 to 4.2	LIN	91B	$\pi^+ p \rightarrow \pi^+ p \gamma$ (from UCLA data)
4.6 to 4.9	LIN	91B	$\pi^+ p \rightarrow \pi^+ p \gamma$ (from SIN data)
5.6 to 7.5	WITTMAN	88	$\pi^+ p \rightarrow \pi^+ p \gamma$ (from UCLA data)
6.9 to 9.8	HELLER	87	$\pi^+ p \rightarrow \pi^+ p \gamma$ (from UCLA data)
4.7 to 6.7	NEFKENS	78	$\pi^+ p \rightarrow \pi^+ p \gamma$ (UCLA data)

 $\Delta(1232)^+$ MAGNETIC MOMENT

<u>VALUE (μ_N)</u>	<u>DOCUMENT ID</u>	<u>COMMENT</u>
-----------------------------------	--------------------	----------------

• • • We do not use the following data for averages, fits, limits, etc. • • •		
$2.7^{+1.0}_{-1.3} \pm 1.5 \pm 3$	⁸ KOTULLA	02 $\gamma p \rightarrow p \pi^0 \gamma'$

⁸ The second error is systematic, the third is an estimate of theoretical uncertainties.

 $\Delta(1232)$ REFERENCES

For early references, see *Physics Letters* **111B** 1 (1982).

PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>	
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>	
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
ANISOVICH	10	EPJ A44 203	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)

ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
BREITSCHOP...	06	PL B639 424	J. Breitschopf <i>et al.</i>	(TUBIN, HEBR, CSUS)
GRIDNEV	06	PAN 69 1542	A.B. Gridnev <i>et al.</i>	(PNPI, BONN, GWU)
PDG	06	JP G33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
AHRENS	04A	EPJ A21 323	J. Ahrens <i>et al.</i>	(Mainz GDH, A2 Collab.)
ARNDT	04	PR C69 035213	R.A. Arndt <i>et al.</i>	(GWU, TRIU)
ARNDT	02	PR C66 055213	R. A. Arndt <i>et al.</i>	(GWU)
KOTULLA	02	PRL 89 272001	M. Kotulla <i>et al.</i>	(MAMI TAPS Collab.)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
BLANPIED	01	PR C64 025203	G. Blanpied <i>et al.</i>	(BNL LEGS Collab.)
GALLER	01	PL B503 245	G. Galler <i>et al.</i>	(Mainz LARA Collab.)
HOHLER	01	NSTAR 2001 185	G. Hohler	(KARL)
LOPEZCAST...	01	PL B517 339	G. Lopez Castro, A. Mariano	
Also		NP A697 440	G. Lopez Castro, A. Mariano	
BECK	00	PR C61 035204	R. Beck <i>et al.</i>	(Mainz Microtron DAPHNE Col.)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
KAMALOV	99	PRL 83 4494	S.S. Kamalov, S.N. Yang	(Taiwan U.)
HANSTEIN	98	NP A632 561	O. Hanstein, D. Drechsel, L. Tiator	
ARNDT	97	PR C56 577	R.A. Arndt, I.I. Strakovsky, R.L. Workman	(VPI)
BECK	97	PRL 78 606	R. Beck <i>et al.</i>	(MANZ, SACL, PAVI, GLAS)
Also		PRL 79 4510	R.L. Beck, H.P. Krahn	(MANZ)
Also		PRL 79 4512	R.L. Beck, H.P. Krahn	(MANZ)
Also		PRL 79 4515 (erratum)	R.L. Beck <i>et al.</i>	(MANZ, SACL, PAVI, GLAS)
BLANPIED	97	PRL 79 4337	G.S. Blanpied <i>et al.</i>	(LEGS Collab.)
DAVIDSON	97	PRL 79 4509	R.M. Davidson, N.C.A. Mukhopadhyay	(RPI)
ARNDT	96	PR C53 430	R.A. Arndt, I.I. Strakovsky, R.L. Workman	(VPI)
BERNICH	96	NP A597 623	A. Bernicha, G. Lopez Castro, J. Pestieau	(LOUV+)
HANSTEIN	96	PL B385 45	O. Hanstein, D. Drechsel, L. Tiator	(MANZ)
ABAEV	95	ZPHY A352 85	V.V. Abaev, S.P. Kruglov	(PNPI)
ARNDT	95	PR C52 2120	R.A. Arndt <i>et al.</i>	(VPI, BRCO)
KHANDAKER	95	PR D51 3966	M. Khandaker, A.M. Sandorfi	(BNL, VPI)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
LI	93	PR C47 2759	Z.J. Li <i>et al.</i>	(VPI)
MANLEY	92	PR D45 4002	D.M. Manley, E.M. Saleski	(KSA) IJP
Also		PR D30 904	D.M. Manley <i>et al.</i>	(VPI)
WORKMAN	92	PR C46 1546	R.L. Workman, R.A. Arndt, Z.J. Li	(VPI)
ARNDT	91	PR D43 2131	R.A. Arndt <i>et al.</i>	(VPI, TELE) IJP
BOSSHARD	91	PR D44 1962	A. Bosshard <i>et al.</i>	(ZURI, LBL, VILL+)
Also		PRL 64 2619	A. Bosshard <i>et al.</i>	(CATH, LAUS, LBL+)
DAVIDSON	91B	PR D43 71	R.M. Davidson, N.C. Mukhopadhyay, R.S. Wittman	
LIN	91B	PR C44 1819	D.H. Lin, M.K. Liou, Z.M. Ding	(CUNY, CSOK)
Also		PR C43 R930	D. Lin, M.K. Liou	(CUNY)
DAVIDSON	90	PR D42 20	R.M. Davidson, N.C. Mukhopadhyay	(RPI)
WITTMAN	88	PR C37 2075	R. Wittman	(TRIU)
HELLER	87	PR C35 718	L. Heller <i>et al.</i>	(LANL, MIT, ILL)
DAVIDSON	86	PRL 56 804	R.M. Davidson, N.C. Mukhopadhyay, R. Wittman	(RPI)
TANABE	85	PR C31 1876	H. Tanabe, K. Ohta	(KOMAB)
CRAWFORD	83	NP B211 1	R.L. Crawford, W.T. Morton	(GLAS)
AWAJI	81	Bonn Conf. 352	N. Awaji, R. Kajikawa	(NAGO)
Also		NP B197 365	K. Fujii <i>et al.</i>	(NAGO)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
KOCH	80B	NP A336 331	R. Koch, E. Pietarinen	(KARLT) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
MIROSHNIC...	79	SJNP 29 94	I.I. Miroshnichenko <i>et al.</i>	(KFTI) IJP
Also		Translated from YAF 29 188.		
NEFKENS	78	PR D18 3911	B.M.K. Nefkens <i>et al.</i>	(UCLA, CATH) IJP
PEDRONI	78	NP A300 321	E. Pedroni <i>et al.</i>	(SIN, ISNG, KARLE+) IJP