

$$\Delta(2420) \ 11/2^+$$

$$I(J^P) = \frac{3}{2}(\frac{11}{2}^+) \text{Status: } ****$$

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

$\Delta(2420)$ POLE POSITION

REAL PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2260 to 2400 (\approx 2330) OUR ESTIMATE			
2454 \pm 4 \pm 11	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
2529	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
2300	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
2360 \pm 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

- 2xIMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
350 to 750 (\approx 550) OUR ESTIMATE			
462 \pm 8 \pm 50	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
621	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
620	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
420 \pm 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

$\Delta(2420)$ ELASTIC POLE RESIDUE

MODULUS $|r|$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
20 to 40 (\approx 30) OUR ESTIMATE			
30 \pm 1 \pm 7	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
33	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
39	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
18 \pm 6	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

PHASE θ

VALUE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
-60 to 20 (\approx -20) OUR ESTIMATE			
11 \pm 1 \pm 8	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
-45	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
-60	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$
-30 \pm 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

$\Delta(2420)$ BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2300 to 2500 (\approx 2420) OUR ESTIMATE			
2633 \pm 29	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
2400 \pm 125	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
2416 \pm 17	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

$\Delta(2420)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
300 to 500 (≈ 400) OUR ESTIMATE			
692 \pm 47	ARNDT	06 DPWA	$\pi N \rightarrow \pi N, \eta N$
450 \pm 150	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
340 \pm 28	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$

 $\Delta(2420)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	5–15 %

 $\Delta(2420)$ BRANCHING RATIOS

<u>$\Gamma(N\pi)/\Gamma_{\text{total}}$</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	<u>Γ_1/Γ</u>
5 to 15 OUR ESTIMATE				
8.5 \pm 0.8	ARNDT	06 DPWA	$\pi N \rightarrow \pi N, \eta N$	
8 \pm 3	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$	
8.0 \pm 1.5	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$	

 $\Delta(2420)$ FOOTNOTES

¹ Fit to the amplitudes of HOEHLER 79.

 $\Delta(2420)$ REFERENCES

PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP