

$N(1440) 1/2^+$ $I(J^P) = \frac{1}{2}(\frac{1}{2}^+)$ Status: ****Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014). **$N(1440)$ POLE POSITION****REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1360 to 1385 (\approx 1370) OUR ESTIMATE			
1369 \pm 3	SOKHOYAN	15A	DPWA Multichannel
1363 \pm 2 \pm 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
1359	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1385	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
1375 \pm 30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1386	SHKLYAR	13	DPWA Multichannel
1370 \pm 4	ANISOVICH	12A	DPWA Multichannel
1370	SHRESTHA	12A	DPWA Multichannel
1363 \pm 11	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1383	VRANA	00	DPWA Multichannel

-2×IMAGINARY PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
160 to 195 (\approx 180) OUR ESTIMATE			
189 \pm 5	SOKHOYAN	15A	DPWA Multichannel
180 \pm 4 \pm 5	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
162	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
164	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
180 \pm 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
277	SHKLYAR	13	DPWA Multichannel
190 \pm 7	ANISOVICH	12A	DPWA Multichannel
214	SHRESTHA	12A	DPWA Multichannel
151 \pm 13	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
316	VRANA	00	DPWA Multichannel

 $N(1440)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
40 to 52 (\approx 46) OUR ESTIMATE			
49 \pm 3	SOKHOYAN	15A	DPWA Multichannel
50 \pm 1 \pm 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
38	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
40	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
52 \pm 5	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

126	SHKLYAR	13	DPWA	Multichannel
48±3	ANISOVICH	12A	DPWA	Multichannel
44	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$

PHASE θ

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
– 80 to –100 (≈ -90) OUR ESTIMATE			
– 82± 5	SOKHOYAN	15A	DPWA Multichannel
– 88± 1±2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
– 98	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
–100±35	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
– 60	SHKLYAR	13	DPWA Multichannel
– 78± 4	ANISOVICH	12A	DPWA Multichannel
– 88	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

$N(1440)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1440) \rightarrow \Delta\pi, P\text{-wave}$

<u>MODULUS (%)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
27±2	38 ± 5	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
27±2	40 ± 5	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(1440) \rightarrow N(\pi\pi)_{S\text{-wave}}^{I=0}$

<u>MODULUS (%)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
21±4	– 136 ± 4	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
21±5	– 135 ± 7	ANISOVICH	12A	DPWA Multichannel

$N(1440)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1410 to 1450 (≈ 1430) OUR ESTIMATE			
1430 ±10	SOKHOYAN	15A	DPWA Multichannel
1515 ±15	SHKLYAR	13	DPWA Multichannel
1485.0± 1.2	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1440 ±30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1410 ±12	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1430 ± 8	ANISOVICH	12A	DPWA Multichannel
1412 ± 2	SHRESTHA	12A	DPWA Multichannel
1439 ±19	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1518 ± 5	PENNER	02C	DPWA Multichannel
1479 ±80	VRANA	00	DPWA Multichannel

$N(1440)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
250 to 450 (\approx 350) OUR ESTIMATE			
360 \pm 30	SOKHOYAN	15A DPWA	Multichannel
605 \pm 90	SHKLYAR	13 DPWA	Multichannel
284 \pm 18	ARNDT	06 DPWA	$\pi N \rightarrow \pi N, \eta N$
340 \pm 70	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$
135 \pm 10	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
365 \pm 35	ANISOVICH	12A DPWA	Multichannel
248 \pm 5	SHRESTHA	12A DPWA	Multichannel
437 \pm 141	BATINIC	10 DPWA	$\pi N \rightarrow N\pi, N\eta$
668 \pm 41	PENNER	02C DPWA	Multichannel
490 \pm 120	VRANA	00 DPWA	Multichannel

 $N(1440)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	55–75 %
Γ_2 $N\eta$	<1 %
Γ_3 $N\pi\pi$	25–50 %
Γ_4 $\Delta(1232)\pi$	20–30 %
Γ_5 $\Delta(1232)\pi, P\text{-wave}$	13–27 %
Γ_6 $N\sigma$	11–23 %
Γ_7 $p\gamma, \text{helicity}=1/2$	0.035–0.048 %
Γ_8 $n\gamma, \text{helicity}=1/2$	0.02–0.04 %

 $N(1440)$ BRANCHING RATIOS

<u>$\Gamma(N\pi)/\Gamma_{\text{total}}$</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	<u>Γ_1/Γ</u>
55 to 75 (\approx 65) OUR ESTIMATE				
63 \pm 2	SOKHOYAN	15A DPWA	Multichannel	
56 \pm 2	SHKLYAR	13 DPWA	Multichannel	
78.7 \pm 1.6	ARNDT	06 DPWA	$\pi N \rightarrow \pi N, \eta N$	
68 \pm 4	CUTKOSKY	80 IPWA	$\pi N \rightarrow \pi N$	
51 \pm 5	HOEHLER	79 IPWA	$\pi N \rightarrow \pi N$	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
62 \pm 3	ANISOVICH	12A DPWA	Multichannel	
64.8 \pm 0.9	SHRESTHA	12A DPWA	Multichannel	
62 \pm 4	BATINIC	10 DPWA	$\pi N \rightarrow N\pi, N\eta$	
57 \pm 1	PENNER	02C DPWA	Multichannel	
72 \pm 5	VRANA	00 DPWA	Multichannel	

$\Gamma(N\eta)/\Gamma_{\text{total}}$					Γ_2/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
0 ± 1	VRANA	00	DPWA	Multichannel	

$\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$					Γ_5/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
20 ± 7	SOKHOYAN	15A	DPWA	Multichannel	
21 ± 8	ANISOVICH	12A	DPWA	Multichannel	
6.5 ± 0.8	SHRESTHA	12A	DPWA	Multichannel	
16 ± 1	VRANA	00	DPWA	Multichannel	

$\Gamma(N\sigma)/\Gamma_{\text{total}}$					Γ_6/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
17 ± 6	SOKHOYAN	15A	DPWA	Multichannel	
17 ± 7	ANISOVICH	12A	DPWA	Multichannel	
27 ± 1	SHRESTHA	12A	DPWA	Multichannel	
12 ± 1	VRANA	00	DPWA	Multichannel	

$N(1440)$ PHOTON DECAY AMPLITUDES AT THE POLE

$N(1440) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE ($^\circ$)	DOCUMENT ID	TECN	COMMENT
-0.044 ± 0.005	-40 ± 8	SOKHOYAN	15A	DPWA Multichannel
$-0.054^{+0.004}_{-0.003}$	5^{+2}_{-5}	ROENCHEN	14	DPWA

$N(1440)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

$N(1440) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.060 ± 0.004 OUR ESTIMATE			
-0.061 ± 0.006	SOKHOYAN	15A	DPWA Multichannel
-0.056 ± 0.001	WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
-0.051 ± 0.002	DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
-0.085 ± 0.003	SHKLYAR	13	DPWA Multichannel
-0.061 ± 0.008	ANISOVICH	12A	DPWA Multichannel
-0.084 ± 0.003	SHRESTHA	12A	DPWA Multichannel
-0.061	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
-0.087	PENNER	02D	DPWA Multichannel

$N(1440) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

<u>VALUE (GeV^{-1/2})</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
+0.040±0.010 OUR ESTIMATE			
0.043±0.012	ANISOVICH	13B	DPWA Multichannel
0.048±0.004	CHEN	12A	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.040±0.005	SHRESTHA	12A	DPWA Multichannel
0.054	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
0.121	PENNER	02D	DPWA Multichannel

 $N(1440)$ FOOTNOTES¹ Fit to the amplitudes of HOEHLER 79. **$N(1440)$ REFERENCES**For early references, see *Physics Letters* **111B** 1 (1982).

SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>	
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>	
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
CHEN	12A	PR C86 015206	W. Chen <i>et al.</i>	(DUKE, GWU, MSST, ITEP+)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP