

$N(2190) \ 7/2^-$ $I(J^P) = \frac{1}{2}(\frac{7}{2}^-)$ Status: ***

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

 $N(2190)$ POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

2050 to 2150 (≈ 2100) OUR ESTIMATE

2150 \pm 25	SOKHOYAN	15A	DPWA Multichannel
2079 \pm 4 \pm 9	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
2100 \pm 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2074	ROENCHEN	15A	DPWA Multichannel
2150 \pm 25	ANISOVICH	12A	DPWA Multichannel
2062	SHRESTHA	12A	DPWA Multichannel
2063 \pm 32	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
2070	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
2107	VRANA	00	DPWA Multichannel
2042	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

-2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

300 to 500 (≈ 400) OUR ESTIMATE

325 \pm 25	SOKHOYAN	15A	DPWA Multichannel
509 \pm 7 \pm 16	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
400 \pm 160	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
327	ROENCHEN	15A	DPWA Multichannel
330 \pm 30	ANISOVICH	12A	DPWA Multichannel
428	SHRESTHA	12A	DPWA Multichannel
330 \pm 101	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
520	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
380	VRANA	00	DPWA Multichannel
482	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

 $N(2190)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

25 to 70 (≈ 50) OUR ESTIMATE

30 \pm 4	SOKHOYAN	15A	DPWA Multichannel
54 \pm 1 \pm 3	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
25 \pm 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

35	ROENCHEN	15A	DPWA	Multichannel
30± 5	ANISOVICH	12A	DPWA	Multichannel
34	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
72	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
45	HOEHLER	93	SPED	$\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

PHASE θ

VALUE (°)	DOCUMENT ID	TECN	COMMENT
-30 to 30 (≈ 0) OUR ESTIMATE			

28±10	SOKHOYAN	15A	DPWA	Multichannel
-18± 1±3	¹ SVARC	14	L+P	$\pi N \rightarrow \pi N$
-30±50	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
-40	ROENCHEN	15A	DPWA	Multichannel
30±10	ANISOVICH	12A	DPWA	Multichannel
-19	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
-32	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$

¹ Fit to the amplitudes of HOEHLER 79.

N(2190) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(2190) \rightarrow \Lambda K$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.03 ± 0.01	20 ± 15	ANISOVICH	12A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.005	-51	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2190) \rightarrow \Sigma K$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.013	-69	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2190) \rightarrow N\eta$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.016	129	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2190) \rightarrow \Delta(1232)\pi, D\text{-wave}$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.27±0.04	-165 ± 20	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2190) \rightarrow N\sigma$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.13 ± 0.05	50 ± 15	SOKHOYAN	15A	DPWA Multichannel

 $N(2190)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2140 to 2220 (≈ 2180) OUR ESTIMATE			
2205 ± 18	SOKHOYAN	15A	DPWA Multichannel
2150 ± 26	¹ SHRESTHA	12A	DPWA Multichannel
2152.4 ± 1.4	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
2200 ± 70	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
2140 ± 12	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2180 ± 20	ANISOVICH	12A	DPWA Multichannel
2125 ± 61	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
2168 ± 18	VRANA	00	DPWA Multichannel

¹ Statistical error only.

 $N(2190)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
300 to 500 (≈ 400) OUR ESTIMATE			
355 ± 30	SOKHOYAN	15A	DPWA Multichannel
500 ± 74	¹ SHRESTHA	12A	DPWA Multichannel
484 ± 13	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
500 ± 150	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
390 ± 30	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
335 ± 40	ANISOVICH	12A	DPWA Multichannel
381 ± 160	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
453 ± 101	VRANA	00	DPWA Multichannel

¹ Statistical error only.

 $N(2190)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	10–20 %
Γ_2 $N\eta$	1–3 %
Γ_3 $N\omega$	8–20 %
Γ_4 ΛK	
Γ_5 $N\pi\pi$	
Γ_6 $\Delta(1232)\pi$	
Γ_7 $\Delta(1232)\pi$, <i>D</i> -wave	19–31 %
Γ_8 $N\rho$	

Γ_9	$N\rho, S=3/2, D\text{-wave}$	seen
Γ_{10}	$\Lambda K^*(892)$	0.2–0.8 %
Γ_{11}	$N\sigma$	3–9 %
Γ_{12}	$p\gamma$	0.014–0.077 %
Γ_{13}	$p\gamma, \text{ helicity}=1/2$	
Γ_{14}	$p\gamma, \text{ helicity}=3/2$	
Γ_{15}	$n\gamma$	<0.04 %
Γ_{16}	$n\gamma, \text{ helicity}=1/2$	
Γ_{17}	$n\gamma, \text{ helicity}=3/2$	<0.03 %

 $N(2190)$ BRANCHING RATIOS **$\Gamma(N\pi)/\Gamma_{\text{total}}$** VALUE (%)DOCUMENT IDTECNCOMMENT **Γ_1/Γ** **10 to 20 (≈ 15) OUR ESTIMATE**16 \pm 2

SOKHOYAN 15A DPWA Multichannel

20 \pm 1

SHRESTHA 12A DPWA Multichannel

23.8 \pm 0.1ARNDT 06 DPWA $\pi N \rightarrow \pi N, \eta N$ 12 \pm 6CUTKOSKY 80 IPWA $\pi N \rightarrow \pi N$ 14 \pm 2HOEHLER 79 IPWA $\pi N \rightarrow \pi N$ $\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$ 16 \pm 2

ANISOVICH 12A DPWA Multichannel

18 \pm 12BATINIC 10 DPWA $\pi N \rightarrow N\pi, N\eta$ 20 \pm 4

VRANA 00 DPWA Multichannel

¹ Statistical error only. **$\Gamma(N\eta)/\Gamma_{\text{total}}$** VALUE (%)DOCUMENT IDTECNCOMMENT **Γ_2/Γ** 2 \pm 1

SHRESTHA 12A DPWA Multichannel

 $\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$ 0.1 \pm 0.3BATINIC 10 DPWA $\pi N \rightarrow N\pi, N\eta$ 0 \pm 1

VRANA 00 DPWA Multichannel

¹ Statistical error only. **$\Gamma(N\omega)/\Gamma_{\text{total}}$** VALUE (%)DOCUMENT IDTECNCOMMENT **Γ_3/Γ** 14 \pm 6

DENISENKO 16 DPWA Multichannel

 $\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$

seen

WILLIAMS 09 IPWA $\gamma p \rightarrow p\omega$ **$\Gamma(\Lambda K)/\Gamma_{\text{total}}$** VALUE (%)DOCUMENT IDTECNCOMMENT **Γ_4/Γ** 0.5 \pm 0.3

ANISOVICH 12A DPWA Multichannel

<1

SHRESTHA 12A DPWA Multichannel

 $\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$ VALUE (%)DOCUMENT IDTECNCOMMENT **Γ_7/Γ** 25 \pm 6

SOKHOYAN 15A DPWA Multichannel

$\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$	Γ_9/Γ		
$\text{VALUE } (\%)$	DOCUMENT ID	TECN	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
29 \pm 28	VRANA	00	DPWA Multichannel
$\Gamma(\Lambda K^*(892))/\Gamma_{\text{total}}$	Γ_{10}/Γ		
VALUE	DOCUMENT ID	TECN	COMMENT
0.005 \pm 0.003	ANISOVICH	17B	DPWA Multichannel
$\Gamma(N\sigma)/\Gamma_{\text{total}}$	Γ_{11}/Γ		
$\text{VALUE } (\%)$	DOCUMENT ID	TECN	COMMENT
6 \pm 3	SOKHOYAN	15A	DPWA Multichannel

N(2190) PHOTON DECAY AMPLITUDES AT THE POLE

$N(2190) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

$\text{MODULUS } (\text{GeV}^{-1/2})$	$\text{PHASE } (^{\circ})$	DOCUMENT ID	TECN	COMMENT
0.068 \pm 0.005	-170 \pm 12	SOKHOYAN	15A	DPWA Multichannel
-0.083 $^{+0.007}_{-0.003}$	-11 $^{+6}_{-2}$	ROENCHEN	14	DPWA
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
-0.041	-21	ROENCHEN	15A	DPWA Multichannel

$N(2190) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

$\text{MODULUS } (\text{GeV}^{-1/2})$	$\text{PHASE } (^{\circ})$	DOCUMENT ID	TECN	COMMENT
0.025 \pm 0.010	22 \pm 10	SOKHOYAN	15A	DPWA Multichannel
0.095 $^{+0.013}_{-0.010}$	-3 $^{+3}_{-5}$	ROENCHEN	14	DPWA
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.085	-22	ROENCHEN	15A	DPWA Multichannel

N(2190) BREIT-WIGNER PHOTON DECAY AMPLITUDES

$N(2190) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

$\text{VALUE } (\text{GeV}^{-1/2})$	DOCUMENT ID	TECN	COMMENT
-0.071 \pm 0.006	SOKHOYAN	15A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
-0.065 \pm 0.008	ANISOVICH	12A	DPWA Multichannel

$N(2190) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

$\text{VALUE } (\text{GeV}^{-1/2})$	DOCUMENT ID	TECN	COMMENT
0.027 \pm 0.010	SOKHOYAN	15A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
0.035 \pm 0.017	ANISOVICH	12A	DPWA Multichannel

$N(2190) \rightarrow p\gamma$, ratio of helicity amplitudes $A_{3/2}/A_{1/2}$

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.17 ± 0.15	WILLIAMS 09	IPWA	$\gamma p \rightarrow p\omega$

 $N(2190) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.015 ± 0.013	ANISOVICH 13B	DPWA	Multichannel

 $N(2190) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.034 ± 0.022	ANISOVICH 13B	DPWA	Multichannel

 $N(2190)$ REFERENCESFor early references, see Physics Letters **111B** 1 (1982).

ANISOVICH	17B	PL B771 142	A.V. Anisovich <i>et al.</i>
DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>
PDG	14	CP C38 070001	K. Olive <i>et al.</i>
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>
WILLIAMS	09	PR C80 065209	M. Williams <i>et al.</i>
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee
HOEHLER	93	πN Newsletter 9 1	G. Hohler
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>
Also		Toronto Conf. 3	R. Koch

(CBELSA/TAPS Collab.)
(PDG Collab.)
(RBI Zagreb, UNI Tuzla)
(BONN, PNPI)
(KSU)
(ZAGR)
(JLab CLAS Collab.)
(GWU)
(PITT, ANL)
(KARL)
(CMU, LBL) IJP
(CMU, LBL) IJP
(KARLT) IJP
(KARLT) IJP