

$\chi_{c0}(4700)$

$I^G(J^{PC}) = 0^+(0^{++})$

OMMITTED FROM SUMMARY TABLE
was $X(4700)$

This state shows properties different from a conventional $q\bar{q}$ state.
A candidate for an exotic structure. See the review on non- $q\bar{q}$ states.

Seen by AAIJ 17C in $B^+ \rightarrow \chi_{c0} K^+$, $\chi_{c0} \rightarrow J/\psi \phi$ using an amplitude analysis of $B^+ \rightarrow J/\psi \phi K^+$ with a significance (accounting for systematic uncertainties) of 5.6 σ .

$\chi_{c0}(4700)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
4704 $\pm 10^{+14}_{-24}$	4289	1 AAIJ	17C LHCb	$B^+ \rightarrow J/\psi \phi K^+$

¹ From an amplitude analysis of the decay $B^+ \rightarrow J/\psi \phi K^+$ with a significance of 5.6 σ .

$\chi_{c0}(4700)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
120 $\pm 31^{+42}_{-33}$	4289	1 AAIJ	17C LHCb	$B^+ \rightarrow J/\psi \phi K^+$

¹ From an amplitude analysis of the decay $B^+ \rightarrow J/\psi \phi K^+$ with a significance of 5.6 σ .

$\chi_{c0}(4700)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 J/\psi \phi$	seen

$\chi_{c0}(4700)$ BRANCHING RATIOS

$\Gamma(J/\psi \phi)/\Gamma_{\text{total}}$	EVTS	DOCUMENT ID	TECN	Γ_1/Γ
seen	4289	1 AAIJ	17C LHCb	$B^+ \rightarrow J/\psi \phi K^+$

¹ From an amplitude analysis of the decay $B^+ \rightarrow J/\psi \phi K^+$ with a significance of 5.6 σ .

$\chi_{c0}(4700)$ REFERENCES

AAIJ Also	17C PRL 118 022003 PR D95 012002	R. Aaij <i>et al.</i>	(LHCb Collab.) JP (LHCb Collab.)
--------------	--	-----------------------	-------------------------------------