

$N(1880) \ 1/2^+$  $I(J^P) = \frac{1}{2}(\frac{1}{2}^+)$  Status: \*\*\* **$N(1880)$  POLE POSITION****REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1820 to 1900 (<math>\approx</math> 1860) OUR ESTIMATE</b>			
1860 $\pm$ 40	ANISOVICH	17A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1880	HUNT	19	DPWA Multichannel
1875 $\pm$ 11	<sup>1</sup> ANISOVICH	17A	L+P $\gamma p, \pi^- p \rightarrow K \Lambda$
1870 $\pm$ 40	SOKHOYAN	15A	DPWA Multichannel
1870 $\pm$ 40	GUTZ	14	DPWA Multichannel
1860 $\pm$ 35	ANISOVICH	12A	DPWA Multichannel

<sup>1</sup>Statistical error only.**–2×IMAGINARY PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>180 to 280 (<math>\approx</math> 230) OUR ESTIMATE</b>			
230 $\pm$ 50	ANISOVICH	17A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
429	HUNT	19	DPWA Multichannel
33 $\pm$ 9	<sup>2</sup> ANISOVICH	17A	L+P $\gamma p, \pi^- p \rightarrow K \Lambda$
220 $\pm$ 50	SOKHOYAN	15A	DPWA Multichannel
220 $\pm$ 50	GUTZ	14	DPWA Multichannel
250 $\pm$ 70	ANISOVICH	12A	DPWA Multichannel

<sup>2</sup>Statistical error only. **$N(1880)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
6 $\pm$ 4	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
6 $\pm$ 4	GUTZ	14	DPWA Multichannel
6 $\pm$ 4	ANISOVICH	12A	DPWA Multichannel

**PHASE  $\theta$** 

<u>VALUE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
70 $\pm$ 60	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
70 $\pm$ 60	GUTZ	14	DPWA Multichannel
80 $\pm$ 65	ANISOVICH	12A	DPWA Multichannel

**$N(1880)$  INELASTIC POLE RESIDUE**The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .**Normalized residue in  $N\pi \rightarrow N(1880) \rightarrow N\eta$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.11 \pm 0.07$	$-75 \pm 55$	ANISOVICH	12A DPWA	Multichannel

**Normalized residue in  $N\pi \rightarrow N(1880) \rightarrow \Lambda K$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.05 \pm 0.02$	$27 \pm 30$	ANISOVICH	17A DPWA	$\gamma p, \pi^- p \rightarrow K\Lambda$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$0.3 \pm 0.1$	$82 \pm 9$	<sup>3</sup> ANISOVICH	17A L+P	$\gamma p, \pi^- p \rightarrow K\Lambda$
$0.03 \pm 0.02$	$40 \pm 40$	ANISOVICH	12A DPWA	Multichannel

<sup>3</sup>Statistical error only.**Normalized residue in  $N\pi \rightarrow N(1880) \rightarrow \Sigma K$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$0.11 \pm 0.06$	$95 \pm 40$	ANISOVICH	12A DPWA	Multichannel

**Normalized residue in  $N\pi \rightarrow N(1880) \rightarrow \Delta\pi, P$ -wave**

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.14 \pm 0.08$	$-150 \pm 55$	SOKHOYAN	15A DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$0.20 \pm 0.08$	$-150 \pm 50$	ANISOVICH	12A DPWA	Multichannel

**Normalized residue in  $N\pi \rightarrow N(1880) \rightarrow N(1535)\pi$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.09 \pm 0.05$	$130 \pm 60$	GUTZ	14 DPWA	Multichannel

**Normalized residue in  $N\pi \rightarrow N(1880) \rightarrow N_{a_0}(980)$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.04 \pm 0.03$	$40 \pm 65$	GUTZ	14 DPWA	Multichannel

**Normalized residue in  $N\pi \rightarrow N(1880) \rightarrow N\sigma$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.10 \pm 0.05$	$-140 \pm 55$	SOKHOYAN	15A DPWA	Multichannel

 **$N(1880)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1830 to 1930 (<math>\approx 1880</math>) OUR ESTIMATE</b>			
$1967 \pm 20$	<sup>4</sup> HUNT	19 DPWA	Multichannel
$1875 \pm 40$	SOKHOYAN	15A DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

1875 ± 40	GUTZ	14	DPWA	Multichannel
1870 ± 35	ANISOVICH	12A	DPWA	Multichannel
1900 ± 36	<sup>4</sup> SHRESTHA	12A	DPWA	Multichannel

<sup>4</sup> Statistical error only.

### N(1880) BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
-------------	-------------	------	---------

#### 200 to 400 (≈ 300) OUR ESTIMATE

500 ± 77	<sup>5</sup> HUNT	19	DPWA	Multichannel
230 ± 50	SOKHOYAN	15A	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

230 ± 50	GUTZ	14	DPWA	Multichannel
235 ± 65	ANISOVICH	12A	DPWA	Multichannel
485 ± 142	<sup>5</sup> SHRESTHA	12A	DPWA	Multichannel

<sup>5</sup> Statistical error only.

### N(1880) DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\pi$	3–9 %
$\Gamma_2$ $N\eta$	5–55 %
$\Gamma_3$ $N\omega$	12–28 %
$\Gamma_4$ $\Lambda K$	12–28 %
$\Gamma_5$ $\Sigma K$	10–24 %
$\Gamma_6$ $N\pi\pi$	30–80 %
$\Gamma_7$ $\Delta(1232)\pi$	18–42 %
$\Gamma_8$ $N\rho, S=1/2$	
$\Gamma_9$ $N\sigma$	10–40 %
$\Gamma_{10}$ $N(1535)\pi$	4–12 %
$\Gamma_{11}$ $N a_0(980)$	1–5 %
$\Gamma_{12}$ $\Lambda K^*(892)$	0.5–1 %
$\Gamma_{13}$ $p\gamma, \text{ helicity}=1/2$	seen
$\Gamma_{14}$ $n\gamma, \text{ helicity}=1/2$	0.002–0.63 %

### N(1880) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$   $\Gamma_1/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
-----------	-------------	------	---------

25 ± 6	<sup>6</sup> HUNT	19	DPWA	Multichannel
6 ± 3	SOKHOYAN	15A	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

6 ± 3	GUTZ	14	DPWA	Multichannel
5 ± 3	ANISOVICH	12A	DPWA	Multichannel
15 ± 5	<sup>6</sup> SHRESTHA	12A	DPWA	Multichannel

<sup>6</sup> Statistical error only.

$\Gamma(N\eta)/\Gamma_{\text{total}}$   $\Gamma_2/\Gamma$ 

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$2 \pm 1$	<sup>7</sup> HUNT 19	DPWA	Multichannel
$25^{+30}_{-20}$	ANISOVICH 12A	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$16 \pm 7$	<sup>7</sup> SHRESTHA 12A	DPWA	Multichannel
------------	---------------------------	------	--------------

<sup>7</sup> Statistical error only.

 $\Gamma(N\omega)/\Gamma_{\text{total}}$   $\Gamma_3/\Gamma$ 

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$20 \pm 8$	DENISENKO 16	DPWA	Multichannel

 $\Gamma(\Lambda K)/\Gamma_{\text{total}}$   $\Gamma_4/\Gamma$ 

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$2 \pm 1$	<sup>8</sup> HUNT 19	DPWA	Multichannel
$2 \pm 1$	ANISOVICH 12A	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$32 \pm 10$	<sup>8</sup> SHRESTHA 12A	DPWA	Multichannel
-------------	---------------------------	------	--------------

<sup>8</sup> Statistical error only.

 $\Gamma(\Sigma K)/\Gamma_{\text{total}}$   $\Gamma_5/\Gamma$ 

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$17 \pm 7$	ANISOVICH 12A	DPWA	Multichannel

 $\Gamma(\Delta(1232)\pi)/\Gamma_{\text{total}}$   $\Gamma_7/\Gamma$ 

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$11 \pm 6$	<sup>9</sup> HUNT 19	DPWA	Multichannel
$30 \pm 12$	SOKHOYAN 15A	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$29 \pm 12$	ANISOVICH 12A	DPWA	Multichannel
-------------	---------------	------	--------------

$< 2$	<sup>9</sup> SHRESTHA 12A	DPWA	Multichannel
-------	---------------------------	------	--------------

<sup>9</sup> Statistical error only.

 $\Gamma(N\rho, S=1/2)/\Gamma_{\text{total}}$   $\Gamma_8/\Gamma$ 

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$32 \pm 13$	<sup>10</sup> HUNT 19	DPWA	Multichannel

<sup>10</sup> Statistical error only.

 $\Gamma(N\sigma)/\Gamma_{\text{total}}$   $\Gamma_9/\Gamma$ 

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$< 9$	<sup>11</sup> HUNT 19	DPWA	Multichannel
$25 \pm 15$	SOKHOYAN 15A	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$8 \pm 5$	<sup>11</sup> SHRESTHA 12A	DPWA	Multichannel
-----------	----------------------------	------	--------------

<sup>11</sup> Statistical error only.

$\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$				$\Gamma_{10}/\Gamma$
VALUE (%)	DOCUMENT ID	TECN	COMMENT	
$8 \pm 4$	GUTZ	14	DPWA	Multichannel

  

$\Gamma(N_{a_0}(980))/\Gamma_{\text{total}}$				$\Gamma_{11}/\Gamma$
VALUE (%)	DOCUMENT ID	TECN	COMMENT	
$3 \pm 2$	GUTZ	14	DPWA	Multichannel

  

$\Gamma(\Lambda K^*(892))/\Gamma_{\text{total}}$				$\Gamma_{12}/\Gamma$
VALUE	DOCUMENT ID	TECN	COMMENT	
$0.008 \pm 0.003$	ANISOVICH	17B	DPWA	Multichannel

### $N(1880)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

#### $N(1880) \rightarrow p\gamma$ , helicity-1/2 amplitude $A_{1/2}$

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
$0.119 \pm 0.015$	<sup>12</sup> HUNT	19	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$0.021 \pm 0.006$	<sup>12</sup> SHRESTHA	12A	DPWA Multichannel

<sup>12</sup>Statistical error only.

#### $N(1880) \rightarrow n\gamma$ , helicity-1/2 amplitude $A_{1/2}$

VALUE ( $\text{GeV}^{-1/2}$ )	DOCUMENT ID	TECN	COMMENT
$0.016 \pm 0.010$	<sup>13</sup> HUNT	19	DPWA Multichannel
$-0.060 \pm 0.050$	ANISOVICH	13B	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$0.014 \pm 0.007$	<sup>13</sup> SHRESTHA	12A	DPWA Multichannel

<sup>13</sup>Statistical error only.

### $N(1880)$ REFERENCES

HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley
ANISOVICH	17A	PRL 119 062004	A.V. Anisovich <i>et al.</i>
ANISOVICH	17B	PL B771 142	A.V. Anisovich <i>et al.</i>
DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i> (CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i> (CBELSA/TAPS Collab.)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i> (BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley (KSU)