

$\Xi_c(3055)$

$I(J^P) = ?(?^?)$ Status: ***

$\Xi_c(3055)$ MASSES

$\Xi_c(3055)^+$ MASS

| VALUE (MeV) | EVTS | DOCUMENT ID | TECN | COMMENT |
|---|----------|-------------|------|---------------------------------|
| 3055.9±0.4 | 894 | KATO | 16 | BELL $e^+e^- \Upsilon$ region |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| 3058.1±1.0±2.1 | 199 ± 46 | KATO | 14 | BELL See KATO 16 |
| 3054.2±1.2±0.5 | 218 ± 95 | AUBERT | 08J | BABR $e^+e^- \approx 10.58$ GeV |

$\Xi_c(3055)$ WIDTHS

$\Xi_c(3055)^+$ WIDTH

| VALUE (MeV) | EVTS | DOCUMENT ID | TECN | COMMENT |
|---|----------|-------------|------|--|
| 7.8±1.2± 1.5 | | KATO | 16 | BELL $e^+e^- \Upsilon$ region |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● | | | | |
| 9.7±3.4± 3.3 | 199 ± 46 | KATO | 14 | BELL $e^+e^- \Upsilon(1S)$ to $\Upsilon(5S)$ |
| 17 ±6 ±11 | 218 ± 95 | AUBERT | 08J | BABR $e^+e^- \approx 10.58$ GeV |

$\Xi_c(3055)$ DECAY MODES

| Mode | Fraction (Γ_i/Γ) |
|----------------------------------|--------------------------------|
| $\Gamma_1 \quad \Sigma^{++} K^-$ | seen |
| $\Gamma_2 \quad \Lambda D^+$ | seen |

$\Xi_c(3055)$ BRANCHING RATIOS

| $\Gamma(\Lambda D^+)/\Gamma(\Sigma^{++} K^-)$ | Γ_2/Γ_1 | | |
|---|---------------------|------|-----------------------|
| VALUE | DOCUMENT ID | TECN | COMMENT |
| 5.09±1.01±0.76 | KATO | 16 | BELL 721 and 103 evts |

$\Xi_c(3055)$ REFERENCES

| | | | | |
|--------|-----|---------------|-------------------------|-----------------|
| KATO | 16 | PR D94 032002 | Y. Kato <i>et al.</i> | (BELLE Collab.) |
| KATO | 14 | PR D89 052003 | Y. Kato <i>et al.</i> | (BELLE Collab.) |
| AUBERT | 08J | PR D77 012002 | B. Aubert <i>et al.</i> | (BABAR Collab.) |