


$K_1(1270)$ $I(J^P) = \frac{1}{2}(1^+)$ **$K_1(1270)$ MASS**VALUE (MeV)DOCUMENT ID

1253±7 OUR AVERAGE Includes data from the 4 datablocks that follow this one. Error includes scale factor of 2.2. See the ideogram below.

**PRODUCED BY K^- , BACKWARD SCATTERING, HYPERON EXCHANGE**VALUE (MeV)EVTSDOCUMENT IDTECNCHGCOMMENT

The data in this block is included in the average printed for a previous datablock.

1275±10 700 GAVILLET 78 HBC + $4.2 K^- p \rightarrow \Xi^- (K\pi\pi)^+$

PRODUCED BY K BEAMSVALUE (MeV)DOCUMENT IDTECNCHGCOMMENT

The data in this block is included in the average printed for a previous datablock.

1270±10 1 DAUM 81C CNTR - $63 K^- p \rightarrow K^- 2\pi p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

~ 1276 2 TORNQVIST 82B RVUE

~ 1300 VERGEEST 79 HBC - $4.2 K^- p \rightarrow (\bar{K}\pi\pi)^- p$

1289±25 3 CARNEGIE 77 ASPK ± $13 K^\pm p \rightarrow (K\pi\pi)^\pm p$

~ 1300 BRANDENB... 76 ASPK ± $13 K^\pm p \rightarrow (K\pi\pi)^\pm p$

~1270	OTTER	76	HBC	-	10,14,16	$K^- p \rightarrow (\bar{K}\pi\pi)^- p$
1260	DAVIS	72	HBC	+	12	$K^+ p$
1234±12	FIRESTONE	72B	DBC	+	12	$K^+ d$

¹ Well described in the chiral unitary approach of GENG 07 with two poles at 1195 and 1284 MeV and widths of 246 and 146 MeV, respectively.

² From a unitarized quark-model calculation.

³ From a model-dependent fit with Gaussian background to BRANDENBURG 76 data.

PRODUCED BY BEAMS OTHER THAN K MESONS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
The data in this block is included in the average printed for a previous datablock.				

1248.1 ± 3.3 ±1.4 GULER 11 BELL $B^+ \rightarrow J/\psi K^+ \pi^+ \pi^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1289.81± 0.56±1.66	894k	AAIJ	18AI	LHCb	$D^0 \rightarrow K^\mp \pi^\pm \pi^\pm \pi^\mp$
1279 ±10	25k	¹ ABLIKIM	06c	BES2	$J/\psi \rightarrow \bar{K}^*(892)^0 K^+ \pi^-$
1294 ±10	310	RODEBACK	81	HBC	$4 \pi^- p \rightarrow \Lambda K 2\pi$
1300	40	CRENNELL	72	HBC	$4.5 \pi^- p \rightarrow \Lambda K 2\pi$
1242 ^{+ 9} ₋₁₀		² ASTIER	69	HBC	$\bar{p}p$
1300	45	CRENNELL	67	HBC	$6 \pi^- p \rightarrow \Lambda K 2\pi$

¹ Systematic errors not estimated.

² This was called the C meson.

PRODUCED IN τ LEPTON DECAYS


VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
The data in this block is included in the average printed for a previous datablock.					

1254±33±34 7k ASNER 00B CLEO ± $\tau^- \rightarrow K^- \pi^+ \pi^- \nu_\tau$

$K_1(1270)$ WIDTH

VALUE (MeV)	DOCUMENT ID
90±20 OUR ESTIMATE	This is only an educated guess; the error given is larger than the error on the average of the published values.

101±12 OUR AVERAGE Includes data from the 4 datablocks that follow this one. Error includes scale factor of 2.2. See the ideogram below.



PRODUCED BY K^- , BACKWARD SCATTERING, HYPERON EXCHANGE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

75±15 700 GAVILLET 78 HBC + $4.2 \ K^- p \rightarrow \Xi^- K\pi\pi$

PRODUCED BY K BEAMS

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT
-------------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

90± 8	¹ DAUM	81C	CNTR	–	$63 \ K^- p \rightarrow K^- 2\pi p$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
~ 150	VERGEEST	79	HBC	–	$4.2 \ K^- p \rightarrow (\bar{K}\pi\pi)^- p$
150 ± 71	² CARNEGIE	77	ASPK	±	$13 \ K^\pm p \rightarrow (K\pi\pi)^\pm p$
~ 200	BRANDENB...	76	ASPK	±	$13 \ K^\pm p \rightarrow (K\pi\pi)^\pm p$
120	DAVIS	72	HBC	+	$12 \ K^+ p$
188±21	FIRESTONE	72B	DBC	+	$12 \ K^+ d$

¹ Well described in the chiral unitary approach of GENG 07 with two poles at 1195 and 1284 MeV and widths of 246 and 146 MeV, respectively.

² From a model-dependent fit with Gaussian background to BRANDENBURG 76 data.

PRODUCED BY BEAMS OTHER THAN K MESONS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
-------------	------	-------------	------	---------

The data in this block is included in the average printed for a previous datablock.

119.5 ± 5.2 ±6.7 GULER 11 BELL $B^+ \rightarrow J/\psi K^+ \pi^+ \pi^-$

• • • We do not use the following data for averages, fits, limits, etc. • • •

116.11 ± 1.65 ± 2.96	894k	AAIJ	18AI	LHCb	$D^0 \rightarrow K^\mp \pi^\pm \pi^\pm \pi^\mp$
131 ± 21	25k	¹ ABLIKIM	06C	BES2	$J/\psi \rightarrow \bar{K}^*(892)^0 K^+ \pi^-$
66 ± 15	310	RODEBACK	81	HBC	$4 \pi^- p \rightarrow \Lambda K 2\pi$
60	40	CRENNELL	72	HBC	$4.5 \pi^- p \rightarrow \Lambda K 2\pi$
127 ± 7		ASTIER	69	HBC	$\bar{p} p$
60	45	CRENNELL	67	HBC	$6 \pi^- p \rightarrow \Lambda K 2\pi$

¹ Systematic errors not estimated.

PRODUCED IN τ LEPTON DECAYS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
-------------	------	-------------	------	-----	---------

The data in this block is included in the average printed for a previous datablock.

260 +90 -70 ±80	7k	ASNER	00B	CLEO	\pm	$\tau^- \rightarrow K^- \pi^+ \pi^- \nu_\tau$
--	----	-------	-----	------	-------	---

$K_1(1270)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor
$\Gamma_1 K\rho$	(38 ± 13) %	2.2
$\Gamma_2 K_0^*(1430)\pi$	(28 ± 4) %	
$\Gamma_3 K^*(892)\pi$	(21 ± 10) %	2.2
$\Gamma_4 K\omega$	(11.0 ± 2.0) %	
$\Gamma_5 Kf_0(1370)$	(3.0 ± 2.0) %	
$\Gamma_6 \gamma K^0$	seen	

$K_1(1270)$ PARTIAL WIDTHS

$\Gamma(K\rho)$	Γ_1
<u>VALUE (MeV)</u> <u>DOCUMENT ID</u> <u>TECN</u> <u>CHG</u> <u>COMMENT</u>	
• • • We do not use the following data for averages, fits, limits, etc. • • •	
57 ± 5	MAZZUCATO 79 HBC + 4.2 $K^- p \rightarrow \Xi^-(K\pi\pi)^+$
75 ± 6	CARNEGIE 77B ASPK ± 13 $K^\pm p \rightarrow (K\pi\pi)^\pm p$

$\Gamma(K_0^*(1430)\pi)$	Γ_2
<u>VALUE (MeV)</u> <u>DOCUMENT ID</u> <u>TECN</u> <u>CHG</u> <u>COMMENT</u>	
• • • We do not use the following data for averages, fits, limits, etc. • • •	
26 ± 6	CARNEGIE 77B ASPK ± 13 $K^\pm p \rightarrow (K\pi\pi)^\pm p$

$\Gamma(K^*(892)\pi)$	Γ_3
<u>VALUE (MeV)</u> <u>DOCUMENT ID</u> <u>TECN</u> <u>CHG</u> <u>COMMENT</u>	
• • • We do not use the following data for averages, fits, limits, etc. • • •	
14 ± 11	MAZZUCATO 79 HBC + 4.2 $K^- p \rightarrow \Xi^-(K\pi\pi)^+$
2 ± 2	CARNEGIE 77B ASPK ± 13 $K^\pm p \rightarrow (K\pi\pi)^\pm p$

$\Gamma(K\omega)$	Γ_4				
VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
4±4	MAZZUCATO 79	HBC	+	4.2 $K^- p \rightarrow \Xi^-(K\pi\pi)^+$	
24±3	CARNEGIE 77B	ASPK	±	13 $K^\pm p \rightarrow (K\pi\pi)^\pm p$	

$\Gamma(Kf_0(1370))$	Γ_5				
VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
22±5	CARNEGIE 77B	ASPK	±	13 $K^\pm p \rightarrow (K\pi\pi)^\pm p$	

$\Gamma(\gamma K^0)$	Γ_6				
VALUE (keV)	DOCUMENT ID	TECN	CHG	COMMENT	
73.2±6.1±28.3					
	ALAVI-HARATI02B	KTEV		$K + A \rightarrow K^* + A$	

$K_1(1270)$ BRANCHING RATIOS

$\Gamma(K\rho)/\Gamma_{\text{total}}$	Γ_1/Γ			
VALUE	DOCUMENT ID	TECN	COMMENT	
0.38 ±0.13 OUR FIT Error includes scale factor of 2.2.				
0.42 ±0.06	¹ DAUM 81C	CNTR	$63 K^- p \rightarrow K^- 2\pi p$	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.584±0.043 dominant	² GULER 11 RODEBACK 81	BELL HBC	$B^+ \rightarrow J/\psi K^+ \pi^+ \pi^-$	

$\Gamma(K_0^*(1430)\pi)/\Gamma_{\text{total}}$	Γ_2/Γ			
VALUE	DOCUMENT ID	TECN	COMMENT	
0.28 ±0.04				
¹ DAUM 81C	CNTR	$63 K^- p \rightarrow K^- 2\pi p$		
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.0201±0.0064	² GULER 11	BELL	$B^+ \rightarrow J/\psi K^+ \pi^+ \pi^-$	

$\Gamma(K^*(892)\pi)/\Gamma_{\text{total}}$	Γ_3/Γ			
VALUE	DOCUMENT ID	TECN	COMMENT	
0.21 ±0.10 OUR FIT Error includes scale factor of 2.2.				
0.16 ±0.05	¹ DAUM 81C	CNTR	$63 K^- p \rightarrow K^- 2\pi p$	
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.171±0.023	² GULER 11	BELL	$B^+ \rightarrow J/\psi K^+ \pi^+ \pi^-$	

$\Gamma(K^*(892)\pi)/\Gamma(K\rho)$	Γ_3/Γ_1			
VALUE	DOCUMENT ID	TECN	COMMENT	
0.56±0.29 OUR FIT Error includes scale factor of 2.2.				
0.99±0.15±0.18	ABLIKIM 21U	BES3	$D_s^+ \rightarrow \bar{K}_1(1270)^0 K^+$	

$\Gamma(K\omega)/\Gamma_{\text{total}}$	Γ_4/Γ			
VALUE	DOCUMENT ID	TECN	COMMENT	
0.11 ±0.02				
¹ DAUM 81C	CNTR	$63 K^- p \rightarrow K^- 2\pi p$		
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.225±0.052	² GULER 11	BELL	$B^+ \rightarrow J/\psi K^+ \pi^+ \pi^-$	

$\Gamma(K\omega)/\Gamma(K\rho)$					Γ_4/Γ_1
VALUE	CL%	DOCUMENT ID	TECN	COMMENT	
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.30	95	RODEBACK	81	HBC	$4\pi^- p \rightarrow \Lambda K 2\pi$
$\Gamma(K f_0(1370))/\Gamma_{\text{total}}$					Γ_5/Γ
VALUE	DOCUMENT ID	TECN	COMMENT		
0.03±0.02	1 DAUM	81C	CNTR	63 $K^- p \rightarrow K^- 2\pi p$	

D-wave/S-wave RATIO FOR $K_1(1270) \rightarrow K^*(892)\pi$

VALUE	DOCUMENT ID	TECN	COMMENT	
1.0±0.7	1 DAUM	81C	CNTR	63 $K^- p \rightarrow K^- 2\pi p$

¹ Average from low and high t data.
² Assuming that decays are saturated by the $K\rho$, $K_0^*(1430)\pi$, $K^*(892)\pi$, $K\omega$ decay modes and neglecting interference between them. The values $B(\omega \rightarrow \pi^+\pi^-) = (1.53^{+0.11}_{-0.13})\%$ and $B(K_0^*(1430) \rightarrow K\pi) = (93 \pm 10)\%$ are used. Systematic uncertainties not estimated.

$K_1(1270)$ REFERENCES

ABLIKIM	21U	PR D104 032011	M. Ablikim <i>et al.</i>	(BESIII Collab.)
AAIJ	18AI	EPJ C78 443	R. Aaij <i>et al.</i>	(LHCb Collab.)
GULER	11	PR D83 032005	H. Guler <i>et al.</i>	(BELLE Collab.)
GENG	07	PR D75 014017	L.S. Geng <i>et al.</i>	
ABLIKIM	06C	PL B633 681	M. Ablikim <i>et al.</i>	(BES Collab.)
ALAVI-HARATI	02B	PRL 89 072001	A. Alavi-Harati <i>et al.</i>	(FNAL KTeV Collab.)
ASNER	00B	PR D62 072006	D.M. Asner <i>et al.</i>	(CLEO Collab.)
TORNQVIST	82B	NP B203 268	N.A. Tornqvist	(HELS)
DAUM	81C	NP B187 1	C. Daum <i>et al.</i>	(AMST, CERN, CRAC, MPIM+)
RODEBACK	81	ZPHY C9 9	S. Rodeback <i>et al.</i>	(CERN, CDEF, MADR+)
MAZZUCATO	79	NP B156 532	M. Mazzucato <i>et al.</i>	(CERN, ZEEM, NIJM+)
VERGEEST	79	NP B158 265	J.S.M. Vergeest <i>et al.</i>	(NIJM, AMST, CERN+)
GAVILLET	78	PL 76B 517	P. Gavillet <i>et al.</i>	(AMST, CERN, NIJM+) JP
CARNEGIE	77	NP B127 509	R.K. Carnegie <i>et al.</i>	(SLAC)
CARNEGIE	77B	PL 68B 287	R.K. Carnegie <i>et al.</i>	(SLAC)
BRANDENB...	76	PRL 36 703	G.W. Brandenburg <i>et al.</i>	(SLAC) JP
OTTER	76	NP B106 77	G. Otter <i>et al.</i>	(AACH3, BERL, CERN, LOIC+) JP
CRENNELL	72	PR D6 1220	D.J. Crennell <i>et al.</i>	(BNL)
DAVIS	72	PR D5 2688	P.J. Davis <i>et al.</i>	(LBL)
FIRESTONE	72B	PR D5 505	A. Firestone <i>et al.</i>	(LBL)
ASTIER	69	NP B10 65	A. Astier <i>et al.</i>	(CDEF, CERN, IPNP, LIVP) IJP
CRENNELL	67	PRL 19 44	D.J. Crennell <i>et al.</i>	(BNL) I