

N(2220) 9/2⁺ $I(J^P) = \frac{1}{2}(\frac{9}{2}^+)$ Status: ***

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

N(2220) POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2130 to 2200 (\approx 2150) OUR ESTIMATE			
2131 \pm 6	ROENCHEN 22	DPWA	Multichannel
2127 \pm 3 \pm 24	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
2150 \pm 35	ANISOVICH 12A	DPWA	Multichannel
2160 \pm 80	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2171	ROENCHEN 15A	DPWA	Multichannel
2199	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
2135	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

-2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
360 to 480 (\approx 400) OUR ESTIMATE			
388 \pm 6	ROENCHEN 22	DPWA	Multichannel
380 \pm 7 \pm 22	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
440 \pm 40	ANISOVICH 12A	DPWA	Multichannel
480 \pm 100	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
593	ROENCHEN 15A	DPWA	Multichannel
372	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
400	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

N(2220) ELASTIC POLE RESIDUE**MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
35 to 60 (\approx 45) OUR ESTIMATE			
48 \pm 5	ROENCHEN 22	DPWA	Multichannel
38 \pm 1 \pm 5	¹ SVARC 14	L+P	$\pi N \rightarrow \pi N$
60 \pm 12	ANISOVICH 12A	DPWA	Multichannel
45 \pm 20	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
62	ROENCHEN 15A	DPWA	Multichannel
33	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
40	HOEHLER 93	ARGD	$\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

PHASE θ

VALUE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
-60 to -10 (≈ -40) OUR ESTIMATE			
-13 \pm 2	ROENCHEN	22	DPWA Multichannel
-52 \pm 1 \pm 14	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
-58 \pm 12	ANISOVICH	12A	DPWA Multichannel
-45 \pm 25	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-59	ROENCHEN	15A	DPWA Multichannel
-33	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
-50	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

N(2220) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(2220) \rightarrow N\eta$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.042 \pm 0.006	-48 \pm 2	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.004	-101	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2220) \rightarrow \Lambda K$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.020 \pm 0.003	-60 \pm 2	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.007	62	ROENCHEN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2220) \rightarrow \Sigma K$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.003 \pm 0.008	-70 \pm 2	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.009	-128	ROENCHEN	15A	DPWA Multichannel

N(2220) BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2200 to 2300 (≈ 2250) OUR ESTIMATE			
2316.3 \pm 2.9	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
2230 \pm 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
2205 \pm 10	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

¹ Statistical error only.

N(2220) BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
350 to 500 (≈ 400) OUR ESTIMATE			
633 \pm 17	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
500 \pm 150	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
365 \pm 30	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
¹ Statistical error only.			

N(2220) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\pi$	15–30 %

N(2220) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$	Γ_1/Γ		
15 to 30 (≈ 25) OUR ESTIMATE			
¹ Statistical error only.			
24 \pm 5	ANISOVICH	12A	DPWA Multichannel
24.6 \pm 0.1	¹ ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
15 \pm 3	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
18.0 \pm 1.5	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

N(2220) PHOTON DECAY AMPLITUDES AT THE POLE**N(2220) $\rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

MODULUS (GeV $^{-1/2}$)	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.357 \pm 0.020	-91 \pm 4	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.135	114	ROENCHEN	15A	DPWA Multichannel

N(2220) $\rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

MODULUS (GeV $^{-1/2}$)	PHASE (°)	DOCUMENT ID	TECN	COMMENT
-0.273 \pm 0.025	-102 \pm 3	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.082	-41	ROENCHEN	15A	DPWA Multichannel

N(2220) REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

ROENCHEN	22	EPJ A58 229	D. Roenchen <i>et al.</i>	(JULI, GWU, BONN+)
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)

ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
